10/2004

CCTV Systems
Price List

Security Systems

Security you can rely on.

BOSCH

Federal Supply Service
Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA *Advantage!*, a menu-driven database system. The INTERNET address GSA *Advantage!* is: GSAAdvantage.gov.

WORLDWIDE FEDERAL SUPPLY SCHEDULE CONTRACT FOR

SCHEDULE 084: Total Solutions for Law Enforcement, Security, Facilities Management Systems, Fire, Rescue, Special Purpose Clothing, Marine Craft and Emergency/Disaster Response.

FSC Group 63; FSC Class 6350

Contract number: GS07F7820C

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at fss.gsa.gov.

Contract period: August 25, 1995-August 24, 2005

Bosch Security Systems
130 Perinton Parkway
Fairport, New York 14450
800/280-0096
585-223-4060 x4275
www.us.bosch.com

Contract administration: diane.pringle@us.bosch.com
Business size: Large

1a.Table of awarded special item number(s) with appropriate cross-reference to item descriptions and awarded price(s).

SINs 246-20, 246-25, 246-35, 246-40, 246-42 (1), 246-50

1b.Identification of the lowest priced model number and lowest unit price for that model:
246-20:
246-25:
246-35 (1) ..note you must identify all subcategories
246-40:
246-42 (1): S1382 $4
246-50 Ancillary Services:

Includes, but is not limited to: services necessary to install the system (from design through start-up), maintain the system (including maintenance agreements, which may not exceed the term of this contract), or training. Under no circumstance shall this include construction (Construction is defined as construction, alteration, or repair of buildings, structures, or other real property, as defined by Federal Acquisition Regulation 36.102).

Contractors may subcontract any ancillary services ordered under this Special Item Number, unless specifically prohibited by the contracting officer issuing the order against the Multiple Award Schedule contract. Contractors are responsible for insuring that the scope of work is completed and all warranties are honored. Subcontractors must be licensed and bonded. Compliance with all local laws, regulations, and ordinances are the responsibility of the prime contractor. The prime contractor shall accept full responsibility and liability for all work performed by subcontractors, at any level or tier. The Government reserves the right to apply liquidated damages whenever the required delivery date is not met. Contractors are required to maintain insurance in accordance with Clause 52.228-5, Insurance – Work on a Government Installation. Agencies' Scope of Work will inform the Contractor of the Required insurance amounts. Clause 52.228-5 is made part of this contract by reference. In addition, the contracting officer for the ordering agency may insert any agency unique requirements for the job, including employee suitability determination requirements (security checks), into the scope of work.

AGENCIES MUST FULLY DEFINE THE SCOPE OF REQUIRED SERVICES (INCLUDING INSURANCE AMOUNTS) AND OBTAIN PRICE QUOTATIONS FROM SCHEDULE CONTRACTORS FOR THAT SCOPE. ACCURATE DEFINITION OF THE SCOPE IS ESSENTIAL IN ORDER TO FACILITATE REALISTIC QUOTATIONS. THE CONTRACTING OFFICER FOR THE ORDERING AGENCY SHALL BE RESPONSIBLE FOR OBTAINING PRICING

INFORMATION AND THE NEGOTIATION AND AWARD OF THE SERVICES REQUIRED BY THE SCOPE OF WORK. THE CONTRACTING OFFICER FOR THE ORDERING AGENCY SHALL BE RESPONSIBLE FOR DETERMINING THE PRICE IS FAIR AND REASONABLE. AGENCIES ARE RESPONSIBLE FOR ALL ADMINISTRATION OF ORDERS ISSUED UNDER THIS SIN.

CONTRACTOR QUOTES SHALL DETAIL ALL PRODUCT ITEMS (WITH THEIR RESPECTIVE PRICES) AND ONE PRICE FOR ANY SERVICES TO BE PROVIDED UNDER THIS SPECIAL ITEM NUMBER. THE AGENCY WILL DETERMINE THE BEST VALUE TO THE GOVERNMENT BASED ON THE QUOTATIONS RECEIVED. AGENCY ORDERS SHOULD DETAIL ANY REQUIRED SERVICES AS A SEPARATE LINE ITEM.

OFFERORS MAY ONLY OFFER THIS SPECIAL ITEM NUMBER IN CONJUNCTION WITH SYSTEMS OFFERED UNDER THIS SCHEDULE . THE PRINCIPAL PURPOSE OF THIS SCHEDULE IS FOR THE PURCHASE OF ALARM AND SIGNAL SYSTEMS/FACILITY MANAGEMENT SYSTEMS.

Here is where to insert your labor rate and description

1c. If the Contractor is proposing hourly rates, a description of all corresponding commercial job titles, experience, functional responsibility and education for those types of employees or subcontractors who will perform services shall be provided. If hourly rates are not applicable, indicate "Not applicable" for this item.

2. Maximum order: SIN 246-20, 25, 35, 40 $100,000
SIN 246-42 (1) $150,000
SIN 246-50 $200,000

Simplified Ordering Instructions per FAR 8.404

Orders under the micropurchase threshold: Place order directly with contractor for the item that best meets your needs.

Orders over the micropurchase threshold:

To ensure a "Best Value" determination is made, as required by FAR 8.404:
Review the GSA Advantage! on-line electronic ordering system.
- or -
Review 3 schedule pricelists.
Consider price, plus administrative costs.
Place order directly with contractor.

When determining what is a "best value,"you may consider the following:

1. Special features of the supply/service are required but not provided by a comparable supply/service

2. Trade-in considerations
3. Probable life of the item selected compared to that of a comparable item
4. Warranty considerations
5. Maintenance availability
6. Past performance
7. Environmental and energy efficiency considerations
8. Place order directly with contractor

Documentation:

Minimum documentation is generally all that is required.
Additional documentation is necessary when requirement is defined to a particular brand name and only for orders exceeding the micro-purchase threshold.

Orders exceeding the maximum order threshold: (Note: This dollar figure will vary from contract to contract.)

FAR 8.404(b)(3) provides new guidelines for orders exceeding the maximum order threshold:

In addition to following the ordering procedures for orders above the micro-purchase threshold, ordering offices shall -

(i) Review additional schedule contractors' catalogs/price lists or use the "GSA Advantage! on-line shopping service.
(ii) Based upon the initial evaluation, generally seek price reductions from the schedule contractor(s) appearing to provide the best value (considering price and other factors); and
(iii) After price reductions have been sought, place the order with the schedule contractor that provides the best value and results in the lowest overall cost alternative (see 8.404(a)). If further price reductions are not offered, an order may still be placed, if the ordering office determines that it is appropriate.

Pursuant to FAR 8.404 orders may be placed above the maximum order level.

3.Minimum order: $100

4.Geographic coverage: 48 Contiguous States and Washington, D.C.

5.Point(s) of production

Primary point of production is:
Bosch Security Systems, Inc.
850 Greenfield Road
Lancaster County
Lancaster, PA 17601

6.Discount: Prices herein are net, discount has been taken.

9a.Government purchase cards are accepted at or below the micro-purchase threshold.

9b.Government purchase cards are accepted above the micro-purchase threshold.

10. Foreign items: Items as identified below which are not from a designated country under Federal Acquisition Regulations can be purchased as a system, if purchased as stand alone they are open market.

Items manufactured in Japan are identified by an (@).
Items manufactured in Ireland are identified by an (&).
Items manufactured in Taiwan are identified by an (!).
Items manufactured in Thailand are identified by an (^).
Items manufactured in S. Korea are identified by an (%).
Items manufactured in Portugal are identified by an (+).
Items manufactured in China are identified by an (\ )
Items manufactured in England are identified by an (l)
Items manufactured in Germany are identified by an(_)
Items manufactured in Hungary are identified by an (¤)
Items manufactured in Malaysia are identified by an(=)
Items manufactured in Netherlands are identified by an (~)

11a.Time of delivery. 30 days ARO

11b.Expedited Delivery: If available in stock.

11c.Overnight and 2-day delivery: Schedule customer may contact the Contractor for rates for overnight and 2-day delivery.

11d.Urgent Requirements. Contact the contract administrator to effect a faster delivery.

12.F.O.B. point(s): Destination, Port of Debarkation for AL, HA and PR

13a.Ordering address(es).

For CCTV Products:
Contact Bosch Security Systems at 800/887-5860
for your local participating Authorized Govermment Reseller (AGR).

For Non-CCTV Products:
Bosch Security Systems
Government Operations Department
130 Perinton Parkway
Fairport, NY 14450

13b.Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule homepage (fss.gsa.gov/schedules).

14.Payment address(es). Same as above or as noted on invoice

15. Warranty provision: For CCTV Products, SIN 246-42(1) are:

furnished has 90 day warranty to be free from defects in materials and workmanship under normal use. Please refer to the Software License Agreement accompanying product for additional terms and conditions covering use of Software.

16.Export packing charges: Open Market

17.Terms and conditions of Government purchase card acceptance : Subject to credit card limit and transaction approval code.

18.Terms and conditions of rental, maintenance, and repair: Rental is not available; maintenance and repair available under Ancillary Services SIN 246-50.

19.Terms and conditions of installation : Available under Ancillary Service SIN 246-50

20. Terms and conditions of repair parts:
a. Prices: All parts, furnished as spares or as repair parts in connection with repair of equipment, shall be new standard parts. All parts shall be furnished at prices as indicated in the contractor's price list dated March 6, 2001.
b. Warranty: All parts furnished either as spares or repair parts in connection with repair of equipment, shall be warranted for a period of one (1) year.

20a.Terms and conditions for any other services : Ancillary Services SIN 246-50

21.List of service and distribution points: Not applicable

22.List of participating dealers: see attached

23.Preventive maintenance: See Ancillary Services SIN 246-50

24a.Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and/or reduced pollutants: Not Applicable

25.Data Universal Number System (DUNS) number: 04-5610110

26.Bosch is registered in Central Contractor Registration (CCR) database.

A. Rate of $75.00 per hour for orpeational training, installation review and design assistance services are available from BOSCH AGR's. All other services fall under SIN 246-50

Table of Contents

VIDEO PRODUCTS

Eazeo Professional Observation Systems 1
DSP Cameras, Monochrome 3
DSP Cameras, Color 3
Lenses 4
Enclosures, Indoor 5
Enclosures, Indoor Domed for Fixed Cameras 5
Enclosures, Outdoor Environmental 6
Accessories for Enclosures 7
Mounts & Mounting Brackets 8
Power Supplies/Transformers 9
Pan/Tilts 9
MiniLine Fixed Dome Cameras, Indoor 10
MiniLine Fixed Dome Cameras, Indoor/Outdoor 10
DME Series Compact Prepackaged Dome Cameras 11
UnityDome™ Prepackaged Cameras 12
Unity™ Prepackaged Cameras 13
Nitrogen-Pressurized Camera/Housings 14
AutoDome Systems 15
Monitors 22
Network Cameras 23
Digital Video Recorders 24
Analog Video Recorders 26
Controls / Video Switchers 27
Video Quads and Multiplexers 27
Multiplexer Control Systems 28
Matrix Switcher/Control Systems - Integrated 28
Matrix Switcher/Control Systems - Modular 29
Allegiant Systems Accessory Equipment 30
Video Transmission Systems 31
Fiber Optic Transmission Systems 32
Video Signal Equipment 32
Special Equipment 33
Rack Kits & Mounting Consoles 33

Alpha Numeric Price List 34
Alpha Numeric Index 51
General Notes (Warranty) 56
TERMS AND CONDITIONS OF SALE 57

PRODUCT	DESCRIPTION		MSRP	UNIT

VIDEO PRODUCTS

Eazeo Professional Observation Systems

EAZEO MONOCHROME OBSERVATION SYSTEMS

VS23605T	B&W OBSERVATION SYSTEM, 12-INCH MONITOR, 4 INPUT SWITCHER w/ ONE CAM, 120VAC, 60Hz.	+	394	265
VS23645T	B&W OBSERVATION SYSTEM, 12-INCH MONITOR, 4 INPUT QUAD w/ ONE CAMERA, 120VAC, 60Hz.	+	657	442
VS23645P	B&W OBSERVATION SYSTEM, 12-INCH MONITOR, 4 INPUT QUAD w/ FOUR CAMERAS, 120VAC, 60Hz.	+	1151	775

EAZEO COLOR OBSERVATION SYSTEMS

VS7390/11T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER w/ ONE CAMERA (VC7C1305T)& 3mm LENS, 120VAC, 60Hz.	+	727	490
VS7390/21T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER w/ ONE CAMERA (VC7C2305T) & 3-6mm LENS, 120VAC, 60Hz.	+	818	551
VS7390/31T	COLOR OBERSVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER W/ONE MINIDOME CAMERA& 2.8-10MM. DC IRIS,120VAC,60Hz.	+	945	637
VS7390/41T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER w/ONE MINIDOME CAMERA (VC7D1305T), w/3mm LENS,120 VAC,60Hz.	+	727	490
VS8394/11T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ ONE CAMERA (VC7C1305T)& 3mm LENS, 120VAC, 60Hz.	+	1085	730
VS8394/21T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ ONE CAMERA(VC7C2305T) & 3-6mm LENS, 120VAC, 60Hz.	+	1176	792
VS8394/31T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ ONE CAMERA (VC7C2725T)& 2.8-10mm , DC-IRIS, 120VAC, 60Hz.	+	1303	877
VS8394/41T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ONE MINIDOME CAMERA (VC7D1305T)& 3mm LENS, 120VAC, 60Hz.	+	1085	730

EAZEO COLOR MULTI-CAMERA PACKAGES

	VS8394/14T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MULTIPLEXER w/ FOUR CAMERAS(VC7C1305T)& 3mm LENS, 120VAC, 60Hz.	+	1467	987
	VS8394/44T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/FOUR MINIDOME CAMERAS(VC7D1305T), w/3mm LENS, 120VAC, 60Hz.	+	1467	987
*	VS8394/34T	COLOR MULTIPLEXER WITH 4 NTSC CAMERA (VC7C2725T).	+	2012	1355
*	VS8394/74D	COLOR MULITIPLEXER WITH 4 NTSC CAMERAS (VC7C1305T) AND EAZEO DVR.	!	2642	1779
	VS8394/94T	COLOR OBSERVATION SYS, 14" MON., MUX. WITH 4 CAMERAS (VC7C1305T) and VCR (RT30A/61), 120VAC, 60Hz.	+	2030	1367

ADD-ON CAMERAS FOR MONOCHROME OBSERVATION SYSTEMS

VC86775T	B/W CCD CAMERA, w/ 4mm INTEGRATED LENS.	+	327	220
VC86785T	B/W CCD CAMERA, w/ 8mm INTEGRATED LENS.	+	327	220

ADD-ON CAMERAS FOR COLOR OBSERVATION SYSTEMS

VC7C1305T	COLOR CAMERA w/ 3mm INTEGRATED LENS.	+	255	171
VC7C2305T	COLOR CAMERA w/ 3-6mm VARIFOCAL INTEGRATED LENS.	+	345	233
VC7B2725T	BLACK/WHITE CAMERA FOR USE WITH COLOR OBSERVATION SYSTEM, CS-MOUNT VF AI 3.5-8MM LENS.	+	424	286
VC7C2755T	COLOR CAMERA W/ 5-50mm VARIFOCAL, DC-IRIS, CS-MOUNT LENS.	+	497	335
VC7D1305T	COLOR MINIDOME CAMERA w/ 3mm INTEGRATED LENS.	+	255	171
VC7H2725T	OUTDOOR CAMERA ASSEMBLY,INCLUDES VC7C2725T CAMERA AND VCM1353/00T HOUSING.	+	624	420
* VC973650T	COVERT COLOR CAMERA IN PIR HOUSING.	+	303	204
* VC973651T	COVERT COLOR CAMERA IN SMOKE.	+	303	204

ADD-ON MONITORS FOR MONOCHROME OBSERVATION SYSTEMS

VS44605T	12-INCH MONOCHROME MONITOR FOR MONOCHROME OBSERVATION SYSTEMS.	+	206	139

ADD-ON MONITORS FOR COLOR OBSERVATION SYSTEMS

VS9490/90T	14-INCH COLOR ADD-ON MONITOR FOR COLOR OBSERVATION SYSTEMS.	+	545	367

ACCESSORIES FOR MONOCHROME OBSERVATION SYSTEMS

VSS2901/00	INTERCOM BOX FOR MONOCHROME OBSERVATION SYSTEMS.	+	55	37
VSS2902/00	ALARM BOX FOR MONOCHROME OBSERVATION SYSTEMS.	~	55	37
* VSS2904/05	CABLE EXTENSION ADAPTER FOR MONOCHROME OBSERVATION SYSTEMS.	~	121	82
VSS2905/00	ACTION BOX FOR MONOCHROME OBSERVATION SYSTEMS.	~	73	49
VS29039T	INTERFACE BOX, FOR INTERFACING AN OPTIONAL VCR OR TV RECEIVER.	+	85	57
VSS2913/05	REVERSE INTERFACE BOX FOR MONOCHROME OBSERVATION SYSTEMS.	+	156	105
VSS2904/05	CABLE EXTENSION ADAPTER FOR MONOCHROME OBSERVATION SYSTEMS.	~	121	82
VCM1110/00T	DUMMY CAMERA FOR MONOCHROME OBSERVATION SYSTEMS.	+	44	30
VSS7913/00T	VCR CABLE SET FOR B/W SYSTEM.	%	10	7

PRODUCT	DESCRIPTION		MSRP	UNIT

Eazeo Professional Observation Systems

ACCESSORIES FOR COLOR OBSERVATION SYSTEMS

VS79015T	INTERCOM BOX FOR COLOR OBSERVATION SYSTEMS.	+	97	65
VS79025T	ACTION/ALARM BOX FOR COLOR OBSERVATION SYSTEMS.	+	73	49
VS79035T	INTERFACE BOX, FOR INTERFACING AN OPTIONAL VCR OR TV RECEIVER.	+	79	53
VS79055T	ALARM/ACTION BOX INCLUDING PIR DETECTOR.	+	152	102
* VS79155T	OUTDOOR VIDEO INTERCOM FOR COLOR OBSERVATION SYSTEMS.	+	424	286
VC11625T	DC POWER ADAPTER, FOR COLOR OBSERVATION SYSTEMS.	_	109	73
RC283511/01	IR REMOTE CONTROL FOR COLOR OBSERVATION SYSTEMS.	\	67	45
VCM1120/00T	DUMMY CAMERA FOR COLOR OBSERVATION SYSTEMS (VC7C1305T DESIGN).	+	55	37
VSS7911/00T	A/V CABLE	!	24	16
VSS7912/00T	A/V EXTENTION CABLE 30FT.	!	36	24

CABLES FOR OBSERVATION SYSTEMS

VSS2906/00	EXTENSION CABLE, 150 FT., W/ RJ11 CONNECTORS.	!	32	22
VSS2930/00	EXTENSION CABLE, 900 FT., W/ 25 RJ11 CONNECTORS.	!	230	155

ENCLOSURES FOR OBSERVATION SYSTEMS

VCM1152/10T	PROTECTIVE COVER, INDOOR, FOR OBSERVATION SYSTEM CAMERAS.	+	46	31
VCM1353/00T	HOUSING, OUTDOOR, FOR OBSERVATION SYSTEM CAMERAS, HEATER, POWERED BY MONITOR.	%	152	102

VIDEO CASSETTE RECORDERS FOR OBSERVATION SYSTEMS

RT30A/61	VCR,30 HR.REAL TIME,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	606	408
RT960A/61	VCR,30 HR.REAL TIME,960 HR.TIME LAPSE,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	758	510
S1361	CONNECTOR CABLE, 6 FT., BNC TO RCA, TERMINATED.		10	7
S1363	ADAPTER, RCA JACK TO BNC CONNECTOR, 2 PCS.	!	10	7

DIGITAL VIDEO RECORDERS FOR OBSERVATION SYSTEMS

* DVR1B1161	EAZEO DVR FOR COLOR SYSTEM,160GB HDD.	!	1315	885

PRODUCT	DESCRIPTION		MSRP	UNIT

DSP Cameras, Monochrome

DINION™ STANDARD RESOLUTION CAMERAS

LTC 0335/20	CAMERA, 1/3" 380 TVL B/W, DSP, 12VDC/24VAC, 60Hz.	+	156	105
LTC 0335-28	CAMERA, 1/3" 380 TVL B/W, DSP, 12VDC/24VAC, 60Hz w/2.8-10mm VARIFOCAL LENS.	+	283	190
LTC 0335-28W	CAMERA, 1/3" 380 TVL B/W, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	313	211
LTC 0335/60	CAMERA, 1/3" 380 TVL B/W, DSP, 120VAC, 60Hz.	+	166	112

DINION™HIGH RESOLUTION CAMERAS

LTC 0355/20	CAMERA, 1/3" 570 TVL B/W, DSP, 12VDC/24VAC, 60Hz.	+	250	169
* LTC 0355-28	CAMERA, 1/3" 570 TVL B/W, DSP, 12VDC/24VAC, 60Hz w/2.8-10mm VARIFOCAL LENS.	+	374	252
* LTC 0355-28W	CAMERA, 1/3" 570 TVL B/W, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	404	272
LTC 0355/60	CAMERA, 1/3" 570 TVL B/W, DSP, 120VAC, 60Hz.	+	261	175
LTC 0356/20	CAMERA, 1/3" 570 TVL B/W, DSP, w/IR FILTER, 12VDC/24VAC, 60Hz.	+	311	209

DINION™ XF HIGH PERFORMANCE , HIGH SENSITIVITY CAMERAS

LTC 0385/20	CAMERA, 1/3" 570 TVL, B/W, DSP, 12VDC/24VAC, 60Hz.	+	495	333
* LTC 0385/60	CAMERA, 1/3" 570 TVL, B/W, DSP, 110-240VAC, 60Hz.	+	495	333
LTC 0510/20	CAMERA, 1/2" 570 TVL, B/W, DSP, 12VDC/24VAC, 60Hz.	+	687	462
LTC 0510/60	CAMERA, 1/2" 570 TVL, B/W, DSP, 110-240VAC, 60Hz.	+	687	462

COVERT (PIR) CAMERAS

CAM940	INDOOR COVERT PIR MONOCHROME CAMERA, EIA.	\	182	122

DSP Cameras, Color

DINION™ STANDARD RESOLUTION CAMERAS

LTC 0435/20	CAMERA, 1/3" 330 TVL COLOR, DSP, 12VDC/24VAC, 60Hz.	+	250	169
LTC 0435-28	CAMERA, 1/3" 330 TVL COLOR, DSP, 12VDC/24VAC, 60Hz. w/2.8-10mm VF LENS.	+	374	252
LTC 0435-28W	CAMERA, 1/3" 330 TVL COLOR, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	404	272
LTC 0435/60	CAMERA, 1/3" 330 TVL COLOR, DSP, 120VAC, 60Hz.	+	261	175

DINION™ HIGH RESOLUTION CAMERAS

NIGHTSENSE™ For Low Light Situtations

LTC 0455/20	CAMERA, 1/3" 480 TVL COLOR, DSP, 12VDC/24VAC, 60Hz.	+	323	218
LTC 0455-28	CAMERA, 1/3" 480 TVL COLOR, DSP, 12VDC/24VAC, 60Hz. w/2.8-10mm VARIFOCAL LENS.	+	444	299
LTC 0455-28W	CAMERA, 1/3" 480 TVL COLOR, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	475	320
LTC 0455/60	CAMERA, 1/3" 480 TVL COLOR, DSP, 120VAC 60Hz.	+	333	224

DINION™ XF HIGH PERFORMANCE, HIGH SENSITIVITY CAMERAS

NIGHTSENSE™ For Low Light Situtations

LTC 0485/20	CAMERA, 1/3" 480 TVL, COLOR, DSP, 12VDC/24VAC, 60Hz.	+	586	394
LTC 0485/60	CAMERA, 1/3" 480 TVL, COLOR, DSP, 110-240VAC, 60Hz.	+	586	394
LTC 0610/20	CAMERA, 1/2" 480 TVL, COLOR, DSP, 12VDC/24VAC, 60Hz.	+	747	503
LTC 0610/60	CAMERA, 1/2" 480 TVL, COLOR, DSP, 110-240VAC, 60Hz.	+	747	503

DINION™ XF DAY/NIGHT HIGH RESOLUTION CAMERA

* LTC 0495/20	CAMERA, DAY/NIGHT, 1/3" 480 TVL COLOR/BW, DSP, 12VDC/24VAC, 60Hz.	+	657	442
* LTC 0495/60	CAMERA, DAY/NIGHT, 1/3" 480 TVL COLOR/BW, DSP, 120 VAC, 60Hz.	+	657	442
* LTC 0620/20	CAMERA, DAY/NIGHT, 1/2" 480 TVL COLOR/BW, DSP, 12VDC/24VAC, 60Hz.	+	828	558
* LTC 0620/60	CAMERA, DAY/NIGHT, 1/2" 480 TVL, COLOR/BW, DSP, 120 VAC, 60Hz.	+	828	558

COVERT (PIR) CAMERAS

CAM940C	INDOOR COVERT PIR COLOR CAMERA, NTSC.	\	303	204

CAMERA ACCESSORIES

VP-CFGSFT	CONFIGURATION SOFTWARE FOR DOMES/CAMERAS USING BILINX INCLUDES VP-USB ADAPTOR.		505	340
* VP-USB	BILINX TO USB ADAPTOR FOR USE WITH CONFIGURATION TOOL FOR DOMES/CAMERAS.		101	68

PRODUCT	DESCRIPTION		MSRP	UNIT

Lenses

FIXED FOCAL LENGTH, AUTO IRIS

1/3-INCH FORMAT, CS MOUNT

LTC 3314/21	CS LENS, 1/3-INCH, 2.8mm, DIRECT DRIVE, f/1.2 TO f/200, 4 PIN.	\	111	75
LTC 3334/21	CS LENS, 1/3-INCH, 4mm, DIRECT DRIVE, f/1.2 TO f/200, 4 PIN.	\	101	68
LTC 3344/21	CS LENS, 1/3-INCH, 8mm, DIRECT DRIVE, f/1.2 TO f/200, 4 PIN.	\	91	61

1/2-INCH FORMAT, CS MOUNT

LTC 3214/20	CS LENS, 1/2-INCH, 3.7mm, DIRECT DRIVE, f/1.6 TO f/300, 4 PIN.	\	172	116
LTC 3234/20	CS LENS, 1/2-INCH, 6mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	131	88
LTC 3244/20	CS LENS, 1/2-INCH, 12mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	121	82

2/3-INCH FORMAT, C MOUNT

LTC 3123/40	C LENS, 2/3-INCH, 8mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	333	224
LTC 3133/40	C LENS, 2/3-INCH, 16mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	273	184

1-INCH FORMAT, C MOUNT

LTC 3043/40	C LENS, 1-INCH, 25mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	354	238
LTC 3053/40	C LENS, 1-INCH, 50mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	465	313

VARIFOCAL MANUAL IRIS

1/3-INCH FORMAT, CS MOUNT, MANUAL IRIS

LTC 3361/32	CS LENS, 1/3-INCH, 3 TO 8mm, MANUAL IRIS, F1.0 TO CLOSE.	\	101	68
LTC 3361/60	CS LENS, 1/3-INCH, 3.5 TO 8 mm, MANUAL IRIS, f/1.4 TO CLOSE	%	71	48
LTC 3361/50	CS LENS, 1/3-INCH, 2.8 TO 10mm, MANUAL IRIS, f/1.4 TO CLOSE	%	91	61
LTC 3361/40	CS LENS, 1/3-INCH, 2.8 TO 12mm, MANUAL IRIS, f/1.4 TO CLOSE.	\	111	75
LTC 3371/20	CS LENS, 1/3-INCH, 5 TO 50mm, MANUAL IRIS, f/1.4 TO CLOSE.	@	192	129
LTC 3371/50	CS LENS, 1/3-INCH, 5 TO 50mm, MANUAL IRIS, f/1.7 TO CLOSE	%	152	102

1/2-INCH FORMAT CS MOUNT, MANUAL IRIS

LTC 3261/30	CS LENS, 1/2-INCH, 4.5 TO 10mm, MANUAL IRIS, f/1.6 TO CLOSE.	@	131	88
LTC 3271/40	CS LENS, 1/2-INCH, 7.5 TO 75mm, MANUAL IRIS, f/2.2 TO CLOSE.	@	293	197

VARIFOCAL AUTO IRIS/DIRECT DRIVE

1/3-INCH FORMAT, CS MOUNT, AUTO IRIS/DIRECT DRIVE (5" CABLE LENGTH)

LTC 3364/50	CS LENS, 1/3-INCH, 2.8 TO 10mm, DIRECT DRIVE, f/1.4 TO 360, 4-PIN CONNECTOR.	%	111	75
LTC 3364/60	CS LENS, 1/3-INCH, 3.5 TO 8mm, DIRECT DRIVE, f/1.4 TO 360, 4-PIN CONNECTOR.	%	91	61
LTC 3374/50	CS LENS, 1/3-INCH, 5 TO 50mm, DIRECT DRIVE, f/1.7 TO 360, 4-PIN CONNECTOR.	%	182	122

1/3-INCH FORMAT, CS MOUNT, AUTO IRIS/DIRECT DRIVE, IR CORRECTED (5" CABLE LENGTH)

	LTC 3364/21	CS LENS, 1/3-INCH, 2.8 TO 6mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	162	109
	LTC 3364/31	CS LENS, 1/3-INCH, 3.5 TO 8mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	131	88
*	LTC 3664/40	CS LENS, 1/3-INCH, 2.8 TO 11mm, DC IRIS, F1.4 TO 360 IR.	@	182	122

1/3-INCH FORMAT, CS MOUNT, AUTO IRIS/DIRECT DRIVE (8" CABLE LENGTH)

LTC 3364/40	CS LENS, 1/3-INCH, 2.8 TO 12mm, DIRECT DRIVE, f/1.4 TO f/360, 4 PIN.	\	162	109
LTC 3374/20	CS LENS, 1/3-INCH, 5 TO 50mm, DIRECT DRIVE, f/1.4 TO f/185, 4 PIN.	@	222	150

1/2-INCH FORMAT CS MOUNT, AUTO IRIS/DIRECT DRIVE (8" CABLE LENGTH)

	LTC 3264/30	CS LENS, 1/2-INCH, 4.5 TO 10mm, DIRECT DRIVE, f/1.6 TO f/360, 4 PIN.	@	182	122
*	LTC 3274/41	CS LENS, 1/2-INCH, 7.5 TO 75mm, DIRECT DRIVE, f/2.2 TO f/360, 4 PIN.	@	343	231

MOTORIZED ZOOM, AUTO IRIS WITH SPOT FILTER

1/3-INCH FORMAT, CS MOUNT

LTC 3384/21	CS LENS, 1/3-INCH, 6 TO 60mm (10X), AUTO IRIS/DIRECT DRIVE, f1.4 TO f/360, 4-PIN.	@	525	354

1/2-INCH FORMAT, CS MOUNT

LTC 3283/20	CS LENS, 1/2-INCH, 8 TO 48mm (6X), AUTO IRIS, f/1.4 TO f/360, 4 PIN.	\	556	374
LTC 3283/40	CS LENS, 1/2-INCH, 7.5 TO 75mm (10X), AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	1000	673

1/2-INCH FORMAT, C MOUNT

LTC 3283/50	C LENS, 1/2-INCH, 7.5 TO 75mm (10X), AUTO IRIS, f/1.2 TO f/512, PRE-POSITION, 4 PIN.	@	1242	836
LTC 3293/40	C LENS, 1/2-INCH, 12 TO 240mm (20X), AUTO IRIS, f/1.6 TO f/720, 4 PIN.	@	2677	1802

LENS ADAPTERS

S1374	ADAPTER - CONVERTS C MOUNT LENS TO CS MOUNT CAMERA.	@	20	14
S1377	ADAPTER - CONVERTS 8 PIN LENS CONNECTOR (D2) TO 6 PIN (D6).		20	14
S1378	ADAPTER - CONVERTS 4 PIN LENS CONNECTOR (D1) TO 6 PIN (D6).		20	14
S1381	ADAPTER - CONVERTS 6 PIN LENS CONNECTOR (D6) TO 4 PIN (EIA-J) CONNECTOR.		20	14
S1394	ADAPTER - CONVERTS 4 PIN LENS CONNECTOR (EIA-J) TO 6 PIN (D6).		20	14

PRODUCT	DESCRIPTION		MSRP	UNIT

Enclosures, Indoor

HINGED-STYLE, BRACKET MOUNTED

* HSG9483/00	HOUSING, INDOOR, FOR CAMERA/LENS TO 12.5-INCH.	%	111	75

CYLINDRICAL DESIGNER, BRACKET MOUNTED

LTC 9480/00	HOUSING, INDOOR, FOR CAMERA/LENS TO 7-INCH.		81	54
LTC 9488/00	HOUSING, INDOOR, FOR CAMERA/LENS TO 14-INCH.		182	122

WEDGE, CEILING MOUNTED

LTC 9369/00	HOUSING, INDOOR, DROP CEILING MOUNT, TAMPER RESISTANT.		182	122
LTC 9069/00	MOUNTING PLATE, 2 FT x 2 FT, FOR LTC 9369.		61	41
LTC 9070/00	MOUNTING PLATE, 2 FT x 2 FT, FOR LTC 9370/00.		61	41
LTC 9370/00	HOUSING, INDOOR, DROP CEILING MOUNT, TAMPER RESISTANT, CAMERA/LENS TO 8-INCH.		141	95
LTC 9365/00	HOUSING, INDOOR, FOR CEILING SURFACE MOUNT.		121	82
TC9376H	HOUSING, INDOOR, DROP CEILING MOUNT, 360 DEGREE ROTATION.		232	156

MEDIUM SECURITY, CORNER MOUNTED

TC2073	HOUSING, INDOOR, CORNER MOUNTED, CAMERA/LENS TO 9-INCH.		323	218
TC2075HL	HOUSING, INDOOR, CORNER MOUNTED, STAINLESS STEEL.		828	558

MAXIMUM SECURITY, CORNER MOUNTED

LTC 9303/00	HOUSING, MAX SECURITY, CORNER MOUNTING.		273	184
LTC 9303/01	HOUSING, MAX SECURITY, CORNER MTG, WITH KEY LOCK.		313	211

MAXIMUM SECURITY, WALL OR CEILING MOUNTED

LTC 9405/01	COMPACT HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.37" VIEW WINDOW, W/KEY LOCK.		263	177
LTC 9405/05	COMPACT HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.50" VIEW WINDOW, W/KEY LOCK.		263	177
LTC 9305/00	HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.37" VIEW WINDOW.		273	184
LTC 9305/01	HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.37" VIEW WINDOW, W/KEY LOCK.		313	211

ACCESSORIES FOR MAXIMUM SECURITY HOUSINGS

LTC 9313/00	SLOPED TOP COVER FOR LTC 9303 SERIES HOUSING.		81	54

Enclosures, Indoor Domed for Fixed Cameras

SURFACE MOUNT

LTC 9330/00QD	QUARTER-DOME HOUSING, INDOOR, 10-INCH RADIUS, TINTED, CORNER MOUNT.		152	102
LTC 9331/00HD	HALF-DOME HOUSING, INDOOR, 18-INCH, TINTED, CEILING/WALL CORNER MOUNT.		182	122

RECESSED MOUNT

LTC 9349/01	G3-STYLE DOME HOUSING, INDOOR, 6.3-INCH, IN-CEILING MOUNT, CHARCOAL TRIM RING		152	102
TC9345MT7	DOME HOUSING, INDOOR , 7-INCH, TINTED, DROP CEILING MOUNT.		182	122
LTC 9348/00	DOME HOUSING, INDOOR, 8.5-INCH, TINTED, CEILING MOUNT, METAL BACKBOX.		192	129
LTC 9312/00	DOME HOUSING, INDOOR, 12-INCH, TINTED, DROP CEILING MOUNT.		182	122

PENDANT MOUNT

LTC 9412/00	DOME HOUSING, INDOOR, 12-INCH, TINTED, PENDANT MOUNT.		202	136

PRODUCT	DESCRIPTION		MSRP	UNIT

Enclosures, Outdoor Environmental

WEATHERPROOF, HINGED-STYLE

* HSG9483/20	HOUSING, OUTDOOR (IP66/NEMA3R) FOR CAMERA/LENS TO 10.3-INCH, 24VAC, 50/60Hz HEATER.	%	182	122
* HSG9483/21	HOUSING, OUTDOOR (IP66/NEMA3R) FOR CAMERA/LENS TO 10.3-INCH, 24VAC, 50/60Hz HEATER/BLOWER.	%	222	150
* HSG9483/61	HOUSING, OUTDOOR (IP66/NEMA3R), FOR CAMERA/LENS TO 10.3-INCH, 115VAC, 60Hz HEATER/BLOWER.	%	222	150

WEATHERPROOF, CYLINDRICAL DESIGNER

Note: Camera voltage must match housing voltage.

LTC 9480/20	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 7-INCH, 3-IN DIA. 24VAC, 50/60Hz HEATER.	121	82
LTC 9488/20	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 14-INCH, 24VAC, 50/60Hz HEATER.	222	150
LTC 9488/21	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 13-INCH, 24VAC, 50/60Hz HEATER/BLOWER.	253	170
LTC 9488/60	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 14-INCH, 120VAC, 60Hz HEATER.	222	150
LTC 9488/61	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 13-INCH, 120VAC, 60Hz HEATER/BLOWER.	253	170

WEATHERPROOF, CYLINDRICAL STANDARD

LTC 9384/20	HOUSING,OUTDOOR (NEMA 4), 3-INCH DIA. & CAMERA/LENS UP TO 10.5-INCH, 24VAC, 50/60Hz.	313	211
LTC 9384/60	HOUSING, OUTDOOR (NEMA 4), 3-INCH DIA. & CAMERA/LENS UP TO 10.5-INCH, 120VAC, 60Hz.	313	211
LTC 9384/20NT	HOUSING, OUTDOOR (NEMA 4),3-INCH DIA. & CAM/LENS UP TO 10.5-INCH NO TRANSFMR, 24VAC, 50/60Hz.	283	190
LTC 9385/20	HOUSING, OUTDOOR (NEMA 4), 4.5-INCH DIA. & UP TO 13.5-INCH, 24VAC, 50/60Hz.	333	224
LTC 9385/60	HOUSING, OUTDOOR (NEMA 4), 4.5-INCH DIA. & UP TO 13.5-INCH, 120VAC, 60Hz.	343	231

WEATHERPROOF, EXTRA-LARGE INDUSTRIAL

TC9346A	HOUSING, OUTDOOR, FOR CAMERA/LENS TO 28-INCH L x 5.8-INCH H.	434	292
TC9346A-1	HOUSING, OUTDOOR, FOR CAMERA/LENS TO 21.5-IN. L x 5.5-IN. H, 120VAC, 60Hz, HEATER/BLOWER.	687	462
TC9346A-2	HOUSING, OUTDOOR, FOR CAMERA/LENS TO 21.5-IN. L x 5.5-IN. H, 24VAC, 50/60Hz HEATER/BLOWER.	707	476

WEATHERPROOF, DOMED

TC9320	LARGE DOME HOUSING, 20-INCH OUTDOOR, TINTED, FOR CAMERA/LENS UP TO 12-INCH.	687	462

PRODUCT	DESCRIPTION		MSRP	UNIT

Accessories for Enclosures

HEATER AND THERMOSTAT ASSEMBLIES

HK57-1	HEATER, FOR TC9346A, REQUIRES O/I-PCB, 120VAC, 60Hz.		57	38
HK57-2	HEATER, FOR TC9346A, REQUIRES O/I-PCB, 24VAC, 50/60Hz.		57	38
TC9320H115	HEATER, FOR TC9320, 120VAC, 60Hz.		101	68
TC9320H24	HEATER, FOR TC9320, 24VAC, 50/60Hz.		101	68

BLOWER AND THERMOSTAT ASSEMBLIES

BK57-1	BLOWER, FOR TC9346A, REQUIRES O/I-PCB, 120VAC, 60Hz.		57	38
BK57-2	BLOWER, FOR TC9346A, REQUIRES O/I-PCB, 24VAC, 50/60Hz.		71	48
TC9320B115	BLOWER, FOR TC9320, 120VAC, 60Hz.	!	121	82
TC9320B24	BLOWER, FOR TC9320, 24VAC, 50/60Hz.	!	121	82

SUNSHIELDS

LTC 9083/01S	SUNSHIELD, FOR LTC 9480 SERIES HOUSINGS.		40	27
LTC 9088/01	SUNSHIELD, FOR LTC 9488 SERIES HOUSINGS.		71	48
LTC 9384/00	SUNSHIELD, FOR LTC 9384 & 3-INCH PRESSURIZED HOUSINGS.		71	48
LTC 9385/00	SUNSHIELD, FOR LTC 9385 SERIES HOUSINGS.		81	54
SS5729	SUNSHIELD, FOR TC9346A HOUSING.		111	75

WINDOW WIPERS

WW5729-1	WINDOW WIPER FOR TC9346A, 120VAC, 60Hz, REQUIRES BLOWER.		515	347
WW5729-2	WINDOW WIPER FOR TC9346A, 24VAC, 50/60Hz, REQUIRES BLOWER.		515	347

WINDOW DEFROSTERS AND DEFOGGERS

WD57-1	DEFROSTER, FOR TC9346A, REQUIRES O/I-PCB, 120VAC, 60Hz.		51	34
WD57-2	DEFROSTER, FOR TC9346A, REQUIRES O/I-PCB, 24VAC, 50/60Hz.		51	34

LOW TEMPERATURE PACKAGES

TI57	LOW TEMPERATURE PACKAGE FOR TC9346A.		51	34

TAMPER RESISTANT LOCKING KITS

LTC 9380/02	TAMPER KIT, FOR LTC 9384 SERIES HOUSINGS, FOR ONE HOUSING.		30	20
LTC 9380/01	TAMPER KIT, FOR LTC 9385 SERIES HOUSINGS, UP TO 5 HOUSINGS.		30	20
LTC 9080/00	TAMPER KIT, FOR LTC 9480 SERIES HOUSINGS, UP TO 5 HOUSINGS.		30	20

MISCELLANEOUS ENCLOSURE ACCESSORIES

FM1	CAMERA MOUNT, LONG, MOUNTS EXTRA CAMERAS IN LTC 9312/00 DOME HOUSINGS.		30	20
FM2	CAMERA MOUNT, SHORT, MOUNTS EXTRA CAMERAS IN LTC 9312/00 DOME HOUSINGS.		30	20
MCB4	CAMERA MOUNT, SHORT, MOUNTS EXTRA CAMERAS IN LTC 9412/00 DOME HOUSINGS.		91	61
LTC 7490/00	MOUNTING PLATE, MOUNTS G3 & LTC 9349 IN 2 FT. X 2 FT. DROP CEILING.		111	75
TC9311PM3	POLE MOUNT ADAPTER WITH STAINLESS STEEL STRAPS.		111	75
TC9311PM3T	INSTALLATION TOOL FOR TC9311PM3, LTC 9213 & LTC 9225 POLE MOUNT ADAPTERS.		323	218
LTC 9316/00P	MOUNTING POLE, 16 FT LENGTH, FOR MOUNTING TC9320 & G3/ENVIRODOME PENDANTS.		1374	925
O/I-OUTLET	ELECTRICAL OUTLET FOR TC9346A HOUSING, 120VAC, 60Hz.		20	14
O/I-PCB	PC BOARD FOR TC9346A. REQUIRED WITH HEATER, BLOWER, OR DEFROSTER.		111	75
TC9320WM	WALL MOUNT, FOR TC9320 DOME HOUSING.		121	82

PRODUCT	DESCRIPTION		MSRP	UNIT

Mounts & Mounting Brackets

WALL/CEILING MOUNTS, CAMERAS

LDH 6372/00	MOUNT, INDOOR, 2.5 TO 7-INCH, 6.6 LB MAX LOAD, OFF-WHITE FINISH.	!	40	27
TC9200	MOUNT, INDOOR, 8-INCH, 20 LB MAX LOAD, ALUMINUM FINISH.	@	40	27
TC9201	MOUNT, INDOOR, 8-INCH, 20 LB MAX LOAD, BLACK FINISH.	@	40	27
TC9202	MOUNT, INDOOR, 9.6-INCH TO 16.3-INCH, 22 LB MAX LOAD, ALUMINUM/BLACK FINISH.	@	61	41
TC9203	MOUNT, INDOOR, RIGHT ANGLE, 22 LB MAX LOAD, ALUMINUM/BLACK FINISH.	@	71	48
TC9205	MOUNT, INDOOR, 5-INCH, 4 LB MAX LOAD, ALUMINUM FINISH.	@	30	20
TC9206U	MOUNT, INDOOR, UNIVERSAL WALL/CEILING GRID, 10 LB MAX LOAD, OFF-WHITE FINISH.		30	20
TC9207	MOUNT, INDOOR, 7-INCH, 8 LB MAX LOAD, ALUMINUM/OFF-WHITE FINISH.	@	40	27

WALL MOUNTS, ENCLOSURES

LTC 9212/00	MOUNT, INDOOR/OUTDOOR, 12-INCH, FOR 938x SERIES, & 948x SERIES HOUSINGS.		51	34
LTC 9215/00S	MOUNT, FEED-THRU, 7-INCH, FOR 938x SERIES, & 948x SERIES HOUSINGS.		51	34
LTC 9215/00	MOUNT, FEED-THRU, 12-INCH, FOR 9380x SERIES, & 948X SERIES HOUSINGS.		61	41
LTC 9219/01	MOUNT, CEILING-J, FEED-THRU, FOR 938x SERIES, & 948x SERIES HOUSINGS.		71	48

WALL MOUNTS, PAN/TILTS

LTC 9216/00	MOUNT, INDOOR/OUTDOOR, 16-INCH, 100 LB MAX LOAD.		81	54
LTC 9222/00	MOUNT, INDOOR/OUTDOOR, 22-INCH, 200 LB MAX LOAD.		121	82

COLUMN MOUNTS, ENCLOSURES

LTC 9210/00	COLUMN MOUNT, 8-INCH, 15 LB MAX LOAD.		61	41
LTC 9223/00	COLUMN MOUNT, 24-INCH, 15 LB MAX LOAD.		71	48

COLUMN MOUNTS, PAN/TILTS

LTC 9214/00	COLUMN MOUNT, 14-INCH, 200 LB OR CEILING MOUNT, 100 LB.		91	61
LTC 9224/00	COLUMN MOUNT, 24-INCH, 200 LB OR CEILING MOUNT, 100 LB.		111	75

PARAPET MOUNTS, DOME ENCLOSURES

LTC 9230/00	ROOF PARAPET MT. FOR ENVIRODOME & OUTDOOR FIXED DOME HOUSINGS, 42" ARM, 1.5" NPT.		394	265
LTC 9230/01	FLAT ROOF MOUNT ADAPTER, FOR ROOF PARAPET MOUNT LTC 9230/00.		71	48

PARAPET MOUNTS, PAN/TILTS

TC9218RM	PAN/TILT PARAPET MOUNT, 18-INCH ARM, 150 LB MAX LOAD.		485	326

MOUNT ACCESSORIES/ADAPTERS

LTC 9227/00	ADJUSTABLE HEAD MOUNT, FOR LTC 9216 & 92220, 100 LB MAX LOAD.		51	34
LTC 9213/00	POLE MOUNT ADAPTER WITH STAINLESS STEEL STRAPS, FOR LTC 9210, LTC 9212 & LTC 9215.		71	48
LTC 9225/00	POLE MOUNT ADAPTER WITH STAINLESS STEEL STRAPS, FOR LTC 9216 & LTC 9222.		101	68
LTC 9228/00	WALL MOUNT SUPPORT FLANGE, FOR LTC 9216/00, LTC 9222/00.		101	68
LTC 9226/00	CORNER MOUNT BRACKET FOR LTC 9216 & LTC 9222.		121	82

MONITOR MOUNTS

MM3000	MONITOR MOUNT, CEILING, FOR LTC 2009, 2012, 2910.		121	82
TC9209MM-W	MONITOR MOUNT, WALL, FOR LTC 2009, 2012, 2910.		91	61
TC9217MM-C	MONITOR MOUNT, CEILING, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		273	184
TC9217MM-W	MONITOR MOUNT, WALL, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		273	184
TC9220MM-C	MONITOR MOUNT, CEILING, FOR LTC 2020, 2821, 2919.		283	190
TC9220MM-W	MONITOR MOUNT, WALL, FOR LTC 2020, 2821, 2919.		283	190
TC9227MM-C	MONITOR MOUNT, CEILING, FOR PC0127P and 27ST220L.		293	197
TC9227MM-W	MONITOR MOUNT, WALL, FOR PC0127P and 27ST220L.		293	197
TC9220EC2	EXTENSION POLE, 2 FT., FOR MONITOR CEILING MOUNTS.		40	27
TC9220EC4	EXTENSION POLE, 4 FT., FOR MONITOR CEILING MOUNTS.		71	48

PRODUCT	DESCRIPTION		MSRP	UNIT

Power Supplies/Transformers

SINGLE CAMERA

TC1323	POWER SUPPLY, 120VAC, 60Hz INPUT, 24VAC, 60Hz, 10VA OUTPUT.	*	20	14
TC1334	POWER SUPPLY, 120VAC, 60Hz INPUT, 24VAC, 60Hz, 30VA OUTPUT.		24	16
RT2440SL	POWER SUPPLY, 120VAC, 60Hz INPUT, 24VAC, 60Hz, 40VA OUTPUT.	\	30	20
RTD12/3RT	POWER SUPPLY, 120VAC, 60Hz INPUT, 12VDC OUTPUT, REGULATED	\	20	14
TC120PS	POWER SUPPLY, 120VAC, 50/60Hz INPUT, 15VDC, 9VA OUTPUT.	\	51	34
TC1382	ISOLATION TRANSFORMER, 24VAC, 50/60Hz INPUT, 24VAC, 50/60Hz, 7VA OUTPUT.		30	20
TC24PS	POWER SUPPLY, 24VAC, 50/60Hz INPUT, 15VDC, 9VA OUTPUT.	\	51	34

MULTI-CAMERA, NON-ISOLATED

Note: Not for use with outdoor or PTZ cameras.

LTC 5404/60	POWER SUPPLY, 4 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 21VA EACH OUTPUT.	101	68
LTC 5408/60	POWER SUPPLY, 8 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 10.5VA EACH OUTPUT.	141	95
LTC 5416/60	POWER SUPPLY, 16 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 10.5VA EACH OUTPUT.	263	177

MULTI-CAMERA, ISOLATED

Note: Not for use with outdoor or PTZ cameras.

LTC 5414/60	POWER SUPPLY, 4 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 12VA ISOLATED EACH OUTPUT.	283	190
LTC 5418/60	POWER SUPPLY, 8 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 12VA ISOLATED EACH OUTPUT.	404	272

Pan/Tilts

INDOOR/OUTDOOR, 22 LB. , STANDARD WIRING

LTC 9418/60	PAN/TILT, MAX LOAD 22 LB, 120VAC, 60Hz.	1000	673
LTC 9418/20	PAN/TILT, MAX LOAD 22 LB, 24VAC, 60Hz.	1000	673

INDOOR/OUTDOOR, 22 LB., FEED-THROUGH WIRING

LTC 9420/60	PAN/TILT, MAX LOAD 22 LB WITH FEED-THRU WIRING, 120VAC, 60Hz.	1404	945
LTC 9420/20	PAN/TILT, MAX LOAD 22 LB WITH FEED-THRU WIRING, 24VAC, 60Hz.	1404	945
LTC 9420/61	PAN/TILT, MAX LOAD 22 LB WITH FEED-THRU WIRING, PREPOSITION, 120VAC, 60Hz.	1848	1244
LTC 9420/21	PAN/TILT, MAX LOAD 22 LB WITH FEED THRU-WIRING, PREPOSITION, 24VAC, 60Hz.	1848	1244

INDOOR/OUTDOOR, 40 LB., STANDARD WIRING

LTC 9440/20	PAN/TILT, MAX LOAD 40 LB, 24VAC, 60Hz.	1263	850
LTC 9440/60	PAN/TILT, MAX LOAD 40 LB, 120VAC, 60Hz.	1263	850
LTC 9440/21	PAN/TILT, MAX LOAD 40 LB WITH PRE-POSITION, 24VAC, 60Hz.	1717	1156
LTC 9440/61	PAN/TILT, MAX LOAD 40 LB WITH PRE-POSITION, 120VAC, 60Hz.	1717	1156

INDOOR/OUTDOOR, 40 LB. , FEED-THROUGH WIRING

LTC 9441/20	PAN/TILT, MAX LOAD 40 LB WITH FEED-THRU WIRING, 24VAC, 60Hz.	1697	1142
LTC 9441/21	PAN/TILT, MAX LOAD 40 LB WITH FEED-THRU WIRING, PRE-POSITION, 24VAC, 60Hz.	2161	1455

PRODUCT	DESCRIPTION		MSRP	UNIT

MiniLine Fixed Dome Cameras, Indoor

MONOCHROME

FLEXIDOME SERIES, STANDARD RESOLUTION

LTC 1311/20	CAMERA, FLEXIDOME I, 1/4", 380TVL B/W, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	162	109
LTC 1312/20	CAMERA, FLEXIDOME I, 1/4", 380 TVL B/W, 12VDC/24VAC, 60HZ, w/3mm FIXED IRIS LENS	+	162	109
LTC 1313/20	CAMERA, FLEXIDOME I, 1/4", 380 TVL B/W, 12VDC/24VAC, 60HZ, w/6mm FIXED IRIS LENS	+	162	109

FLEXIDOME SERIES, HIGH RESOLUTION

LTC 1321/20	CAMERA, FLEXIDOME II, 1/4", 570TVL B/W, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	202	136
LTC 1322/20	CAMERA, FLEXIDOME II, 1/4", 570 TVL B/W, 12VDC/24VAC, 60Hz, w/3mm FIXED IRIS LENS	+	202	136
LTC 1323/20	CAMERA, FLEXIDOME II, 1/4", 570 TVL B/W, 12VDC/24VAC, 60Hz, w/6mm FIXED IRIS LENS	+	202	136

COLOR

FLEXIDOME SERIES, STANDARD RESOLUTION

LTC 1411/20	CAMERA, FLEXIDOME I, 1/4", 330TVL COLOR, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	242	163
LTC 1412/20	CAMERA, FLEXIDOME I, 1/4", 330TVL COLOR, 12VDC/24VAC, 60Hz, w/3mm FIXED IRIS LENS	+	242	163
LTC 1413/20	CAMERA, FLEXIDOME I, 1/4", 330TVL COLOR, 12VDC/24VAC, 60Hz, w/6mm FIXED IRIS LENS	+	242	163

FLEXIDOME SERIES, HIGH RESOLUTION

* LTC 1421/20	CAMERA, FLEXIDOME II, 1/4", 470TVL COLOR, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	303	204
LTC 1422/20	CAMERA, FLEXIDOME II, 1/4", 470 TVL COLOR, 12VDC/24VAC, 60Hz, w/3mm FIXED IRIS LENS	+	303	204
LTC 1423/20	CAMERA, FLEXIDOME II, 1/4", 470 TVL COLOR, 12VDC/24VDC, 60Hz, w/6mm FIXED IRIS LENS	+	303	204

MiniLine Fixed Dome Cameras, Indoor/Outdoor

MONOCHROME

FLEXIDOME XT SERIES, VANDAL RESISTANT

* LTC 1361/20	CAMERA, FLEXIDOME XT, 1/4", 570TVL B/W, 12VDC/24VAC, 60Hz, w/2.8-6mm F1.4 VARIFOCAL AI LENS	+	434	292

COLOR

FLEXIDOME XT SERIES, VANDAL RESISTANT, NIGHTSENSE

* LTC 1461/20	CAMERA, FLEXIDOME XT, 1/4", 470TVL COLOR, 12VDC/24VAC, 60Hz, w/2.8-6mm F1.4 VARIFOCAL AI LENS	+	475	320
* LTC 1463/20	CAMERA, FLEXIDOME XT, 1/4", 470 TVL COLOR 12VDC/24VAC, 60Hz., w/3-6mm F1.2 VARIFOCAL AI LENS.	+	495	333
* LTC 1464/20	CAMERA, FLEXIDOME XT, 1/4", 470 TVL COLOR 12VDC/24VAC,60Hz, w/4-9mm F1.4 VARIFOCAL AI LENS	+	475	320

PHORTRESS SERIES, VANDAL RESISTANT

LTC 1261/21N	PHORTESS VARIDOME, 1/4", 480 TVL COLOR, 12VDC/24VAC, 60Hz, W/3-6mm V-F LENS, w/UTP XMTR.	@	859	578
LTC 1261/21F	PHORTRESS VARIDOME,480 TVL COLOR,12VDC/24VAC,60Hz,w/3-6mm V-F LENS, w/FIBER OPTIC XMTR.	@	1091	734
LTC 1271/20C	PHORTRESS, CORNER,1/4",LT.TINT,480 TVL COLOR, 12VDC/24VAC,60Hz,w/2-4mm AI LENS.		859	578
LTC 1271/20CS	PHORTRESS, CORNER,1/4",LT.TINT,480 TVL COLOR,12VDC/24VAC,60Hz,w/2-4mm AI LENS,S.STEEL.		909	612

DAY/NIGHT, HIGH RESOLUTION

PHORTRESS SERIES, VANDAL RESISTANT

* LTC 1261/21DN	PHORTRESS VARIDOME, DAY/NIGHT CAMERA w/REMOVABLE IR FILTER, 520 TVL, 12VDC/24VAC,60Hz,w/2.8-5.8mm V-F LENS	@	828	558

MINILINE FIXED DOME CAMERA ACCESSORIES

* LTC 1347/00	SURFACE MOUNT BOX FOR FLEXIDOME XT WITH SIDE ENTRY CONDUIT, WHITE.	+	51	34
S1460	1-METER SERVICE/MONITOR CABLE FOR FLEXIDOME XT SERIES.		20	14
LTC 1340/00	PHORTRESS PENDANT WALL MOUNT KIT, WHITE, FITS LTC 1261 SERIES.		91	61
LTC 1343/00	PHORTRESS PENDANT PIPE MOUNT KIT, WHITE, FITS LTC 1261 SERIES.		51	34
RTD12/3RT	POWER SUPPLY, 120VAC, 60Hz INPUT, 12VDC OUTPUT, REGULATED	\	20	14

PRODUCT	DESCRIPTION		MSRP	UNIT

DME Series Compact Prepackaged Dome Cameras

MONOCHROME

IN-CEILING

DME6RMS38	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	505	340
DME6RMS55	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	596	401
DME6RMH38	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	606	408
DME6RMH55	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	697	469

PENDANT PIPE MOUNT

DME6PMS38	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	535	360
DME6PMS55	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	646	435
DME6PMH38	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	636	428
DME6PMH55	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	747	503

PENDANT WALL MOUNT

DME6PMS38W	FIXED DOME B/W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		586	394
DME6PMS55W	FIXED DOME B/W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		697	469
DME6PMH38W	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	687	462
DME6PMH55W	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	798	537

COLOR

IN-CEILING

DME6RCS38	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	586	394
DME6RCS55	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	677	456
DME6RCH38	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	687	462
DME6RCH55	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	768	517

PENDANT PIPE MOUNT

DME6PCS38	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	596	401
DME6PCS55	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	707	476
DME6PCH38	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	697	469
DME6PCH55	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	798	537

PENDENT WALL MOUNT

DME6PCS38W	FIXED DOME COLOR CAM., 330 T6L, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		646	435
DME6PCS55W	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		758	510
DME6PCH38W	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	747	503
DME6PCH55W	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	848	571

ACCESSORIES

INDIVIDUAL COMPONENTS

DMER	DUMMY FIXED DOME, INDOOR, 5-INCH, IN-CEILING MOUNT.	131	88
DMEP	DUMMY FIXED DOME, INDOOR, 5-INCH, PENDANT PIPE MT.	141	95
DMEPW	DUMMY FIXED DOME, INDOOR, 5-INCH, PENDANT WALL MT.	212	143
DMEBX	PLENUM-RATED BACKBOX FOR DME SERIES IN-CEILING DOME CAMERAS.	101	68
DMEBXR	PLENUM-RATED BACKBOX & SUPPORT RAILS, FOR DME SERIES IN-CEILING DOME CAMERAS.	162	109
MTDMEW	WALL MOUNT, FOR DME SERIES PENDANT MODELS.	71	48

PRODUCT	DESCRIPTION		MSRP	UNIT

UnityDome™ Prepackaged Cameras

MONOCHROME

G3 STYLE IN-CEILING MOUNT, INDOOR

LTC 9349/20MS-38	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	606	408
LTC 9349/20MS-55	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	667	449
LTC 9349/20MH-38	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	707	476
LTC 9349/20MH-55	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	768	517

G3 STYLE PENDANT MOUNT, INDOOR

LTC 9449/20MS-38P	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	788	530
LTC 9449/20MS-38W	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	879	592
LTC 9449/20MS-55P	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	879	592
LTC 9449/20MS-55W	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	970	653
LTC 9449/20MH-38P	FIXED DOME B&W CAM., 570TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	889	598
LTC 9449/20MH-38W	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	980	660
LTC 9449/20MH-55P	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	980	660
LTC 9449/20MH-55W	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1071	721

G3 STYLE PENDANT MOUNT, OUTDOOR

LTC 9450/20MS-38P	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	919	619
LTC 9450/20MS-38W	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	&	1000	673
LTC 9450/20MS-55P	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	1000	673
LTC 9450/20MS-55W	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	&	1091	734
LTC 9450/20MH-38P	FIXED DOME B&W CAM., 570TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	1010	680
LTC 9450/20MH-38W	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1101	741
LTC 9450/20MH-55P	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	1101	741
LTC 9450/20MH-55W	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1192	802

COLOR

G3 STYLE IN-CEILING MOUNT, INDOOR

LTC 9349/20CS-38	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	667	449
LTC 9349/20CS-55	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	758	510
LTC 9349/20CH-38	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	768	517
LTC 9349/20CH-55	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	859	578

G3 STYLE PENDANT MOUNT, INDOOR

LTC 9449/20CS-38P	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	848	571
LTC 9449/20CS-38W	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	939	632
LTC 9449/20CS-55P	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	939	632
LTC 9449/20CS-55W	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1030	694
LTC 9449/20CH-38P	FIXED DOME COLOR CAM., 480TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	949	639
LTC 9449/20CH-38W	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1040	700
LTC 9449/20CH-55P	FIXED DOME COLOR CAM. 480TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz	+	1040	700
LTC 9449/20CH-55W	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1131	762

G3 STYLE PENDANT MOUNT, OUTDOOR

LTC 9450/20CS-38P	FIXED DOME COLOR CAM., 330TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	980	660
LTC 9450/20CS-38W	FIXED DOME COLOR CAM., 330TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	&	1061	714
LTC 9450/20CS-55P	FIXED DOME COLOR CAM., 330TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	1061	714
LTC 9450/20CS-55W	FIXED DOME COLOR CAM., 330TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1151	775
LTC 9450/20CH-38P	FIXED DOME COLOR CAM., 480TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	1081	728
LTC 9450/20CH-38W	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1172	789
LTC 9450/20CH-55P	FIXED DOME COLOR CAM., 480TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT.,24VAC, 60Hz	+	1172	789
LTC 9450/20CH-55W	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	1263	850

ACCESSORIES

LTC 9349MK	MOUNTING KIT FOR LTC 9349 SERIES UNITYDOMES.	36	24

Unity™ Prepackaged Cameras

MONOCHROME

STANDARD RESOLUTION PACKAGES

UNPMS28	380 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	475	320
UNPMS28E	380 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	636	428
UNPMS55E	380 TVL B/W CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	727	490

HIGH RESOLUTION PACKAGES

UNPMH28	570 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	576	388
UNPMH28E	570 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	737	496
UNPMH55E	570 TVL B/W CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	828	558

1/3-INCH, HIGH PERFORMANCE PACKAGES

* UNPXFMH28	1/3" B/W CAM., 570 TVL, 2.8-10mm LENS, in HOUSING, INDOOR, 24VAC, 60Hz.	+	758	510
* UNPXFMH28E	1/3" B/W CAM., 570 TVL, 2.8-10mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	949	639
* UNPXFMH55E	1/3" B/W CAM., 570 TVL, 5-50mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1020	687

1/2-INCH, HIGH PERFORMANCE PACKAGES

* UNPXF2MH410	570 TVL B/W CAM. & 4.5-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1353	911
* UNPXF2MH75	570 TVL B/W CAM. & 7.5-75mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1566	1054

COLOR

STANDARD RESOLUTION PACKAGES

UNPCS28	330 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	596	401
UNPCS28E	330 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	758	510
UNPCS55E	330 TVL COLOR CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	848	571

HIGH RESOLUTION PACKAGES

NIGHTSENSE™ For Lowlight Situations

UNPCH28	480 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	667	449
UNPCH28E	480 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	808	544
UNPCH55E	480 TVL COLOR CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	960	646

1/3-INCH, HIGH PERFORMANCE PACKAGES

NIGHTSENSE™ For Lowlight Situations

* UNPXFCH28	1/3" COLOR CAM., 480 TVL, 2.8-10mm LENS, in HOUSING, INDOOR, 24VAC, 60Hz.	+	848	571
* UNPXFCH28E	1/3" COLOR CAM., 480 TVL, 2.8-10mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1040	700
* UNPXFCH55E	1/3" COLOR CAM., 480 TVL, 5-50mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1111	748

1/2-INCH, HIGH PERFORMANCE PACKAGES

NIGHTSENSE™ For Lowlight Situations

* UNPXF2CH410	480 TVL COLOR CAM. & 4.5-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1505	1013
* UNPXF2CH75	480 TVL COLOR CAM. & 7.5-75mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1717	1156

DAY/NIGHT

HIGH RESOLUTION CAMERA PACKAGES, WITH IR REMOVEABLE FILTER

UNPDN28	480/520 TVL DAY/NIGHT CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	%	939	632
UNPDN28E	480/520 TVL DAY/NIGHT CAM. & 2.8-10mm LENS, IN HSG w/MT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	%	1121	755
UNPDN55E	480/520 TVL DAY/NIGHT CAM. & 5-50mm LENS, IN HSG w/MT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	%	1252	843

Nitrogen-Pressurized Camera/Housings

Allow for Configuration Time When Ordering.

LTC 7935 SERIES HIGH RESOLUTION DSP MONOCHROME CAMERAS

1/3-INCH FORMAT

LTC 7935/60-06	NITROGEN-PRESSURIZED CAMERA, 1/3" 570 TVL B/W, WITH 6mm A/I LENS, 120VAC, 60Hz.	+	1838	1238
LTC 7935/60-12	NITROGEN-PRESSURIZED CAMERA, 1/3" 570 TVL B/W, WITH 12mm A/I LENS, 120VAC, 60Hz.	+	1838	1238
LTC 7935/60-59	NITROGEN-PRESSURIZED CAMERA, 1/3" 570 TVL B/W, WITH 10X ZOOM PP LENS, 120VAC, 60Hz.	+	3141	2115

LTC 7950 SERIES HIGH RESOLUTION, HIGH SENSITIVITY DSP MONOCHROME

1/2-INCH FORMAT

LTC 7950/60-06	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.037 LUX 570 TVL B/W, WITH 6mm A/I LENS, 120VAC, 60Hz.		2626	1768
LTC 7950/60-12	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.037 LUX 570 TVL B/W, WITH 12mm A/I LENS, 120VAC, 60Hz.		2626	1768
LTC 7950/60-10XP	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.037 LUX 570 TVL B/W, WITH 10X ZOOM PP LENS ,120VAC, 60Hz.	@	4060	2734
LTC 7950/60-15XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.037 LUX 570TVL B/W, w/15X PP, MAN.IRIS OV'RD LENS,120VAC, 60Hz.	@	4979	3353
LTC 7950/60-20XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.037 LUX 570TVL B/W, w/20X PP, MAN.IRIS OV'RD LENS,120VAC, 60Hz.	@	7666	5161

LTC 7945 SERIES HIGH RESOLUTION DSP COLOR CAMERAS

1/3-INCH FORMAT

LTC 7945/60-06	NITROGEN-PRESSURIZED CAMERA, 1/3" 460 TVL COLOR, WITH 6mm A/I LENS, 120VAC, 60Hz.	+	2242	1510
LTC 7945/60-12	NITROGEN-PRESSURIZED CAMERA, 1/3" 460 TVL COLOR, WITH 12mm A/I LENS, 120VAC, 60Hz.	+	2242	1510
LTC 7945/60-59	NITROGEN-PRESSURIZED CAMERA, 1/3" 460 TVL COLOR, WITH 10X ZOOM PP LENS ,120VAC, 60Hz.	+	3242	2183

LTC 7960 SERIES HIGH RESOLUTION, HIGH SENSITIVITY DSP COLOR CAMERAS

1/2-INCH FORMAT

LTC 7960/60-06	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.37 LUX 480 TVL COLOR, WITH 6mm A/I LENS, 120VAC, 60Hz.		2929	1972
LTC 7960/60-12	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.37 LUX 480 TVL COLOR, WITH 12mm A/I LENS, 120VAC, 60Hz.		2929	1972
LTC 7960/60-10XP	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.37 LUX 480 TVL COLOR, WITH 10X ZOOM PP LENS ,120VAC, 60Hz	@	4363	2938
LTC 7960/60-15XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.37 LUX 480TVL COLOR, w/15X PP, MAN.IRIS OV'RD LENS, 120VAC, 60Hz.	@	5282	3557
LTC 7960/60-20XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.37 LUX 480TVL COLOR, w/20X PP, MAN.IRIS OV'RD LENS, 120VAC, 60Hz.	@	7969	5365

PRODUCT	DESCRIPTION	MSRP	UNIT

AutoDome Systems

BASIC "DUMMY" AUTODOME KIT

G3B-DUMMY	G3 BASIC DUMMY KIT, DOME AND TRIM RING ONLY.	111	75

BASIC AUTODOME COMPLETE COLOR SYSTEMS

BASIC IN-CEILING MOUNT, INDOOR

G3BS60	G3 BASIC KIT, COLOR, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	2172	1462

BASIC PENDANT MOUNT, INDOOR

G3BPW60P	G3 BASIC KIT, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2222	1496
G3BPW60W	G3 BASIC KIT, COLOR, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2222	1496
G3BPC60P	G3 BASIC KIT, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, CHARCOAL, 24VAC, 60Hz.	2222	1496
G3BPC60W	G3 BASIC KIT, COLOR, INDOOR PEND. WALL MT., TINTED DOME, CHARCOAL, 24VAC, 60Hz.	2222	1496

BASIC AUTODOME INDIVIDUAL COMPONENTS

G3B61C	G3 BASIC CAM. MODULE, TINTED, COLOR, FOR INDOOR DROP CEILING, 24VAC, 60Hz.	2010	1353
G3BS	G3 BASIC BACKBOX, INDOOR DROP CEILING.	253	170
BUB-G3BCL	G3 BASIC REPLACEMENT DOME, CLEAR.	91	61
BUB-G3BTI	G3 BASIC REPLACEMENT DOME, TINTED.	91	61
G3BPW	G3 BASIC BACKBOX, PENDANT, WHITE.	253	170

AUTODOME COMPLETE MONOCHROME SYSTEMS

IN-CEILING MOUNT, INDOOR

G3AMS6C	G3 AUTODOME KIT, B/W, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	2626	1768
G3AMS6T	G3 AUTODOME KIT, B/W, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	2626	1768

PENDANT MOUNT, INDOOR

G3AMPW6CW	G3 AUTODOME KIT, B/W, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2828	1904
G3AMPW6TW	G3 AUTODOME KIT, B/W, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2828	1904
G3AMPW6CP	G3 AUTODOME KIT, B/W, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2828	1904
G3AMPW6TP	G3 AUTODOME KIT, B/W, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2828	1904

AUTODOME COMPLETE COLOR SYSTEMS

IN-CEILING MOUNT, INDOOR

G3ACS6C	G3 AUTODOME KIT, COLOR, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	2727	1836
G3ACS6T	G3 AUTODOME KIT, COLOR, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	2727	1836

IN-CEILING MOUNT WITH TRACKER, INDOOR

G3ACS6CT	AUTODOME KIT, W/TRKR, COLOR, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	3636	2448
G3ACS6TT	AUTODOME KIT, W/TRKR, COLOR, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	3636	2448

PENDANT MOUNT, INDOOR

G3ACPW6CW	G3 AUTODOME KIT, COLOR, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2929	1972
G3ACPW6CP	G3 AUTODOME KIT, COLOR, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2929	1972
G3ACPW6TW	G3 AUTODOME KIT, COLOR, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2929	1972
G3ACPW6TP	G3 AUTODOME KIT, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2929	1972

PENDANT MOUNT WITH TRACKER, INDOOR

G3ACPW6CWT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3838	2584
G3ACPW6CPT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3838	2584
G3ACPW6TWT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	3838	2584
G3ACPW6TPT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	3838	2584

AUTODOME COMPLETE DAY/NIGHT SYSTEMS

IN-CEILING MOUNT, INDOOR

G3ADS6C	G3 AUTODOME KIT, DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	2929	1972
G3ADS6T	G3 AUTODOME KIT, DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	2929	1972
G3ATS6C	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	3131	2108
G3ATS6T	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	3131	2108

IN-CEILING MOUNT WITH TRACKER

G3ADS6CT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	3838	2584
G3ADS6TT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	3838	2584
G3ATS6CT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	4040	2720
G3ATS6TT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.	4040	2720

PRODUCT	DESCRIPTION	MSRP	UNIT

AutoDome Systems

AUTODOME COMPLETE DAY/NIGHT SYSTEMS

PENDANT MOUNT, INDOOR

G3ADPW6CW	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3131	2108
G3ADPW6CP	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3131	2108
G3ADPW6TW	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	3131	2108
G3ADPW6TP	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	3131	2108
G3ATPW6CP	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.	3333	2244
G3ATPW6CW	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.	3333	2244
G3ATPW6TP	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz.	3333	2244
G3ATPW6TW	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz	3333	2244

PENDANT MOUNT WITH TRACKER

G3ADPW6CWT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4040	2720
G3ADPW6CPT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4040	2720
G3ADPW6TWT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	4040	2720
G3ADPW6TPT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	4040	2720
G3ATPW6CPT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.	4242	2856
G3ATPW6CWT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.	4242	2856
G3ATPW6TPT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz.	4242	2856
G3ATPW6TWT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz.	4242	2856

ENVIRODOME COMPLETE MONOCHROME SYSTEMS

STANDARD

ENVM2460W	ENVIRODOME KIT, B/W, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2929	1972
ENVM2460C	ENVIRODOME KIT, B/W, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2929	1972
ENVM2460P	ENVIRODOME KIT, B/W, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2929	1972
ENVM2460R	ENVIRODOME KIT, B/W, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3131	2108
ENVM2460M	ENVIRODOME KIT, B/W, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2929	1972
ENVM120W	ENVIRODOME KIT, B/W, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3131	2108
ENVM120C	ENVIRODOME KIT, B/W, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3131	2108
ENVM120P	ENVIRODOME KIT, B/W, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3131	2108
ENVM120R	ENVIRODOME KIT, B/W, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3333	2244
ENVM120M	ENVIRODOME KIT, B/W, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3131	2108

WITH FIBER OPTIC MODULE

ENVM120CF	ENVIRODOME KIT, B/W, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4141	2788
ENVM120MF	ENVIRODOME KIT, B/W, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4141	2788
ENVM120PF	ENVIRODOME KIT, B/W, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4141	2788
ENVM120RF	ENVIRODOME KIT, B/W, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4343	2924
ENVM120WF	ENVIRODOME KIT, B/W, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4141	2788

ENVIRODOME COMPLETE COLOR SYSTEMS

STANDARD

ENVC2460W	ENVIRODOME KIT, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3030	2040
ENVC2460C	ENVIRODOME KIT, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3030	2040
ENVC2460P	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3030	2040
ENVC2460R	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3232	2176
ENVC2460M	ENVIRODOME KIT, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3030	2040
ENVC120W	ENVIRODOME KIT, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3232	2176
ENVC120C	ENVIRODOME KIT, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3232	2176
ENVC120P	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3232	2176
ENVC120R	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3434	2312
ENVC120M	ENVIRODOME KIT, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3232	2176

PRODUCT	DESCRIPTION	MSRP	UNIT

AutoDome Systems

ENVIRODOME COMPLETE COLOR SYSTEMS

STANDARD WITH TRACKER

ENVC2460WT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3939	2652
ENVC2460CT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3939	2652
ENVC2460PT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3939	2652
ENVC2460RT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4141	2788
ENVC2460MT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3939	2652
ENVC120WT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4141	2788
ENVC120CT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4141	2788
ENVC120PT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4141	2788
ENVC120RT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4343	2924
ENVC120MT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4141	2788

WITH FIBER OPTIC MODULE

ENVC120CF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4242	2856
ENVC120PF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4242	2856
ENVC120RF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4444	2992
ENVC120MF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4242	2856
ENVC120WF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4242	2856

WITH FIBER OPTIC MODULE AND TRACKER

ENVC120CFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60 Hz.	5151	3468
ENVC120PFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	5151	3468
ENVC120RFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	5353	3604
ENVC120MFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	5151	3468
ENVC120WFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	5151	3468

ENVIRODOME COMPLETE DAY/NIGHT SYSTEMS

STANDARD

ENVD2460C	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3232	2176
ENVD2460M	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3232	2176
ENVD2460P	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3232	2176
ENVD2460R	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3434	2312
ENVD2460W	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3232	2176
ENVD120C	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3434	2312
ENVD120M	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3434	2312
ENVD120P	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3434	2312
ENVD120R	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3636	2448
ENVD120W	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3434	2312
ENVT2460C	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz	3434	2312
ENVT2460M	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3434	2312
ENVT2460P	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3434	2312
ENVT2460R	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3636	2448
ENVT2460W	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3434	2312
ENVT120C	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3636	2448
ENVT120M	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3636	2448
ENVT120P	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3636	2448
ENVT120R	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3838	2584
ENVT120W	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3636	2448

AutoDome Systems

ENVIRODOME COMPLETE DAY/NIGHT SYSTEMS

STANDARD WITH TRACKER

ENVD2460CT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4141	2788
ENVD2460MT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4141	2788
ENVD2460PT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4141	2788
ENVD2460RT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4343	2924
ENVD2460WT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4141	2788
ENVD120CT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4343	2924
ENVD120MT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4343	2924
ENVD120PT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4343	2924
ENVD120RT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4545	3060
ENVD120WT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4343	2924
ENVT2460CT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4343	2924
ENVT2460MT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4343	2924
ENVT2460PT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4343	2924
ENVT2460RT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4545	3060
ENVT2460WT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	4343	2924
ENVT120CT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4545	3060
ENVT120MT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 120 VAC, 60Hz.	4545	3060
ENVT120PT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4545	3060
ENVT120RT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4747	3196
ENVT120WT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	4545	3060

WITH FIBER OPTIC MODULE

ENVD120CF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4444	2992
ENVD120MF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4444	2992
ENVD120PF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4444	2992
ENVD120RF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4646	3128
ENVD120WF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	4444	2992
ENVT120CF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	4646	3128
ENVT120MF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	4646	3128
ENVT120PF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	4646	3128
ENVT120RF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	4848	3264
ENVT120WF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	4646	3128

PRODUCT	DESCRIPTION		MSRP	UNIT

AutoDome Systems

ENVIRODOME COMPLETE DAY/NIGHT SYSTEMS

WITH FIBER OPTIC MODULE AND TRACKER

ENVD120CFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		5353	3604
ENVD120MFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		5353	3604
ENVD120PFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz		5353	3604
ENVD120RFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		5555	3740
ENVD120WFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		5353	3604
ENVT120CFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.		5555	3740
ENVT120MFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, W/FOM, 120 VAC, 60Hz.		5555	3740
ENVT120PFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.		5555	3740
ENVT120RFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.		5757	3876
ENVT120WFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.		5555	3740

PRESSURE DOME KITS

PRSC6	PRESSURE DOME KIT, 18X COLOR, OUTDOOR, PIPE MT, WHITE, 24VAC, 60Hz.	@	4848	3264
PRSD6	PRESSURE DOME KIT, 18X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 24VAC, 60Hz.	@	5050	3400
PRSM6	PRESSURE DOME KIT, 18X MONOCHROME, OUTDOOR, PIPE MT, WHITE, 24VAC, 60Hz.	@	4646	3128
PRST6	PRESSURE DOME KIT, 25X DAY/NIGHT, OUTDOOR , PIPE MT, WHITE, 24VAC, 60Hz.	@	5252	3536
PRSC1	PRESSURE DOME KIT, 18X COLOR, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	5050	3400
PRSD1	PRESSURE DOME KIT, 18X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	5252	3536
PRSM1	PRESSURE DOME KIT, 18X MONOCHROME, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	4848	3264
PRST1	PRESSURE DOME KIT, 25X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	5454	3672
PRSC1F	PRESSURE DOME KIT, 18X COLOR, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	6060	4080
PRSD1F	PRESSURE DOME KIT, 18X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	6262	4216
PRSM1F	PRESSURE DOME KIT, 18X MONOCHROME, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	5858	3944
PRST1F	PRESSURE DOME KIT, 25X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	6464	4352

PRESSURE DOME ACCESSORIES

PRS-MAST	PRESSURE DOME GOOSENECK WALL MOUNT WITH MAST (POLE) ADAPTER, WHITE.		253	170
PRS-WALL	PRESSURE DOME GOOSENECK WALL MOUNT, WHITE.		152	102
PRS-CORNER	PRESSURE DOME GOOSENECK WALL MOUNT WITH CORNER ADAPTER, WHITE.		253	170
PRS-HOUSING	PRESSURIZED DOME, HOUSING ONLY, 24VAC 50/60Hz, PIPE MOUNT.		2424	1632

AUTODOME & ENVIRODOME INDIVIDUAL COMPONENTS

IN-CEILING MOUNT, INDOOR

LTC 0729/25C	G3 CAM. MODULE, 18X B/W, FOR INDOOR DROP CEILING MT., 24VAC, 60Hz.		2323	1564
LTC 0829/25C	G3 CAM. MODULE, 18X COLOR, FOR INDOOR DROP CEILING MT., 24VAC, 60Hz.		2424	1632
LTC 0939/25C	G3 CAM. MODULE, 25X DAY/NIGHT, FOR INDOOR DROP CEILING MT., 24VAC, 60Hz.		2929	1972
LTC 7490/20C	G3 BACKBOX, INDOOR DROP CEILING, 24VAC, 50/60Hz.		505	340
LTC 7490/00	MOUNTING PLATE, MOUNTS G3 & LTC 9349 IN 2 FT. X 2 FT. DROP CEILING.		111	75

BUBBLE KITS, IN-CEILING, INDOOR

BUB-G3ASCL	BUBBLE KIT, INDOOR DROP CEILING, CLEAR.		101	68
BUB-G3ASTI	BUBBLE KIT, INDOOR DROP CEILING, TINTED.		101	68
BUB-G3ASCHR	BUBBLE KIT, INDOOR DROP CEILING, CHROME.		253	170
BUB-G3ASGLD	BUBBLE KIT, INDOOR DROP CEILING, GOLD.		253	170
BUB-G3ASBRZ	BUBBLE KIT, INDOOR DROP CEILING, BRONZE.		253	170
BUB-G3ASCL-R	BUBBLE KIT, INDOOR IN-CEILING, CLEAR, RUGGED VERSION.		202	136
BUB-G3ASTI-R	BUBBLE KIT, INDOOR IN-CEILING, TINTED, RUGGED VERSION.		202	136

PENDANT MOUNT, INDOOR

LTC 0725/25C	G3 CAM. MODULE, 18X B/W, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		2626	1768
LTC 0725/27C	G3 CAM. MODULE, 18X B/W, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		2626	1768
LTC 0825/25C	G3 CAM. MODULE, 18X COLOR, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		2727	1836
LTC 0825/27C	G3 CAM. MODULE, 18X COLOR, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		2727	1836
LTC 0925/25C	G3 CAM. MODULE, 18X DAY/NIGHT, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.	@	2929	1972
LTC 0925/27C	G3 CAM. MODULE, 18X DAY/NIGHT, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.	@	2929	1972
LTC 0935/25C	G3 CAM. MODULE, 25X DAY/NIGHT, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		3131	2108
LTC 0935/27C	G3 CAM. MODULE, 25X DAY/NIGHT, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		3131	2108

AutoDome Systems

AUTODOME & ENVIRODOME INDIVIDUAL COMPONENTS

BUBBLE KITS, PENDANT, INDOOR

BUB-G3APWCL	BUBBLE KIT, INDOOR, PENDANT WHITE, CLEAR BUBBLE.	152	102
BUB-G3APWTI	BUBBLE KIT, INDOOR, PENDANT WHITE, TINTED BUBBLE.	152	102
BUB-G3APWGLD	BUBBLE KIT, INDOOR, PENDANT WHITE, GOLD BUBBLE.	303	204
BUB-G3APWBRZ	BUBBLE KIT, INDOOR, PENDANT WHITE, BRONZE BUBBLE.	303	204
BUB-G3APWCHR	BUBBLE KIT, INDOOR, PENDANT WHITE, CHROME BUBBLE.	303	204
BUB-G3APWCL-R	BUBBLE KIT, INDOOR PENDANT WHITE, CLEAR, RUGGED VERSION.	253	170
BUB-G3APWTI-R	BUBBLE KIT, INDOOR PENDANT WHITE, TINTED, RUGGED VERSION.	253	170

ENVIRODOME

LTC 0728/25C	ENVIRODOME CAM. MODULE, 18X B/W, FOR OUTDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.	2828	1904
LTC 0728/26C	ENVIRODOME CAM. MODULE, 18X B/W, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.	2828	1904
LTC 0828/25C	ENVIRODOME CAM. MODULE, 18X COLOR, FOR OUTDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.	2929	1972
LTC 0828/26C	ENVIRODOME CAM. MODULE, 18X COLOR, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.	2929	1972
LTC 0928/25C	ENVIRODOME CAM. MODULE, 18X DAY/NIGHT, FOR OUTDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.	3131	2108
LTC 0928/26C	ENVIRODOME CAM. MODULE, 18X DAY/NIGHT, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.	3131	2108
LTC 0938/25C	ENVIRODOME CAM. MODULE, 25X DAY/NIGHT, OUTDOOR PENDANT, WHITE, CLEAR BUBBLE, 24VAC, 60Hz.	3333	2244
LTC 0938/26C	ENVIRODOME CAM. MODULE, 25X DAY/NIGHT, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.	3333	2244

BUBBLE KITS, OUTDOOR

BUB-ENVPWCL	ENVIRODOME BUBBLE KIT, PENDANT WHITE, CLEAR BUBBLE.	152	102
BUB-ENVPWTI	ENVIRODOME BUBBLE KIT, PENDANT WHITE, TINTED BUBBLE.	152	102
BUB-ENVPWCL-R	ENVIRONDOME BUBBLE KIT, WHITE, CLEAR, RUGGED VERSION	303	204
BUB-ENVPWTI-R	ENVIRODOME BUBBLE KIT, WHITE, TINTED, RUGGED VERSION	303	204

MOUNTS & POWER SUPPLIES

G3A-PSU1-4	G3 AUTODOME, INDOOR POWER SUPPLY UNIT, 120VAC 60Hz, 28VAC OUT, 4 DOMES	152	102
G3A-PSU1-8	G3 AUTODOME, INDOOR POWER SUPPLY UNIT, 120VAC 60Hz, 28VAC OUT, 8 DOMES	212	143
G3A-PSU1-16	G3 AUTODOME, INDOOR POWER SUPPLY UNIT, 120VAC 60Hz, 28VAC OUT, 16 DOMES	303	204
ENV-PSU1	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz.	202	136
ENV-PSU1F	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/FOM.	1263	850
ENV-PSU1F-SP	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/FOM, W/SURGE PROTECTION.	1465	986
ENV-PSU1-SP	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/SURGE PROTECTION.	404	272
LTC 9230/00	ROOF PARAPET MT. FOR ENVIRODOME & OUTDOOR FIXED DOME HOUSINGS, 42" ARM, 1.5" NPT.	394	265
LTC 9230/01	FLAT ROOF MOUNT ADAPTER, FOR ROOF PARAPET MOUNT LTC 9230/00.	71	48
LTC 9230/60	ROOF PARAPET MOUNT KIT, 42" ARM, 1.5" NPT, 120VAC, 60Hz.	495	333
LTC 9540/00	G3/ENVIRODOME PENDANT WALL MOUNT, WHITE.	152	102
ENV-PA0	ENVIRODOME PENDANT ARM, WHITE, W/BOX, NO TRANSFORMER	202	136
ENV-PA1	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz.	303	204
ENV-PA-BOX	ENVIRODOME BOX FOR PENDANT ARM, NO ARM	101	68
ENV-PA-EX	G3/ENVIRODOME EXTENDED PENDANT ARM MOUNT (27")	404	272
ENV-PA1F	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/FOM.	1364	918
ENV-PA1-SP	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/SURGE PROTECTION.	505	340
ENV-PA1F-SP	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/FOM, W/SURGE PROTECTION.	1566	1054
LTC 9541/01	ENVIRODOME PENDANT POLE (MAST) MOUNT, WHITE.	101	68
LTC 9542/01	ENVIRODOME PENDANT CORNER MOUNT, WHITE.	101	68
LTC 9543/00	G3/ENVIRODOME PENDANT PIPE MOUNT, WHITE.	61	41
LTC 9543/60	G3/ENVIRODOME PENDANT PIPE MOUNT KIT, WHITE, 120VAC, 60Hz.	162	109

MOUNTS, POWER SUPPLIES AND ACCESSORIES

ENV-PA1T	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/AUTOTRACK.	1212	816
ENV-PA1FT	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60HZ, W/FOM, W/AUTOTRACK.	2222	1496
ENV-PSU1T	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/AUTOTRACK.	1010	680
ENV-PSU1FT	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/FOM, W/AUTOTRACK.	2222	1496
ENV-PSU0T	NO TRANSFORMER, OUTDOOR, NEMA 4X RATED, 24VAC, W/AUTOTRACK.	1010	680
VP-CFGSFT	CONFIGURATION SOFTWARE FOR DOMES/CAMERAS USING BILINX INCLUDES VP-USB ADAPTOR.	505	340
* VP-USB	BILINX TO USB ADAPTOR FOR USE WITH CONFIGURATION TOOL FOR DOMES/CAMERAS.	101	68
G3A-TRKR	G3 AUTOTRACK STAND ALONE BOX, 24VAC, INDOOR USE ONLY.	909	612

PRODUCT	DESCRIPTION		MSRP	UNIT

Monitors

MONOCHROME

LTC 2009/61	9-INCH MONOCHROME MONITOR, 900 TVL, 120VAC, 60Hz.	%	182	122
LTC 2012/61	12-INCH MONOCHROME MONITOR, 900 TVL, 120VAC, 60Hz.	\	212	143
LTC 2017/60	17-INCH MONOCHROME MONITOR, 700 TVL, 120VAC, 60Hz.	%	485	326
LTC 2020/90	20-INCH MONOCHROME MONITOR, 900 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	%	515	347

COLOR

STANDARD PERFORMANCE

LTC 2810/90	10-INCH STANDARD RES. COLOR MONITOR, 280 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	%	535	360
LTC 2813/90	14-INCH STANDARD RES. COLOR MONITOR, 400 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	384	258
LTC 2814/90	14-INCH STANDARD RES. COLOR MONITOR, 350 TVL, W/ AUDIO, S-VHS INPUT, 120/230VAC, 50/60Hz.	%	556	374
LTC 2821/91	21-INCH HIGH RES. COLOR MONITOR, 550 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	%	616	415

HIGH PERFORMANCE

LTC 2910/90	9-INCH HIGH RES. COLOR MONITOR, 350 TVL, W/AUDIO, 120/230VAC, 50/60Hz	\	707	476
LTC 2915/91	15-INCH HIGH RES. COLOR MONITOR, 700 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	556	374
LTC 2917/91	17-INCH HIGH RES. COLOR MONITOR, 700 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	798	537
LTC 2919/90	19-INCH HIGH RES. COLOR MONITOR, 700 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	1010	680
27ST220L	27-INCH HIGH RES. COLOR MONITOR, 550 TVL, W/AUDIO,120VAC, 60Hz.	*	1101	741

PC (VGA)

* 107E61	17-INCH VGA COLOR MONITOR, BEIGE, 120/230VAC, 50/60Hz.	\	495	333

LCD FLAT PANEL

HIGH PERFORMANCE FLAT PANEL

MON152CL	15-INCH HIGH RES. COLOR LCD MONITOR, 500 TVL,PIP,CVBS, VGA, & AUDIO, 120/230VAC, 50/60Hz.	!	1404	945
MON171CL	17-INCH HIGH RES. COLOR LCD MONITOR, 500TVL, PIP, CVBS, VGA, & AUDIO, 120/230VAC, 50/60Hz	!	2010	1353
MON151PS	POWER SUPPLY, FOR REMOTE POWERING OF 1 MON151CL or MON171CL, 120/230VAC, 50/60Hz.	!	51	34

PC (VGA)

150S4FB	15-INCH COLOR LCD MONITOR, W/AUDIO, VGA INPUT, BLACK, 120/230VAC 50/60Hz.	\	1000	673

PUBLIC VIEW SYSTEMS

PV-13C-C	PUBLIC VIEW SYSTEM, W/ 13-INCH COLOR MON., COLOR CAMERA, CABLES & CEILING MT. EQUIPMENT.	+	1091	734
PV-13C-W	PUBLIC VIEW SYSTEM, W/ 13-INCH COLOR MON., COLOR CAMERA, CABLES & WALL MT. EQUIPMENT.	+	1091	734
PV-20C-C	PUBLIC VIEW SYSTEM, W/ 20-INCH COLOR MON., COLOR CAMERA, CABLES & CEILING MT. EQUIPMENT.	+	1293	870
PV-20C-W	PUBLIC VIEW SYSTEM, W/ 20-INCH COLOR MONITOR, COLOR CAMERA, CABLES & WALL MT. EQUIPMENT.	+	1293	870
PV-27C-C	PUBLIC VIEW SYSTEM, W/ 27-INCH COLOR MON., COLOR CAMERA, CABLES & CEILING MT. EQUIPMENT.	+	1495	1006
PV-27C-W	PUBLIC VIEW SYSTEM, W/ 27-INCH COLOR MON., COLOR CAMERA, CABLES & WALL MT. EQUIPMENT.	+	1495	1006

MONITORS MOUNTS

MM3000	MONITOR MOUNT, CEILING, FOR LTC 2009, 2012, 2910.		121	82
TC9209MM-W	MONITOR MOUNT, WALL, FOR LTC 2009, 2012, 2910.		91	61
TC9217MM-C	MONITOR MOUNT, CEILING, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		273	184
TC9217MM-W	MONITOR MOUNT, WALL, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		273	184
TC9220MM-C	MONITOR MOUNT, CEILING, FOR LTC 2020, 2821, 2919.		283	190
TC9220MM-W	MONITOR MOUNT, WALL, FOR LTC 2020, 2821, 2919.		283	190
TC9227MM-C	MONITOR MOUNT, CEILING, FOR PC0127P and 27ST220L.		293	197
TC9227MM-W	MONITOR MOUNT, WALL, FOR PC0127P and 27ST220L.		293	197
TC9220EC2	EXTENSION POLE, 2 FT., FOR MONITOR CEILING MOUNTS.		40	27
TC9220EC4	EXTENSION POLE, 4 FT., FOR MONITOR CEILING MOUNTS.		71	48

RACK MOUNT HARDWARE FOR MONITORS

LTC 9009/00	RACK KIT, FOR UP TO TWO LTC 2009s, 10.5-INCH HIGH.		111	75
LTC 9009/01	BLANKING PANEL, FOR LTC 9009/00 RACK KIT.		20	14
LTC 9012/00	RACK KIT, FOR ONE LTC 2012, 12.25-INCH HIGH.		192	129
LTC 9017/00	RACK KIT, FOR ONE LTC 2017, 17.5-INCH HIGH.		192	129
LTC 9110/00	RACK KIT, FOR ONE LTC 2810, 12.25-INCH HIGH.		182	122
LTC 9113/00	RACK KIT, FOR ONE LTC 2813, LTC 2914, OR LTC 2915, 14-INCH HIGH.		182	122
LTC 9114/00	RACK KIT, FOR ONE LTC 2814, 14-INCH HIGH.		182	122
LTC 9117/00	RACK KIT, FOR ONE LTC 2917, 15.75-INCH HIGH.		192	129
LTC 9119/00	RACK KIT, FOR ONE LTC 2919, 15.75-INCH HIGH.	!	81	54
TC210AMK	RACK KIT, FOR UP TO TWO LTC 2910s, 10.5-INCH HIGH.		192	129
MON151RK	RACK KIT, FOR ONE MON151CL OR MON152CL, 12.25-INCH HIGH.	!	81	54
MON171RK	RACK KIT, FOR ONE MON171CL, 15.75-IN. HIGH.	!	131	88

PRODUCT	DESCRIPTION		MSRP	UNIT

Network Cameras

NETCAM SERIES HIGH RESOLUTION, COLOR NETWORK CAMERAS

NETCAM-2	NETWORK CAMERA, 2 CH. 1/4" 480TVL, COLOR, ETHERNET, TCP/IP, 12VDC/24/120VAC, 60Hz.	%	1151	775
NETSVR-1	NETWORK CAMERA SERVER, 1 CH. ETHERNET, TCP/IP, 12VDC/24VAC/120VAC, 60Hz.	%	929	626
NETSVR-6	NETWORK CAMERA SERVER, 6 CH. ETHERNET, TCP/IP, 12VDC/24VAC/120VAC, 60Hz.	%	1212	816
NETDVR-SP	NETWORK DVR 80G, 4-CH, NTSC/PAL, TCP/IP ETHERNET, 12VDC/100-240VAC, 50/60Hz.	%	1899	1278
NETDVR-ND	NETWORK DVR NO DISK, 4-CH, NTSC/PAL, TCP/IP ETHERNET, 12VDC/100-240VAC, 50/60Hz.	%	1596	1074
NETMAN	NETMANAGER, MANAGEMENT SOFTWARE FOR "NET" DEVICES.	%	444	299

PRODUCT	DESCRIPTION		MSRP	UNIT

Digital Video Recorders

SINGLE DIGITAL RECORDERS

EMBEDDED DVR'S

* DVR1C1161	DIGITAL RECORDER 1CH	!	1394	938

DIVAR DIGITAL RECORDERS

EMBEDDED DVR'S

6 CHANNEL

* DVR6E1082	DIVAR-2, 6CH,80GB	+	2990	2013
* DVR6E1162	DIVAR-2, 6CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 160 GB.	+	3588	2415
* DVR6E2162	DIVAR-2, 6CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 320 GB.	+	4618	3109
* DVR6E2302	DIVAR-2, 6ch DIGITAL VIDEO RECORDER WITH NETWORK I/F, 600GB.	+	5846	3936

9 CHANNEL

* DVR9E1082	DIVAR-2, 9CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 80 GB.	+	3404	2292
* DVR9E1162	DIVAR-2, 9CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 160 GB.	+	3899	2625
* DVR9E2162	DIVAR-2, 9CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 320 GB.	+	4824	3248
* DVR9E2302	DIVAR-2, 9ch DIGITAL VIDEO RECORDER WITH NETWORK I/F, 600GB.	+	5957	4011

16 CHANNEL

* DVR16E1082	DIVAR-2, 16CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 80 GB.	+	4331	2916
* DVR16E1162	DIVAR-2, 16CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 160 GB.	+	4824	3248
* DVR16E2162	DIVAR-2, 16CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 320 GB.	+	5751	3872
* DVR16E2302	DIVAR-2, 16ch DIGITAL VIDEO RECORDER WITH NETWORK I/F, 600GB.	+	6882	4634

DIVAR WITH INTERNAL DVD WRITER

EMBEDDED DVR'S

6 CHANNEL PLUS

* DVR6F1082	DIVAR INT.DVD 6CH 80GB	+	3394	2285
* DVR6F1162	DIVAR INT.DVD 6CH 160GB	+	3992	2687
* DVR6F2162	DIVAR INT.DVD 6CH 320GB	+	5022	3381
* DVR6F2302	DIVAR INT.DVD 6CH 600GB	+	6250	4208

9 CHANNEL PLUS

* DVR9F1082	DIVAR INT.DVD 9CH 80GB	+	3808	2564
* DVR9F1162	DIVAR INT.DVD 9CH 160GB	+	4303	2897
* DVR9F2162	DIVAR INT.DVD 9CH 320GB	+	5228	3520
* DVR9F2302	DIVAR INT.DVD 9CH 600GB.	+	6361	4283

16 CHANNEL PLUS

* DVR16F1082	DIVAR INT.DVD 16CH 80GB	+	4735	3188
* DVR16F1162	DIVAR INT.DVD 16CH 160GB	+	5228	3520
* DVR16F2162	DIVAR INT.DVD 16CH 320GB	+	6155	4144
* DVR16F2302	DIVAR INT.DVD 16CH 600GB	+	7286	4906

DIVAR ACCESSORIES

DIVAR ACCESSORIES

* DVRXEDVD1	EXTERNAL DVD WRITER DIVAR-2.	+	947	638
* DVRSEUG12	DIVAR-1 UPGRADE LICENSE.	+	1008	679
* DVRSEAP01	ATM/POS LICENSE DIVAR-2	+	402	271

DESA DIGITAL RECORDERS

PC-BASED DVR'S

DESA-120 TOWER

DR08112	DESA 8 CH, 120 IPS, CD-RW, 120GB.	!	5444	3665
DR08125	DESA 8 CH, 120 IPS, CD-RW, 250GB.	!	6252	4209
DR08150	DESA 8 CH, 120 IPS, CD-RW, 500GB.	!	7464	5025
DR08112A	DESA 8 CH, 120 IPS, 120GB, CD-RW,120/230 VAC 50/60 Hz., KITTED WITH LTC 8786.	!	5848	3937
DR08125A	DESA 8 CH, 120 IPS, 250GB, CD-RW, 120/230 VAC 50/60 Hz., KITTED WITH LTC 8786.	!	6656	4481
DR08150A	DESA 8 CH, 120 IPS, 500GB, CD-RW,120/230 VAC 50/60 Hz., KITTED WITH LTC 8786.	!	7868	5297

DESA-120 RACK MOUNT

DR216125	DESA XL 16 CH, 120 IPS, 250GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	8333	5610
DR216150	DESA XL 16 CH, 120 IPS, 500GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	9971	6713
DR216175	DESA XL 16 CH, 120 IPS, 750GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	11506	7747
DR21611T	DESA XL 16 CH, 120 IPS, 1TB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	13041	8781

PRODUCT	DESCRIPTION		MSRP	UNIT

Digital Video Recorders

DESA DIGITAL RECORDERS

PC-BASED DVR'S

DESA-240

DR216225	DESA XL 16 CH, 240 IPS, 250GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	12423	8364
DR216250	DESA XL 16 CH, 240 IPS, 500GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	14130	9514
DR216275	DESA XL 16 CH, 240 IPS, 750GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	15544	10466
DR21621T	DESA XL 16 CH, 240 IPS, 1TB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	17160	11554

DIBOS DIGITAL RECORDERS

PC-BASED DVR'S

DIBOS MICRO

Not Expandable

DB04A1012DL1	DIBOS, 4 CH, 25/30 IPS, 5 CONTACT INPUTS, 120 GB IDE, CDR, 120/230VAC 50/60 HZ.	_	3373	2271
DB04A1012D1	DIBOS, 4 CH, 25/30 IPS, 5 CONTACT INPUTS, 120 GB IDE, CDRW, 120/230VAC 50/60 HZ.	_	3838	2584
DB04A1025D1	DIBOS, 4 CH, 25/30 IPS, 5 CONTACT INPUTS, 250 GB IDE, CDRW, 120/230VAC 50/60 HZ.	_	4444	2992
DB08B1012D1	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 120 GB IDE HD, CDRW, 120/230VAC 50/60 HZ.	_	5151	3468
DB08B1025D1	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 250 GB IDE HD, CDRW, 120/230VAC 50/60 HZ.	_	5757	3876
DB16B1025D1	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 250 GB IDE HD, CDRW, 120/230VAC 50/60 HZ..	_	6565	4420

DIBOS MINI

DB04A10121	DIBOS, 4 CAMERA INPUTS, UP TO 25/30 IPS, 1 ALM INPUT, 120 GB IDE HD, CDRW, 120/230VAC 50/60Hz.	_	5252	3536
DB04A10301	DIBOS, 4 CAMERA INPUTS, UP TO 25/30 IPS, 1 ALM INPUT, 300 GB IDE HD, CDRW, 120/230VAC 50/60Hz.	_	6262	4216

DIBOS COMPACT

DB08B10121	DIBOS, 8 CAM INPUTS, UP TO 50/60IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 120 GB IDE HD, CDRW, 120/230VAC 50/60Hz.	_	6464	4352
DB08B10301	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 300 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	7474	5032
DB08B10481	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 480 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	8484	5712
DB16B10121	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 120 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	7070	4760
DB16B10301	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 300 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	8080	5440
DB16B10481	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 480 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	9090	6120
DB16B1100R1	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 1000 GB IDE HD, CDRW, 120/230VAC 50/60 HZ.	_	11615	7820

DIBOS MODULAR

DB16B20121	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 120 GB, CDRW, 120/230VAC 50/60 Hz.	_	8585	5780
DB16B20301	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 300 GB, CDRW, 120/230VAC 50/60 Hz.	_	9595	6460
DB16B20481	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 480 GB, CDRW, 120/230VAC 50/60 Hz.	_	10605	7140
DB32B20121	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 120 GB, CDRW, 120/230VAC 50/60 Hz, SCSI ADAPTER.	_	12019	8092
DB32B20301	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 300 GB, CDRW, 120/230VAC 50/60 Hz, SCSI ADAPTER.	_	13029	8772
DB32B20481	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 480 GB, CDRW, 120/230VAC 50/60 Hz, SCSI ADAPTER.	_	14039	9452
DB16B2100R1	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 1000 GB, CDRW, 120/230VAC 50/60 HZ.	_	13130	8840
DB32B2100R1	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 1000 GB, CDRW, 120/230VAC 50/60 HZ., SCSI ADAPTER.	_	16564	11153

DIBOS ACCESSORIES *BTO

*** Build to Order Item added at DiBos purchase.**

DBEK021	DIBOS BTO INTERNAL SCSI CARD ADAPTER, INCLUDES SCSI CABLE.		707	476
DBEK031	DIBOS BTO INTERNAL MODEM CARD FOR PSTN CONNECTION.		253	170
DBSE031	SERIAL SOFTWARE INTERFACE TO BOSCH SERCURITY PANELS.	_	242	163

DIBOS ACCESSORIES

DBSR001	DIBOS RECEIVER SOFTWARE PACKAGE, INSTALLATION AT CUSTOMER OWNED PC WITH WINDOWS XP, INCL. DONGLE FOR PARALLEL PORT.	_	727	490
DBUK011	SOFTWARE UPDATE KIT FROM VERSION 6 TO VERSION 7.	_	505	340

PRODUCT	DESCRIPTION		MSRP	UNIT

Digital Video Recorders

DIGITAL ARCHIVING SOLUTIONS

Consult Manufacturer's Representative for Digital compatibility with digital video recorders

DVAD0216	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 2 -160 GB HDD, 120/240 VAC, 50/60Hz.	|	3222	2169
DVAD0230	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 2 - 300GB HDD, 120/240VAC, 50/60Hz.	|	4242	2856
DVAD0416	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 4 - 160 GB HDD, 120/240 VAC, 50/60 Hz.	|	4636	3121
DVAD0430	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 4 - 300GB HDD, 120/240 VAC, 50/60Hz.	|	6262	4216
DVAS0416	DIGITAL VIDEO ARRAY, RAID 5, WITH 4 - 160 GB HDD, 120/240 VAC, 50/60 Hz.	|	12989	8745
DVAS0430	DIGITAL VIDEO ARRAY, RAID 5, WITH 4 - 300GB HDD, 120/240 VAC, 50/60 Hz.	|	15756	10609
DVAS0816	DIGITAL VIDEO ARRAY, RAID 5, WITH 8 - 160 GB HDD, 120 / 240 VAC, 50/60 Hz.	|	15958	10745
DVAS0830	DIGITAL VIDEO ARRAY, RAID 5, WITH 8 - 300GB HDD, 120/240 VAC, 50/60 Hz.	|	20200	13601
DVAS1416	DIGITAL VIDEO ARRAY, RAID 5, WITH 14 - 160 GB HDD, 120/240 VAC, 50/60Hz.	|	20200	13601
DVAS1430	DIGITAL VIDEO ARRAY, RAID 5, WITH 14 - 300GB HDD, 120/240 VAC, 50/60Hz.	|	30290	20394
ACCDC016M	DVAS SERIES 160 GB HARD DRIVE & CUSTOM CARRIER	|	758	510
ACCDC030M	DVAS SERIES, 300 GB HARD DRIVE & CUSTOM CARRIER	|	1717	1156
ACCPS	DVAS SERIES REDUNDANT POWER SUPPLY, 120/240 VAC, 50/60 Hz.	|	1010	680
ACCVHD06L	DVAD SERIES 6" LOOPING SCSI CABLE - DISK ARRAY TO DISK ARRAY.		202	136
ACCVHD12L	DVAD SERIES 12" LOOPING SCSI CABLE - DISK ARRAY TO DISK ARRAY.		192	129
ACCVHD50	DVAS & DVAD SERIES 3' SCSI CABLE - DVR TO DISK ARRAY		152	102

Analog Video Recorders

VIDEO CASSETTE RECORDERS, HIGH DENSITY/TIME LAPSE

RT30A/61	VCR,30 HR.REAL TIME,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	606	408
RT960A/61	VCR,30 HR.REAL TIME,960 HR.TIME LAPSE,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	758	510

RACK MOUNT HARDWARE FOR LTC SERIES RECORDERS

LTC 9061/00	RACK KIT, FOR ONE LTC 3924, LTC 3963, OR LTC 3991 RECORDER, 5.25-INCH HIGH.		192	129

VCR ACCESSORIES

LTC 9022/60	VCR LOCK BOX, FOR BOSCH LTC MULTIPLEXER AND VCR, 120VAC, 60Hz.		354	238
LTC 9023/60	VCR LOCK BOX, FOR ONE VCR, 120VAC, 60Hz.		283	190
TC1350	VHS VIDEO CASSETTES (T-120). PACKAGE OF TEN TAPES.	@	71	48
TC1355	VHS VIDEO CASSETTES (T-160). PACKAGE OF TEN TAPES.	@	91	61
TC1381	SVHS VIDEO CASSETTES (T-120). PACKAGE OF TEN TAPES.	@	242	163
TC1385	SVHS VIDEO CASSETTES (T-160). PACKAGE OF TEN TAPES.	@	273	184

PRODUCT	DESCRIPTION		MSRP	UNIT

Controls / Video Switchers

FOR PAN/TILT, SCANNER AND LENS FUNCTIONS

Controllers

LTC 5133/60	CONTROLLER, CONTROLS 120VAC PAN/TILTS & 6/12V LENSES, HALF RACK, 120VAC, 60Hz.		556	374
LTC 5134/60	CONTROLLER, CONTROLS 24VAC PAN/TILTS & 6/12V LENSES, HALF RACK, 120VAC, 60Hz.		626	422

FOR AUTODOME AND STANDARD RECEIVER/DRIVER UNITS

Controllers

LTC 5136/61	CONTROLLER, W/ 16 OUTPUTS FOR AUTODOMES OR ALLEGIANT R/D UNITS, 120VAC, 50/60Hz.		1000	673

RACK MOUNT HARDWARE FOR CONTROLLERS

LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.		141	95

SEQUENTIAL, NON-ALARMING

Video Switchers

LTC 5121/60	SWITCHER, 2 CAMERA INPUT, 1 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		162	109
LTC 5141/60	SWITCHER, 4 CAMERA INPUT, 1 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		182	122

SEQUENTIAL, ALARMING, MICROPROCESSOR-BASED

Video Switchers

LTC 5104/60	SWITCHER, 4 CAMERA INPUT, 1 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		313	211
LTC 5108/60	SWITCHER, 8 CAMERA INPUT, 2 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		768	517

RACK MOUNT HARDWARE FOR VIDEO SWITCHERS

LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.		141	95

Video Quads and Multiplexers

VIDQUAD VIDEO PROCESSORS

LTC 2375/60	VIDQUAD, 4 CHANNEL "REAL TIME" COLOR VIDEO PROCESSOR, 120VAC, 60Hz.	%	1000	673
LTC 2377/60	VIDQUAD, 4 CHANNEL "REAL TIME" COLOR VIDEO PROCESSOR, ALARMING, 120VAC, 60Hz.	%	1202	809

DESA-120 RACK MOUNT

LTC 2372/60	VIDQUAD, 4 CHANNEL "REAL TIME" B/W VIDEO PROCESSOR, 120VAC, 60Hz.	%	556	374
LTC 2376/60	VIDQUAD, 4 CHANNEL "REAL TIME" B/W VIDEO PROCESSOR, ALARMING, 120VAC, 60Hz.	%	798	537

VIDEO MULTIPLEXERS

MONOCHROME

LTC 2632/90	MONOCHROME MUX, 9 CHANNEL MONOCHROME, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		1364	918
LTC 2652/90	MONOCHROME MUX, 16 CHANNEL MONOCHROME, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		1606	1081

COLOR

LTC 2642/90	UNIVERSAL MUX, 9 CHANNEL COLOR, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		2323	1564
LTC 2662/90	UNIVERSALMUX, 16 CHANNEL COLOR, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		2464	1659

MULTIPLEXER ACCESSORIES

S1386	VEXT CONTROL CABLE FOR PHILIPS LTC MULTIPLEXERS & VCRS.		51	34

PRODUCT	DESCRIPTION	MSRP	UNIT

Multiplexer Control Systems

6PLEX VIDEO MANAGEMENT SYSTEM

LTC 2622/90	6PLEX MULTIPLEXER, 6 CHANNEL COLOR, DUPLEX, 120/230VAC, 50/60Hz.	1515	1020

SYSTEM4 VIDEO MANAGEMENT SYSTEM

LTC 2672/90	SYSTEM4 MULTIPLEXER, 9 CHANNEL COLOR, TRIPLEX, 120/230VAC, 50/60Hz.	2475	1666
LTC 2682/90	SYSTEM4 MULTIPLEXER, 16 CHANNEL COLOR, TRIPLEX, 120/230VAC, 50/60Hz.	2616	1761
LTC 2605/91	VIDEO MANAGER FOR USE WITH DIVAR DVR AND SYSTEM 4 MULTIPLEXERS. 120/230VAC, 50/60 HZ.	1232	830

KEYBOARDS

KBD-DIGITAL	INTUIKEY DIGITAL KEYBOARD W/ LCD FOR USE WITH DIVAR DVR AND SYSTEM 4 MULTIPLEXERS.	\	808	544
LTC 2601/00	KEYBOARD FOR 6PLEX & SYSTEM4, WITH PUSH BUTTON P/T-Z CONTROL.		707	476

KEYBOARD ACCESSORIES

KBD-SFTCFG	CONFIGURATION SOFTWARE FOR KBD SERIES KEYBOARDS.	596	401
LTC 8558/00	OPTIONAL KEYBOARD CABLE, 100 FT.	111	75
LTC 8557/60	HOOK-UP KIT FOR REMOTE KEYBOARD UP TO 5000 FT, 120VAC, 60Hz.	162	109
KBD-RACK	RACK MOUNT KIT FOR KBD-UNIVERSAL AND KBD-DIGITAL.	111	75

CABLES

S1383	VCR CONTROL CABLE FOR SYSTEM4.	51	34
S1385	GUI CONTROL CABLE FOR SYSTEM4.	51	34
S1386	VEXT CONTROL CABLE FOR PHILIPS LTC MULTIPLEXERS & VCRS.	51	34

SOFTWARE

LTC 2650/00	GRAPHICAL USER INTERFACE (GUI) PACKAGE FOR SYSTEM4.	1202	809
LTC 2610/00	FIRMWARE UPGRADE KIT, FOR LTC 2600 MULTIPLEXERS.	192	129

ACCESSORIES

LTC 2604/60	SYSTEM4 KEYBOARD PORT EXPANDER, 120VAC, 60Hz.	1202	809
LTC 2609/00	SYSTEM4 EXTENSION KIT, LINKS UP TO 6 SYSTEM4 MULTIPLEXERS.	101	68

Matrix Switcher/Control Systems - Integrated

LTC 8100 SERIES ALLEGIANT SYSTEMS

Provides up to 8 Cameras x 2 Monitors full crosspoints in a single bay, no input or output modules required. Includes Integral Signal Distribution and Alarm Interface Capability.

LTC 8100/60	ALLEGIANT 8 X 2 CCTV MATRIX SWITCHER, 120VAC, 60Hz.	1263	850
PK8100-5	ALLEGIANT LTC 8100/60 WITH LTC 8555/00 KEYBOARD, 120VAC, 60Hz.	2071	1394

LTC 8200 SERIES ALLEGIANT SYSTEMS

Provides up to 16 Cameras x 5 Monitors full crosspoints in a single bay, no input or output modules required. Includes Integral Signal Distribution and Alarm Interface Capability.

LTC 8200/60	ALLEGIANT 16 X 5 CCTV MATRIX SWITCHER, 120VAC, 60Hz.	1465	986
PK8200-5	ALLEGIANT LTC 8200/60 WITH LTC 8555/00 KEYBOARD, 120VAC, 60Hz.	2273	1530

LTC 8300 SERIES ALLEGIANT SYSTEMS

Provides up to 32 Cameras x 6 Monitors full crosspoints in a single bay, no input or output modules required. Includes Integral Signal Distribution and Alarm Interface Capability.

LTC 8300/60	ALLEGIANT 32 X 6 CCTV MATRIX SWITCHER, 120VAC, 60Hz.	2818	1897
PK8300-5	ALLEGIANT LTC 8300/60 WITH LTC 8555/00 KEYBOARD, 120VAC, 60Hz.	3626	2441

Matrix Switcher/Control Systems - Modular

LTC 8500 SERIES ALLEGIANT SYSTEMS

Provides up to 64 Cameras x 8 Monitors full crosspoints in a single bay.
Provide 256 x 8 Crosspoints in Satellite Mode.
Controls up to 264 Remote Allegiant Sites in Satellite Mode.

EQUIPMENT BAY

LTC 8501/60	ALLEGIANT CCTV SWITCHING BAY, CPU & POWER SUPPLY, 120VAC, 60Hz.	2576	1734

INPUT/OUTPUT MODULES

LTC 8521/00	VIDEO INPUT MODULE FOR LTC 8500, 8 VIDEO INPUTS PER CARD.	424	286
LTC 8532/00	VIDEO OUTPUT MODULE FOR LTC 8500, 2 VIDEO OUTPUTS PER CARD.	818	551

LTC 8600 SERIES ALLEGIANT SYSTEMS

Provides up to 128 Cameras x 16 Monitors full crosspoints in a single bay.
Provide 1024 x 16 Crosspoints in Satellite Mode.
Controls up to 128 Remote Allegiant Sites in Satellite Mode.

EQUIPMENT BAY

LTC 8601/60	ALLEGIANT CCTV SWITCHING BAY, CPU & POWER SUPPLY, 120VAC, 60Hz.	3899	2625

INPUT/OUTPUT MODULES

LTC 8621/00	VIDEO INPUT MODULE FOR LTC 8601, 16 VIDEO INPUTS PER CARD.	1121	755
LTC 8834/00	VIDEO OUTPUT MODULE FOR LTC 8600 & 8800, 4 VIDEO OUTPUTS PER CARD.	1717	1156

LTC 8800 SERIES ALLEGIANT SYSTEMS

Provides up to 256 Cameras x 32 Monitors full crosspoints in a single bay.
Provides up to 256 Cameras x 64 Monitors Full Crosspoints in Two Bays.
Provides 1024 x 64 Full Crosspoints in Satellite Mode.
Controls up to 256 Remote Allegiant Sites in Satellite Mode.

EQUIPMENT BAYS

LTC 8801/60	ALLEGIANT CCTV SWITCHING BAY, CPU & POWER SUPPLY, 120VAC, 60Hz.	5757	3876
LTC 8802/60	MONITOR EXPANSION BAY & DATA RECEIVER MODULE, FOR LTC 8800, 120VAC, 60Hz.	6454	4345

INPUT/OUTPUT MODULES

LTC 8821/00	VIDEO INPUT MODULE FOR LTC 8800, 32 VIDEO INPUTS PER CARD.	2626	1768
LTC 8834/00	VIDEO OUTPUT MODULE FOR LTC 8600 & 8800, 4 VIDEO OUTPUTS PER CARD.	1717	1156

LTC 8900 SERIES ALLEGIANT SYSTEMS

Provides up to 4096 Cameras x 512 Monitors full crosspoint switching.
Includes either Single or Dual/Redundant CPU & Power Supply.
Controls up to 256 Remote Allegiant Sites in Satellite Mode.

Consult Manufacturer's Representative for Equipment List and Pricing.

PRODUCT	DESCRIPTION	MSRP	UNIT

Allegiant Systems Accessory Equipment

Compatible with all Allegiant Systems except as noted.

ALLEGIANT DIGITAL MATRIX

ADM0101	ADIM INTEGRATED SOLUTION FOR ALLEGIANT &/ DVRs, 120/240 VAC, 50/60 Hz.	19190	12921
* ADM0232	ADIM-BASIC - 32 CHANNEL SUPPORT.	2020	1360
* ADM02256	ADIM PRO - 256 CHANNEL SUPPORT.	5050	3400
* ADM02MAX	ADIM MAX - SUPPORTS ADIM MAXIMUMS.	9090	6120
* ADM32U256	ADM32U256 - UPGRADES FROM BASIC TO PRO.	3030	2040
* ADM32UMAX	UPGRADE FROM BASIC TO MAX.	7070	4760
* ADM256UMAX	UPGRADES FROM PRO TO MAX.	4040	2720

KEYBOARDS

KBD-UNIVERSAL	INTUIKEY UNIVERSAL DIGITAL KEYBOARD W/ LCD FOR ALLEGIANT AND SYSTEM4. \	1919	1292
LTC 8555/00	COMPACT FULL FUNCTION KEYBOARD, VARIABLE SPEED JOYSTICK.	1404	945
LTC 8555/02	COMPACT FULL FUNCTION KEYBOARD, VARIABLE SPEED JOYSTICK, RS232 PROTOCOL.	1616	1088

KEYBOARD ACCESSORIES

KBD-SFTCFG	CONFIGURATION SOFTWARE FOR KBD SERIES KEYBOARDS.	596	401
LTC 8558/00	OPTIONAL KEYBOARD CABLE, 100 FT.	111	75
LTC 8557/60	HOOK-UP KIT FOR REMOTE KEYBOARD UP TO 5000 FT, 120VAC, 60Hz.	162	109
KBD-RACK	RACK MOUNT KIT FOR KBD-UNIVERSAL AND KBD-DIGITAL.	111	75

SOFTWARE

LTC 8059/00	ALLEGIANT MASTER CONTROL SOFTWARE PACKAGE, WINDOWS 95/NT-BASED.	596	401
LTC 8850/00	ALLEGIANT SERVER GRAPHICAL USER INTERFACE (GUI) SINGLE USER PACKAGE.	5040	3393
LTC 8851/00	ALLEGIANT GUI MULTIPLE USER PACKAGE, 5 STATIONS.	8070	5433
LTC 8852/00	ALLEGIANT GUI MULTIPLE USER PACKAGE, 10 STATIONS.	12110	8154
SFT-INTSRV	INTEGRATION SERVER SOFTWARE PACKAGE.	1000	673

SYSTEM CABLES

LTC 8506/00	CABLE, PC TO CONSOLE PORT, FOR ALLEGIANT SYSTEMS.	91	61
LTC 8808/00	32 CHANNEL VIDEO INTERCONNECT PANEL, FOR ALLEGIANT SYSTEMS, INCLUDES TWO LTC 8809/00 RIBBON CABLES.	404	272
* LTC 8807/00	32 CHANNEL VIDEO INTERCONNECT PANEL, FOR USE WITH UP TO 2 LTC 8809 VIDEO RIBBON CABLES.	202	136
LTC 8809/00	16 CONDUCTOR RIBBON CABLE, FOR 8200, 8300, 8600, 8800, 8900 SYSTEMS, 6 FT.	192	129
LTC 8809/01	16 CONDUCTOR RIBBON CABLE, FOR 8200, 8300, 8600, 8800, 8900 SYSTEMS, 3 FT.	182	122
* LTC 8809/02	16 CONDUCTOR RIBBON CABLE, FOR 8200, 8300, 8600, 8800, 8900 SYSTEMS, 10.5 FT.	253	170

RECEIVER/DRIVERS, FOR 120 VOLT PAN/TILTS, 120 VOLT SUPPLY

LTC 8560/60	RECEIVER/DRIVER, 120VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, NO AUXILIARIES, 60Hz.	737	496
LTC 8561/60	RECEIVER/DRIVER, 120VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, WITH AUXILIARIES, 60Hz.	1162	782

RECEIVER/DRIVERS, FOR 24 VOLT PAN/TILTS, 120 VOLT SUPPLY

LTC 8562/60	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, NO AUXILIARIES, 60Hz.	737	496
LTC 8566/60	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, WITH AUXILIARIES, 60Hz.	1162	782

RECEIVER/DRIVERS, FOR 24 VOLT PAN/TILTS, 24 VOLT SUPPLY

LTC 8563/20	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 24VAC SUPPLY, NO AUXILIARIES, 50/60Hz.	737	496
LTC 8564/20	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 24VAC SUPPLY, WITH AUXILIARIES, 50/60Hz.	1162	782

SIGNAL DISTRIBUTION UNITS

LTC 8568/00	SIGNAL DISTRIBUTION UNIT, 32 SEPARATE BIPHASE OUTPUTS.	747	503
LTC 8768/00	SIGNAL DISTRIBUTION UNIT, 64 SEPARATE BIPHASE OUTPUTS.	1071	721

CODE TRANSLATOR UNITS

LTC 8782 SERIES- CONTROL CODE PROTOCOL CONVERTERS Consult Manufacturer's Representative for models and pricing.

INTERFACE UNITS

LTC 8540/00	ALARM INTERFACE, 64 ALARM INPUTS, 8 RELAY CLOSURES.	1010	680

PRODUCT	DESCRIPTION	MSRP	UNIT

Allegiant Systems Accessory Equipment

Compatible with all Allegiant Systems except as noted.

PORT EXPANDER UNITS

LTC 8712/60	ALLEGIANT CONSOLE PORT EXPANDER, HALF RACK, 120VAC, 60Hz.	1242	836
LTC 8713/60	ALARM PORT EXPANDER FOR UP TO 4 LTC 8540/00 UNITS, HALF RACK, 120VAC, 60Hz.	1242	836
LTC 8714/60	KEYBOARD PORT EXPANDER FOR UP TO 8 ALLEGIANT KEYBOARDS, HALF RACK, 120VAC, 60Hz.	1414	952
LTC 8715/60	PORT EXPANDER FOR MULTIPLE LTC 8714/60 UNITS, HALF RACK, 120VAC, 60Hz.	1242	836

CODE MERGER UNITS

LTC 8569/60	CODE MERGER, ALLOWS 2 BIPHASE DEVICES TO CONTROL 32 OUTPUTS, 120VAC, 60Hz.	1707	1149
LTC 8570/60	CODE MERGER, ALLOWS 4 BIPHASE DEVICES TO CONTROL 32 OUTPUTS, 120VAC, 60Hz.	2666	1795
LTC 8571/60	CODE MERGER, ALLOWS 2 BIPHASE DEVICES TO CONTROL 64 OUTPUTS, 120VAC, 60Hz.	1909	1285
LTC 8572/60	CODE MERGER, ALLOWS 4 BIPHASE DEVICES TO CONTROL 64 OUTPUTS, 120VAC, 60Hz.	2868	1931

DATA CONVERTER UNITS

LTC 8016/90	16-CHANNEL ALLEGIANT BILINX DATA INTERFACE UNIT, 120VAC/230VAC, 50/60HZ.	1111	748
LTC 8780/60	RS-232 DATA CONVERTER UNIT, BIPHASE/RS-232/BIPHASE, HALF RACK, 120VAC, 60Hz.	1010	680
LTC 8781/60	TIME/DATE CONVERTER UNIT, PROVIDES OUTPUT IN GPS FORMAT, HALF RACK, 120VAC, 60Hz.	1212	816
LTC 8785/60	DATA CONVERTER UNIT, CONVERTS VAR. SPEED CODE TO FIXED SPEED CODE, 120VAC, 60Hz.	1212	816
LTC 8786/60	RS-232 TO BIPHASE DATA CONVERTER UNIT WITH 16 BIPHASE OUTPUTS, 120VAC, 50/60Hz.	354	238

SWITCHER/FOLLOWER UNITS

LTC 8770/60	SWITCHER/FOLLOWER UNIT, 24 RELAY CONTACT, HALF RACK, 120VAC, 60Hz.	1000	673

SPARE COMPONENTS AND ACCESSORIES FOR ALLEGIANT SYSTEMS

FOR LTC 8500 SERIES

LTC 8505/60	SPARE POWER SUPPLY FOR LTC 8501/60 BAY, 120VAC, 60Hz.	1414	952
LTC 8511/00	SPARE CPU MODULE FOR LTC 8501 BAY.	1778	1197

FOR LTC 8600 SERIES

LTC 8610/00	SPARE CPU MODULE FOR LTC 8601/60 BAY.	3899	2625
LTC 8805/60	SPARE POWER SUPPLY FOR LTC 8601/60, LTC 8802/60 BAYS, 120VAC, 60Hz.	1424	959

FOR LTC 8800 SERIES

LTC 8810/00	SPARE CPU MODULE FOR LTC 8801/00 BAY.	5757	3876
LTC 8816/00	SPARE DATA RECEIVER MODULE FOR LTC 8802/00.	4626	3115

FOR LTC 8900 SERIES

Consult Manufacturer's Representative for equipment list and pricing.

Video Transmission Systems

UTP TRANSMISSION MODULES

NV-213A	1 CH PASSIVE TRANSCEIVER, UTP TRANS MAX 700 FT IN COMB.W/PASSIVE COMP.(NV-213A) OR MAX 3000 W/ACTIVE (FEMALE)CONNECTOR.	212	143
NV-213A-M	1 CH PASSIVE TRANSCEIVER, UTP TRANS MAX 700'COMBINATION W/PASS. COMP OR MAX OF 3000' W/ACTIVE(MALE)COMP CAMERA END ONLY.	212	143
NV-652R	1 CH ACTIVE RECEIVER, UTP TRANSMISSION FOR MAX 3000' W/NV-213A-M. UP TO 8000' W CAT 5 CABLE W/NV-652T.	424	286
NV-653T	1 CH ACTIVE TRANSCEIVER, UTP TRANS FOR MAX 8000' USING CAT 5 CABLE IN COMB. W/ACTIVE RECEIVER.	424	286
NV-862R	8 CH ACTIVE RECEIVER, UTP TRANS MAX 3000' W/NV-213AOR NV-213A-M, TO 8000' W/CAT5 CABLE W/ NV-652T.	3030	2040
NV-1662R	16 CH ACTIVE RECEIVER, UTP TRANS FOR 3000' W/ NV-213A OR NV-213A-M, TO 8000' W/CAT5 CABLE W/ NV 652T.	6050	4073

PRODUCT	DESCRIPTION		MSRP	UNIT

Fiber Optic Transmission Systems

LTC 4600 AND LTC 4700 SERIES

STAND-ALONE MODULES WITH POWER SUPPLY

* LTC 4630/60	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE A, 120VAC, 50/60HZ.		1061	714
* LTC 4631/60	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE B, 120VAC, 50/60HZ.		1061	714
LTC 4641/60	850nm FOM, TRANSMITTER, VIDEO SIGNALS, 120VAC, 60Hz.		333	224
LTC 4642/60	850nm FOM, RECEIVER, VIDEO SIGNALS, 120VAC, 60Hz.		556	374
LTC 4651/60	850nm FOM, TRANSMITTER/RECEIVER, BIPHASE OR RS-232 DATA, 120VAC, 60Hz.		394	265
LTC 4671/60	850nm FOM, TRANSMITTER/RECEIVER, RS-485 DATA, 120VAC, 60Hz.		657	442
LTC 4628/60	850nm FOM, BI-DIRECTIONAL: TRANSMITS VIDEO, RECEIVES DATA, 120VAC, 60Hz.		1050	707
LTC 4629/60	850nm FOM, BI-DIRECTIONAL: RECEIVES VIDEO, TRANSMITS DATA, 120VAC, 60Hz.		1050	707
LTC 4681/60	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE A, 10/100 BASE-T ETHERNET, 120VAC, 50/60HZ.		2313	1557
LTC 4682/60	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE B, 10/100 BASE-T ETHERNET, 120VAC, 50/60HZ.		2313	1557
LTC 4744/60	1310nm FOM, TRANSMITTER, 4 CHANNEL, VIDEO SIGNALS, 120VAC, 50/60Hz.		2101	1414
LTC 4745/60	1310nm FOM, RECEIVER, 4 CHANNEL, VIDEO SIGNALS, 120VAC, 50/60Hz.		2101	1414

RACK MODULES

* LTC 4630/00	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE A, USE WITH LTC 4637 SERIES RACK.		1061	714
* LTC 4631/00	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE B, USE WITH LTC 4637 SERIES RACK.		1061	714
LTC 4642/00	850nm FOM, RECEIVER, VIDEO SIGNALS, USE WITH LTC 4637 SERIES RACK.		556	374
LTC 4651/00	850nm FOM, TRANSMITTER/RECEIVER, BIPHASE OR RS-232 DATA, USE WITH LTC 4637 SERIES RACK.		394	265
LTC 4671/00	850nm FOM, TRANSMITTER/RECEIVER, RS-485 DATA, USE WITH LTC 4637 SERIES RACK.		657	442
LTC 4628/00	850nm FOM, BI-DIRECTIONAL: TRANSMITS VIDEO, RECEIVES DATA, USE WITH LTC 4637 SERIES RACK.		1050	707
LTC 4629/00	850nm FOM, BI-DIRECTIONAL: RECEIVES VIDEO, TRANSMITS DATA, USE WITH LTC 4637 SERIES RACK.		1050	707
LTC 4681/00	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE A, 10/100 BASE-T ETHERNET, USE WITH LTC 4637 SERIES RACK.		2313	1557
LTC 4682/00	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE B, 10/100 BASE-T ETHERNET, USE WITH LTC 4637 SERIES RACK.		2313	1557
LTC 4744/00	1310nm FOM, TRANSMITTER, 4 CHANNEL, VIDEO SIGNALS, USE WITH LTC 4637 SERIES RACK.		2101	1414
LTC 4745/00	1310nm FOM, RECEIVER, 4 CHANNEL, VIDEO SIGNALS, USE WITH LTC 4637 SERIES RACK.		2101	1414

ACCESSORIES

LTC 4637/60	RACK & POWER SUPPLY FOR FIBER OPTIC MODULES, 120VAC, 60Hz.		1050	707
LTC 4600/00	BLANK PANEL, FOR LTC 4637 FIBER OPTIC MODULE RACK.		30	20

Video Signal Equipment

VIDEO DISTRIBUTION AMPLIFIERS

LTC 5231/60	DISTRIBUTION AMPLIFIER, 1 INPUT, 4 OUT, HALF RACK, 120VAC, 60Hz.		303	204
LTC 5234/60	DISTRIBUTION AMPLIFIER, 4 INPUT, 12 OUT (3 PER INPUT), HALF RACK, 120VAC, 60Hz.		707	476

DIGITAL MOTION DETECTORS

LTC 2210/60	SINGLE CHANNEL MOTION DETECTOR, INDOOR, 120VAC, 60Hz.		556	374
LTC 2211/60	4 CHANNEL DIGITAL MOTION DETECTOR, INDOOR/OUTDOOR, 120VAC, 60Hz.		3535	2380
LTC 2212/60	8 CHANNEL DIGITAL MOTION DETECTOR, INDOOR/OUTDOOR, 120VAC, 60Hz.		4596	3094

SELF-ADAPTING DIGITAL MOTION DETECTOR

VMD01-M60	SINGLE CHANNEL STAND ALONE MOTION DETECTOR, 60Hz.	_	859	578
VMD-PS90	POWER SUPPLY FOR VMD01-M60, REQUIRED FOR EACH UNIT.	_	51	34
VMD-SM	SERIAL MOUSE FOR THE SET UP FOR THE VMD01-M60.	\	32	22
VMD-WM	WALL MOUNT BRACKET FOR ONE VMD01-M60 UNIT.	_	36	24
VMD-RA00	RACK MOUNT FOR UP TO 8 VMD01-Mx0 UNITS, MOUNTING BRACKETS INCLUDED.	_	323	218
VMD-RADC	DUMMY COVER FOR VMD-RA00. (SET OF 4)	_	81	54

COAXIAL CABLE

S1365	CABLE, TERMINATED COAX, 3 FT.	\	30	20
S9500PC	CABLE, TERMINATED COAX AND POWER CABLE, 100 FT.		111	75

RACK MOUNT HARDWARE FOR VIDEO SIGNAL EQUIPMENT

LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.		141	95

PRODUCT	DESCRIPTION		MSRP	UNIT

Special Equipment

GROUND LOOP ISOLATION TRANSFORMER

TC8235GIT	GROUND LOOP ISOLATION TRANSFORMER.		212	143

Rack Kits & Mounting Consoles

DESKTOP CONSOLES

TC96015B	28-INCH VERTICAL RACK, 19-INCH RACK WIDTH.		646	435

FRONT CLOSURE PANELS

TC85140	BLANK PANEL, 1 EIA RACK UNIT: 1.75-INCH H x 19-INCH W, BLACK.		40	27
TC85141	BLANK PANEL, 2 EIA RACK UNITS: 3.50-INCH H x 19-INCH W, BLACK.		61	41
TC85142	BLANK PANEL, 3 EIA RACK UNITS: 5.25-INCH H x 19-INCH W, BLACK.		61	41

RACK MOUNT HARDWARE FOR MONITORS

LTC 9009/00	RACK KIT, FOR UP TO TWO LTC 2009s, 10.5-INCH HIGH.		111	75
LTC 9009/01	BLANKING PANEL, FOR LTC 9009/00 RACK KIT.		20	14
LTC 9012/00	RACK KIT, FOR ONE LTC 2012, 12.25-INCH HIGH.		192	129
LTC 9017/00	RACK KIT, FOR ONE LTC 2017, 17.5-INCH HIGH.		192	129
LTC 9110/00	RACK KIT, FOR ONE LTC 2810, 12.25-INCH HIGH.		182	122
LTC 9113/00	RACK KIT, FOR ONE LTC 2813, LTC 2914, OR LTC 2915, 14-INCH HIGH.		182	122
LTC 9114/00	RACK KIT, FOR ONE LTC 2814, 14-INCH HIGH.		182	122
LTC 9117/00	RACK KIT, FOR ONE LTC 2917, 15.75-INCH HIGH.		192	129
LTC 9119/00	RACK KIT, FOR ONE LTC 2919, 15.75-INCH HIGH.	!	81	54
MON151RK	RACK KIT, FOR ONE MON151CL OR MON152CL, 12.25-INCH HIGH.	!	81	54
MON171RK	RACK KIT, FOR ONE MON171CL, 15.75-IN. HIGH.	!	131	88
TC210AMK	RACK KIT, FOR UP TO TWO LTC 2910s, 10.5-INCH HIGH.		192	129

RACK MOUNT HARDWARE FOR LTC SERIES RECORDERS

LTC 9061/00	RACK KIT, FOR ONE LTC 3924, LTC 3963, OR LTC 3991 RECORDER, 5.25-INCH HIGH.		192	129

RACK MOUNT HARDWARE FOR VIDEO SIGNAL EQUIPMENT

LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.		141	95

RACK MOUNT HARDWARE FOR KEYBOARDS

KBD-RACK	RACK MOUNT KIT FOR KBD-UNIVERSAL AND KBD-DIGITAL.		111	75

PRODUCT	DESCRIPTION	MSRP	UNIT

Special Equipment

GROUND LOOP ISOLATION TRANSFORMER

TC8235GIT	GROUND LOOP ISOLATION TRANSFORMER.	212	143

Rack Kits & Mounting Consoles

DESKTOP CONSOLES

TC96015B	28-INCH VERTICAL RACK, 19-INCH RACK WIDTH.	646	435

FRONT CLOSURE PANELS

TC85140	BLANK PANEL, 1 EIA RACK UNIT: 1.75-INCH H x 19-INCH W, BLACK.	40	27
TC85141	BLANK PANEL, 2 EIA RACK UNITS: 3.50-INCH H x 19-INCH W, BLACK.	61	41
TC85142	BLANK PANEL, 3 EIA RACK UNITS: 5.25-INCH H x 19-INCH W, BLACK.	61	41

RACK MOUNT HARDWARE FOR MONITORS

LTC 9009/00	RACK KIT, FOR UP TO TWO LTC 2009s, 10.5-INCH HIGH.	111	75
LTC 9009/01	BLANKING PANEL, FOR LTC 9009/00 RACK KIT.	20	14
LTC 9012/00	RACK KIT, FOR ONE LTC 2012, 12.25-INCH HIGH.	192	129
LTC 9017/00	RACK KIT, FOR ONE LTC 2017, 17.5-INCH HIGH.	192	129
LTC 9110/00	RACK KIT, FOR ONE LTC 2810, 12.25-INCH HIGH.	182	122
LTC 9113/00	RACK KIT, FOR ONE LTC 2813, LTC 2914, OR LTC 2915, 14-INCH HIGH.	182	122
LTC 9114/00	RACK KIT, FOR ONE LTC 2814, 14-INCH HIGH.	182	122
LTC 9117/00	RACK KIT, FOR ONE LTC 2917, 15.75-INCH HIGH.	192	129
LTC 9119/00	RACK KIT, FOR ONE LTC 2919, 15.75-INCH HIGH.	81	54
MON151RK	RACK KIT, FOR ONE MON151CL OR MON152CL, 12.25-INCH HIGH.	81	54
MON171RK	RACK KIT, FOR ONE MON171CL, 15.75-IN. HIGH.	131	88
TC210AMK	RACK KIT, FOR UP TO TWO LTC 2910s, 10.5-INCH HIGH.	192	129

RACK MOUNT HARDWARE FOR LTC SERIES RECORDERS

LTC 9061/00	RACK KIT, FOR ONE LTC 3924, LTC 3963, OR LTC 3991 RECORDER, 5.25-INCH HIGH.	192	129

RACK MOUNT HARDWARE FOR VIDEO SIGNAL EQUIPMENT

LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.	141	95

RACK MOUNT HARDWARE FOR KEYBOARDS

KBD-RACK	RACK MOUNT KIT FOR KBD-UNIVERSAL AND KBD-DIGITAL.	111	75

Alpha Numeric Price List

Security Systems

Security you can rely on.

BOSCH

	PRODUCT	DESCRIPTION		UNIT COST
*	107E61	17-INCH VGA COLOR MONITOR, BEIGE, 120/230VAC, 50/60Hz.	\	333
	150S4FB	15-INCH COLOR LCD MONITOR, W/AUDIO, VGA INPUT, BLACK, 120/230VAC 50/60Hz.	\	673
	27ST220L	27-INCH HIGH RES. COLOR MONITOR, 550 TVL, W/AUDIO,120VAC, 60Hz.	*	741
	ACCDC016M	DVAS SERIES 160 GB HARD DRIVE & CUSTOM CARRIER	|	510
	ACCDC030M	DVAS SERIES, 300 GB HARD DRIVE & CUSTOM CARRIER	|	1156
	ACCPS	DVAS SERIES REDUNDANT POWER SUPPLY, 120/240 VAC, 50/60 Hz.	|	680
	ACCVHD06L	DVAD SERIES 6" LOOPING SCSI CABLE - DISK ARRAY TO DISK ARRAY.		136
	ACCVHD12L	DVAD SERIES 12" LOOPING SCSI CABLE - DISK ARRAY TO DISK ARRAY.		129
	ACCVHD50	DVAS & DVAD SERIES 3' SCSI CABLE - DVR TO DISK ARRAY		102
	ADM0101	ADIM INTEGRATED SOLUTION FOR ALLEGIANT &/ DVRs, 120/240 VAC, 50/60 Hz.		12921
*	ADM02256	ADIM PRO - 256 CHANNEL SUPPORT.		3400
*	ADM0232	ADIM-BASIC - 32 CHANNEL SUPPORT.		1360
*	ADM02MAX	ADIM MAX - SUPPORTS ADIM MAXIMUMS.		6120
*	ADM256UMAX	UPGRADES FROM PRO TO MAX.		2720
*	ADM32U256	ADM32U256 - UPGRADES FROM BASIC TO PRO.		2040
*	ADM32UMAX	UPGRADE FROM BASIC TO MAX.		4760
	BK57-1	BLOWER, FOR TC9346A, REQUIRES O/I-PCB, 120VAC, 60Hz.		38
	BK57-2	BLOWER, FOR TC9346A, REQUIRES O/I-PCB, 24VAC, 50/60Hz.		48
	BUB-ENVPWCL	ENVIRODOME BUBBLE KIT, PENDANT WHITE, CLEAR BUBBLE.		102
	BUB-ENVPWCL-R	ENVIRONDOME BUBBLE KIT, WHITE, CLEAR, RUGGED VERSION		204
	BUB-ENVPWTI	ENVIRODOME BUBBLE KIT, PENDANT WHITE, TINTED BUBBLE.		102
	BUB-ENVPWTI-R	ENVIRODOME BUBBLE KIT, WHITE, TINTED, RUGGED VERSION		204
	BUB-G3APWBRZ	BUBBLE KIT, INDOOR, PENDANT WHITE, BRONZE BUBBLE.		204
	BUB-G3APWCHR	BUBBLE KIT, INDOOR, PENDANT WHITE, CHROME BUBBLE.		204
	BUB-G3APWCL	BUBBLE KIT, INDOOR, PENDANT WHITE, CLEAR BUBBLE.		102
	BUB-G3APWCL-R	BUBBLE KIT, INDOOR PENDANT WHITE, CLEAR, RUGGED VERSION.		170
	BUB-G3APWGLD	BUBBLE KIT, INDOOR, PENDANT WHITE, GOLD BUBBLE.		204
	BUB-G3APWTI	BUBBLE KIT, INDOOR, PENDANT WHITE, TINTED BUBBLE.		102
	BUB-G3APWTI-R	BUBBLE KIT, INDOOR PENDANT WHITE, TINTED, RUGGED VERSION.		170
	BUB-G3ASBRZ	BUBBLE KIT, INDOOR DROP CEILING, BRONZE.		170
	BUB-G3ASCHR	BUBBLE KIT, INDOOR DROP CEILING, CHROME.		170
	BUB-G3ASCL	BUBBLE KIT, INDOOR DROP CEILING, CLEAR.		68
	BUB-G3ASCL-R	BUBBLE KIT, INDOOR IN-CEILING, CLEAR, RUGGED VERSION.		136
	BUB-G3ASGLD	BUBBLE KIT, INDOOR DROP CEILING, GOLD.		170
	BUB-G3ASTI	BUBBLE KIT, INDOOR DROP CEILING, TINTED.		68
	BUB-G3ASTI-R	BUBBLE KIT, INDOOR IN-CEILING, TINTED, RUGGED VERSION.		136
	BUB-G3BCL	G3 BASIC REPLACEMENT DOME, CLEAR.		61
	BUB-G3BTI	G3 BASIC REPLACEMENT DOME, TINTED.		61
	CAM940	INDOOR COVERT PIR MONOCHROME CAMERA, EIA.	\	122
	CAM940C	INDOOR COVERT PIR COLOR CAMERA, NTSC.	\	204
	DB04A10121	DIBOS, 4 CAMERA INPUTS, UP TO 25/30 IPS, 1 ALM INPUT, 120 GB IDE HD, CDRW, 120/230VAC 50/60Hz.	_	3536
	DB04A1012D1	DIBOS, 4 CH, 25/30 IPS, 5 CONTACT INPUTS, 120 GB IDE, CDRW, 120/230VAC 50/60 HZ.	_	2584
	DB04A1012DL1	DIBOS, 4 CH, 25/30 IPS, 5 CONTACT INPUTS, 120 GB IDE, CDR, 120/230VAC 50/60 HZ.	_	2271
	DB04A1025D1	DIBOS, 4 CH, 25/30 IPS, 5 CONTACT INPUTS, 250 GB IDE, CDRW, 120/230VAC 50/60 HZ.	_	2992
	DB04A10301	DIBOS, 4 CAMERA INPUTS, UP TO 25/30 IPS, 1 ALM INPUT, 300 GB IDE HD, CDRW, 120/230VAC 50/60Hz.	_	4216
	DB08B10121	DIBOS, 8 CAM INPUTS, UP TO 50/60IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 120 GB IDE HD, CDRW, 120/230VAC 50/60Hz.	_	4352
	DB08B1012D1	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 120 GB IDE HD, CDRW, 120/230VAC 50/60 HZ.	_	3468
	DB08B1025D1	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 250 GB IDE HD, CDRW, 120/230VAC 50/60 HZ.	_	3876
	DB08B10301	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 300 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	5032
	DB08B10481	DIBOS, 8 CH, 50/60 IPS, 8 ALM INPUTS, 4 ALM OUTPUTS, 480 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	5712
	DB16B10121	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 120 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	4760
	DB16B1025D1	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 250 GB IDE HD, CDRW, 120/230VAC 50/60 HZ..	_	4420
	DB16B10301	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 300 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	5440
	DB16B10481	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 480 GB IDE HD, CDRW, 120/230VAC 50/60 Hz.	_	6120
	DB16B1100R1	DIBOS, 16 CH, 50/60 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 1000 GB IDE HD, CDRW, 120/230VAC 50/60 HZ.	_	7820
	DB16B20121	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 120 GB, CDRW, 120/230VAC 50/60 Hz.	_	5780
	DB16B20301	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 300 GB, CDRW, 120/230VAC 50/60 Hz.	_	6460

PRODUCT	DESCRIPTION		UNIT COST
DB16B20481	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 480 GB, CDRW, 120/230VAC 50/60 Hz.	_	7140
DB16B2100R1	DIBOS, 16 CH, 100/120 IPS, 16 ALM INPUTS, 8 ALM OUTPUTS, 1000 GB, CDRW, 120/230VAC 50/60 HZ.	_	8840
DB32B20121	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 120 GB, CDRW, 120/230VAC 50/60 Hz, SCSI ADAPTER.	_	8092
DB32B20301	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 300 GB, CDRW, 120/230VAC 50/60 Hz, SCSI ADAPTER.	_	8772
DB32B20481	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 480 GB, CDRW, 120/230VAC 50/60 Hz, SCSI ADAPTER.	_	9452
DB32B2100R1	DIBOS, 32 CH, 100/120 IPS, 32 ALM INPUTS, 16 ALM OUTPUTS, 1000 GB, CDRW, 120/230VAC 50/60 HZ., SCSI ADAPTER.	_	11153
DBEK021	DIBOS BTO INTERNAL SCSI CARD ADAPTER, INCLUDES SCSI CABLE.		476
DBEK031	DIBOS BTO INTERNAL MODEM CARD FOR PSTN CONNECTION.		170
DBSE031	SERIAL SOFTWARE INTERFACE TO BOSCH SERCURITY PANELS.	_	163
DBSR001	DIBOS RECEIVER SOFTWARE PACKAGE, INSTALLATION AT CUSTOMER OWNED PC WITH WINDOWS XP, INCL. DONGLE FOR PARALLEL PORT.	_	490
DBUK011	SOFTWARE UPDATE KIT FROM VERSION 6 TO VERSION 7.	_	340
DME6PCH38	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	469
DME6PCH38W	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	503
DME6PCH55	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	537
DME6PCH55W	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	571
DME6PCS38	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	401
DME6PCS38W	FIXED DOME COLOR CAM., 330 T6L, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		435
DME6PCS55	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	476
DME6PCS55W	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		510
DME6PMH38	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	428
DME6PMH38W	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	462
DME6PMH55	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	503
DME6PMH55W	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	537
DME6PMS38	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	360
DME6PMS38W	FIXED DOME B/W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		394
DME6PMS55	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	435
DME6PMS55W	FIXED DOME B/W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, PENDANT WALL MT., 24VAC, 60Hz.		469
DME6RCH38	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	462
DME6RCH55	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	517
DME6RCS38	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	394
DME6RCS55	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	456
DME6RMH38	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	408
DME6RMH55	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	469
DME6RMS38	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	340
DME6RMS55	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 5-INCH, IN-CEILING MOUNT, 24VAC, 60Hz.	+	401
DMEBX	PLENUM-RATED BACKBOX FOR DME SERIES IN-CEILING DOME CAMERAS.		68
DMEBXR	PLENUM-RATED BACKBOX & SUPPORT RAILS, FOR DME SERIES IN-CEILING DOME CAMERAS.		109
DMEP	DUMMY FIXED DOME, INDOOR, 5-INCH, PENDANT PIPE MT.		95
DMEPW	DUMMY FIXED DOME, INDOOR, 5-INCH, PENDANT WALL MT.		143
DMER	DUMMY FIXED DOME, INDOOR, 5-INCH, IN-CEILING MOUNT.		88
DR08112	DESA 8 CH, 120 IPS, CD-RW, 120GB.	!	3665
DR08112A	DESA 8 CH, 120 IPS, 120GB, CD-RW,120/230 VAC 50/60 Hz., KITTED WITH LTC 8786.	!	3937
DR08125	DESA 8 CH, 120 IPS, CD-RW, 250GB.	!	4209
DR08125A	DESA 8 CH, 120 IPS, 250GB, CD-RW, 120/230 VAC 50/60 Hz., KITTED WITH LTC 8786.	!	4481
DR08150	DESA 8 CH, 120 IPS, CD-RW, 500GB.	!	5025
DR08150A	DESA 8 CH, 120 IPS, 500GB, CD-RW,120/230 VAC 50/60 Hz., KITTED WITH LTC 8786.	!	5297
DR21611T	DESA XL 16 CH, 120 IPS, 1TB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	8781
DR216125	DESA XL 16 CH, 120 IPS, 250GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	5610
DR216150	DESA XL 16 CH, 120 IPS, 500GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	6713
DR216175	DESA XL 16 CH, 120 IPS, 750GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	7747
DR21621T	DESA XL 16 CH, 240 IPS, 1TB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	11554
DR216225	DESA XL 16 CH, 240 IPS, 250GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	8364
DR216250	DESA XL 16 CH, 240 IPS, 500GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	9514
DR216275	DESA XL 16 CH, 240 IPS, 750GB, RACKMOUNT, LOOPING, DVD-RW, SCSI, REMOVABLE OS DRIVE.	%	10466
DVAD0216	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 2 -160 GB HDD, 120/240 VAC, 50/60Hz.	|	2169
DVAD0230	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 2 - 300GB HDD, 120/240VAC, 50/60Hz.	|	2856
DVAD0416	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 4 - 160 GB HDD, 120/240 VAC, 50/60 Hz.	|	3121

	PRODUCT	DESCRIPTION		UNIT COST
	DVAD0430	DIGITAL VIDEO ARRAY, LOW PROFILE, WITH 4 - 300GB HDD, 120/240 VAC, 50/60Hz.	|	4216
	DVAS0416	DIGITAL VIDEO ARRAY, RAID 5, WITH 4 - 160 GB HDD, 120/240 VAC, 50/60 Hz.	|	8745
	DVAS0430	DIGITAL VIDEO ARRAY, RAID 5, WITH 4 - 300GB HDD, 120/240 VAC, 50/60 Hz.	|	10609
	DVAS0816	DIGITAL VIDEO ARRAY, RAID 5, WITH 8 - 160 GB HDD, 120 / 240 VAC, 50/60 Hz.	|	10745
	DVAS0830	DIGITAL VIDEO ARRAY, RAID 5, WITH 8 - 300GB HDD, 120/240 VAC, 50/60 Hz.	|	13601
	DVAS1416	DIGITAL VIDEO ARRAY, RAID 5, WITH 14 - 160 GB HDD, 120/240 VAC, 50/60Hz.	|	13601
	DVAS1430	DIGITAL VIDEO ARRAY, RAID 5, WITH 14 - 300GB HDD, 120/240 VAC, 50/60Hz.	|	20394
*	DVR16E1082	DIVAR-2, 16CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 80 GB.	+	2916
*	DVR16E1162	DIVAR-2, 16CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 160 GB.	+	3248
*	DVR16E2162	DIVAR-2, 16CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 320 GB.	+	3872
*	DVR16E2302	DIVAR-2, 16ch DIGITAL VIDEO RECORDER WITH NETWORK I/F, 600GB.	+	4634
*	DVR16F1082	DIVAR INT.DVD 16CH 80GB	+	3188
*	DVR16F1162	DIVAR INT.DVD 16CH 160GB	+	3520
*	DVR16F2162	DIVAR INT.DVD 16CH 320GB	+	4144
*	DVR16F2302	DIVAR INT.DVD 16CH 600GB	+	4906
*	DVR1B1161	EAZEO DVR FOR COLOR SYSTEM,160GB HDD.	!	885
*	DVR1C1161	DIGITAL RECORDER 1CH	!	938
*	DVR6E1082	DIVAR-2, 6CH,80GB	+	2013
*	DVR6E1162	DIVAR-2, 6CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 160 GB.	+	2415
*	DVR6E2162	DIVAR-2, 6CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 320 GB.	+	3109
*	DVR6E2302	DIVAR-2, 6ch DIGITAL VIDEO RECORDER WITH NETWORK I/F, 600GB.	+	3936
*	DVR6F1082	DIVAR INT.DVD 6CH 80GB	+	2285
*	DVR6F1162	DIVAR INT.DVD 6CH 160GB	+	2687
*	DVR6F2162	DIVAR INT.DVD 6CH 320GB	+	3381
*	DVR6F2302	DIVAR INT.DVD 6CH 600GB	+	4208
*	DVR9E1082	DIVAR-2, 9CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 80 GB.	+	2292
*	DVR9E1162	DIVAR-2, 9CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 160 GB.	+	2625
*	DVR9E2162	DIVAR-2, 9CH DIGITAL VIDEO RECORDER WITH NETWORK I/F, 320 GB.	+	3248
*	DVR9E2302	DIVAR-2, 9ch DIGITAL VIDEO RECORDER WITH NETWORK I/F, 600GB.	+	4011
*	DVR9F1082	DIVAR INT.DVD 9CH 80GB	+	2564
*	DVR9F1162	DIVAR INT.DVD 9CH 160GB	+	2897
*	DVR9F2162	DIVAR INT.DVD 9CH 320GB	+	3520
*	DVR9F2302	DIVAR INT.DVD 9CH 600GB.	+	4283
*	DVRSEAP01	ATM/POS LICENSE DIVAR-2	+	271
*	DVRSEUG12	DIVAR-1 UPGRADE LICENSE.	+	679
*	DVRXEDVD1	EXTERNAL DVD WRITER DIVAR-2.	+	638
	ENVC120C	ENVIRODOME KIT, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2176
	ENVC120CF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		2856
	ENVC120CFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60 Hz.		3468
	ENVC120CT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2788
	ENVC120M	ENVIRODOME KIT, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2176
	ENVC120MF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		2856
	ENVC120MFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		3468
	ENVC120MT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2788
	ENVC120P	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2176
	ENVC120PF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		2856
	ENVC120PFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		3468
	ENVC120PT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2788
	ENVC120R	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2312
	ENVC120RF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		2992
	ENVC120RFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		3604
	ENVC120RT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2924
	ENVC120W	ENVIRODOME KIT, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2176
	ENVC120WF	ENVIRODOME KIT, COLOR, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.		2856
	ENVC120WFT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.		3468
	ENVC120WT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.		2788
	ENVC2460C	ENVIRODOME KIT, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.		2040

PRODUCT	DESCRIPTION	UNIT COST
ENVC2460CT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2652
ENVC2460M	ENVIRODOME KIT, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2040
ENVC2460MT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2652
ENVC2460P	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2040
ENVC2460PT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2652
ENVC2460R	ENVIRODOME KIT, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2176
ENVC2460RT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2788
ENVC2460W	ENVIRODOME KIT, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2040
ENVC2460WT	ENVIRODOME KIT, W/TRKR, COLOR, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2652
ENVD120C	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2312
ENVD120CF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2992
ENVD120CFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	3604
ENVD120CT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2924
ENVD120M	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2312
ENVD120MF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2992
ENVD120MFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	3604
ENVD120MT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2924
ENVD120P	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2312
ENVD120PF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2992
ENVD120PFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	3604
ENVD120PT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2924
ENVD120R	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2448
ENVD120RF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	3128
ENVD120RFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	3740
ENVD120RT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3060
ENVD120W	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2312
ENVD120WF	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2992
ENVD120WFT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	3604
ENVD120WT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2924
ENVD2460C	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2176
ENVD2460CT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2788
ENVD2460M	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2176
ENVD2460MT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2788
ENVD2460P	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2176
ENVD2460PT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2788
ENVD2460R	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2312
ENVD2460RT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2924
ENVD2460W	ENVIRODOME KIT, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2176
ENVD2460WT	ENVIRODOME KIT, W/TRKR, DAY/NIGHT, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2788
ENVM120C	ENVIRODOME KIT, B/W, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2108
ENVM120CF	ENVIRODOME KIT, B/W, OUTDOOR PEND. CORNER MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2788
ENVM120M	ENVIRODOME KIT, B/W, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2108
ENVM120MF	ENVIRODOME KIT, B/W, OUTDOOR PEND. POLE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2788
ENVM120P	ENVIRODOME KIT, B/W, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2108
ENVM120PF	ENVIRODOME KIT, B/W, OUTDOOR PEND. PIPE MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2788
ENVM120R	ENVIRODOME KIT, B/W, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2244
ENVM120RF	ENVIRODOME KIT, B/W, OUTDOOR PEND. PARAPET MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2924
ENVM120W	ENVIRODOME KIT, B/W, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2108
ENVM120WF	ENVIRODOME KIT, B/W, OUTDOOR PEND. WALL MT., CLEAR, WHITE, W/ FOM, 120VAC, 60Hz.	2788
ENVM2460C	ENVIRODOME KIT, B/W, OUTDOOR PEND. CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	1972
ENVM2460M	ENVIRODOME KIT, B/W, OUTDOOR PEND. POLE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	1972
ENVM2460P	ENVIRODOME KIT, B/W, OUTDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	1972
ENVM2460R	ENVIRODOME KIT, B/W, OUTDOOR PEND. PARAPET MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2108
ENVM2460W	ENVIRODOME KIT, B/W, OUTDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	1972
ENV-PA0	ENVIRODOME PENDANT ARM, WHITE, W/BOX, NO TRANSFORMER	136
ENV-PA1	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz.	204
ENV-PA1F	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/FOM.	918

PRODUCT	DESCRIPTION	UNIT COST
ENV-PA1F-SP	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/FOM, W/SURGE PROTECTION.	1054
ENV-PA1FT	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60HZ, W/FOM, W/AUTOTRACK.	1496
ENV-PA1-SP	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/SURGE PROTECTION.	340
ENV-PA1T	ENVIRODOME PENDANT ARM, WHITE, 120 VAC 60Hz, W/AUTOTRACK.	816
ENV-PA-BOX	ENVIRODOME BOX FOR PENDANT ARM, NO ARM	68
ENV-PA-EX	G3/ENVIRODOME EXTENDED PENDANT ARM MOUNT (27")	272
ENV-PSU0T	NO TRANSFORMER, OUTDOOR, NEMA 4X RATED, 24VAC, W/AUTOTRACK.	680
ENV-PSU1	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz.	136
ENV-PSU1F	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/FOM.	850
ENV-PSU1F-SP	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/FOM, W/SURGE PROTECTION.	986
ENV-PSU1FT	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/FOM, W/AUTOTRACK.	1496
ENV-PSU1-SP	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/SURGE PROTECTION.	272
ENV-PSU1T	TRANSFORMER, OUTDOOR, NEMA 4X RATED, 120VAC 60Hz, W/AUTOTRACK.	680
ENVT120C	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2448
ENVT120CF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3128
ENVT120CFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3740
ENVT120CT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3060
ENVT120M	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2448
ENVT120MF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3128
ENVT120MFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, W/FOM, 120 VAC, 60Hz.	3740
ENVT120MT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 120 VAC, 60Hz.	3060
ENVT120P	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2448
ENVT120PF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3128
ENVT120PFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3740
ENVT120PT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3060
ENVT120R	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2584
ENVT120RF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3264
ENVT120RFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3876
ENVT120RT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3196
ENVT120W	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	2448
ENVT120WF	ENVIRODOME KIT, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3128
ENVT120WFT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, W/FOM, 120VAC, 60Hz.	3740
ENVT120WT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT, OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 120VAC, 60Hz.	3060
ENVT2460C	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2312
ENVT2460CT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, CORNER MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2924
ENVT2460M	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2312
ENVT2460MT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, POLE (MAST) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2924
ENVT2460P	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2312
ENVT2460PT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2924
ENVT2460R	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2448
ENVT2460RT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, PARAPET (ROOF) MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	3060
ENVT2460W	ENVIRODOME KIT, 25X DAY/NIGHT. OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2312
ENVT2460WT	ENVIRODOME KIT, W/TRKR, 25X DAY/NIGHT. OUTDOOR PENDANT, WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2924
FM1	CAMERA MOUNT, LONG, MOUNTS EXTRA CAMERAS IN LTC 9312/00 DOME HOUSINGS.	20
FM2	CAMERA MOUNT, SHORT, MOUNTS EXTRA CAMERAS IN LTC 9312/00 DOME HOUSINGS.	20
G3ACPW6CP	G3 AUTODOME KIT, COLOR, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	1972
G3ACPW6CPT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2584
G3ACPW6CW	G3 AUTODOME KIT, COLOR, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	1972
G3ACPW6CWT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.	2584
G3ACPW6TP	G3 AUTODOME KIT, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	1972
G3ACPW6TPT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2584
G3ACPW6TW	G3 AUTODOME KIT, COLOR, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	1972
G3ACPW6TWT	AUTODOME KIT, W/TRKR, COLOR, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.	2584
G3ACS6C	G3 AUTODOME KIT, COLOR, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.	1836

	PRODUCT	DESCRIPTION		UNIT COST
	G3ACS6CT	AUTODOME KIT, W/TRKR, COLOR, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.		2448
	G3ACS6T	G3 AUTODOME KIT, COLOR, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		1836
	G3ACS6TT	AUTODOME KIT, W/TRKR, COLOR, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		2448
	G3ADPW6CP	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.		2108
	G3ADPW6CPT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.		2720
	G3ADPW6CW	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.		2108
	G3ADPW6CWT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.		2720
	G3ADPW6TP	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.		2108
	G3ADPW6TPT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.		2720
	G3ADPW6TW	G3 AUTODOME KIT, DAY/NIGHT, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.		2108
	G3ADPW6TWT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.		2720
	G3ADS6C	G3 AUTODOME KIT, DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.		1972
	G3ADS6CT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.		2584
	G3ADS6T	G3 AUTODOME KIT, DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		1972
	G3ADS6TT	AUTODOME KIT, W/TRKR, DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		2584
	G3AMPW6CP	G3 AUTODOME KIT, B/W, INDOOR PEND. PIPE MT., CLEAR DOME, WHITE, 24VAC, 60Hz.		1904
	G3AMPW6CW	G3 AUTODOME KIT, B/W, INDOOR PEND. WALL MT., CLEAR DOME, WHITE, 24VAC, 60Hz.		1904
	G3AMPW6TP	G3 AUTODOME KIT, B/W, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.		1904
	G3AMPW6TW	G3 AUTODOME KIT, B/W, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.		1904
	G3AMS6C	G3 AUTODOME KIT, B/W, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.		1768
	G3AMS6T	G3 AUTODOME KIT, B/W, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		1768
	G3A-PSU1-16	G3 AUTODOME, INDOOR POWER SUPPLY UNIT, 120VAC 60Hz, 28VAC OUT, 16 DOMES		204
	G3A-PSU1-4	G3 AUTODOME, INDOOR POWER SUPPLY UNIT, 120VAC 60Hz, 28VAC OUT, 4 DOMES		102
	G3A-PSU1-8	G3 AUTODOME, INDOOR POWER SUPPLY UNIT, 120VAC 60Hz, 28VAC OUT, 8 DOMES		143
	G3ATPW6CP	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.		2244
	G3ATPW6CPT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.		2856
	G3ATPW6CW	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.		2244
	G3ATPW6CWT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, CLEAR DOME, WHITE, 24VAC, 60Hz.		2856
	G3ATPW6TP	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz.		2244
	G3ATPW6TPT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, PIPE MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz.		2856
	G3ATPW6TW	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz.		2244
	G3ATPW6TWT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR PENDANT, WALL MOUNT, TINTED DOME, WHITE, 24VAC, 60Hz.		2856
	G3A-TRKR	G3 AUTOTRACK STAND ALONE BOX, 24VAC, INDOOR USE ONLY.		612
	G3ATS6C	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.		2108
	G3ATS6CT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR DROP CEILING, CLEAR DOME, 24VAC, 60Hz.		2720
	G3ATS6T	G3 AUTODOME KIT, 25X DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		2108
	G3ATS6TT	AUTODOME KIT, W/TRKR, 25X DAY/NIGHT, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		2720
	G3B61C	G3 BASIC CAM. MODULE, TINTED, COLOR, FOR INDOOR DROP CEILING, 24VAC, 60Hz.		1353
	G3B-DUMMY	G3 BASIC DUMMY KIT, DOME AND TRIM RING ONLY.		75
	G3BPC60P	G3 BASIC KIT, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, CHARCOAL, 24VAC, 60Hz.		1496
	G3BPC60W	G3 BASIC KIT, COLOR, INDOOR PEND. WALL MT., TINTED DOME, CHARCOAL, 24VAC, 60Hz.		1496
	G3BPW	G3 BASIC BACKBOX, PENDANT, WHITE.		170
	G3BPW60P	G3 BASIC KIT, COLOR, INDOOR PEND. PIPE MT., TINTED DOME, WHITE, 24VAC, 60Hz.		1496
	G3BPW60W	G3 BASIC KIT, COLOR, INDOOR PEND. WALL MT., TINTED DOME, WHITE, 24VAC, 60Hz.		1496
	G3BS	G3 BASIC BACKBOX, INDOOR DROP CEILING.		170
	G3BS60	G3 BASIC KIT, COLOR, INDOOR DROP CEILING, TINTED DOME, 24VAC, 60Hz.		1462
	HK57-1	HEATER, FOR TC9346A, REQUIRES O/I-PCB, 120VAC, 60Hz.		38
	HK57-2	HEATER, FOR TC9346A, REQUIRES O/I-PCB, 24VAC, 50/60Hz.		38
*	HSG9483/00	HOUSING, INDOOR, FOR CAMERA/LENS TO 12.5-INCH.	%	75
*	HSG9483/20	HOUSING, OUTDOOR (IP66/NEMA3R) FOR CAMERA/LENS TO 10.3-INCH, 24VAC, 50/60Hz HEATER.	%	122
*	HSG9483/21	HOUSING, OUTDOOR (IP66/NEMA3R) FOR CAMERA/LENS TO 10.3-INCH, 24VAC, 50/60Hz HEATER/BLOWER.	%	150
*	HSG9483/61	HOUSING, OUTDOOR (IP66/NEMA3R), FOR CAMERA/LENS TO 10.3-INCH, 115VAC, 60Hz HEATER/BLOWER.	%	150
	KBD-DIGITAL	INTUIKEY DIGITAL KEYBOARD W/ LCD FOR USE WITH DIVAR DVR AND SYSTEM 4 MULTIPLEXERS.	\	544
	KBD-RACK	RACK MOUNT KIT FOR KBD-UNIVERSAL AND KBD-DIGITAL.		75
	KBD-RACK	RACK MOUNT KIT FOR KBD-UNIVERSAL AND KBD-DIGITAL.		75
	KBD-RACK	RACK MOUNT KIT FOR KBD-UNIVERSAL AND KBD-DIGITAL.		75
	KBD-SFTCFG	CONFIGURATION SOFTWARE FOR KBD SERIES KEYBOARDS.		401

	PRODUCT	DESCRIPTION		UNIT COST
	KBD-SFTCFG	CONFIGURATION SOFTWARE FOR KBD SERIES KEYBOARDS.		401
	KBD-UNIVERSAL	INTUIKEY UNIVERSAL DIGITAL KEYBOARD W/ LCD FOR ALLEGIANT AND SYSTEM4.	\	1292
	LDH 6372/00	MOUNT, INDOOR, 2.5 TO 7-INCH, 6.6 LB MAX LOAD, OFF-WHITE FINISH.	!	27
	LTC 0335/20	CAMERA, 1/3" 380 TVL B/W, DSP, 12VDC/24VAC, 60Hz.	+	105
	LTC 0335/60	CAMERA, 1/3" 380 TVL B/W, DSP, 120VAC, 60Hz.	+	112
	LTC 0335-28	CAMERA, 1/3" 380 TVL B/W, DSP, 12VDC/24VAC, 60Hz w/2.8-10mm VARIFOCAL LENS.	+	190
	LTC 0335-28W	CAMERA, 1/3" 380 TVL B/W, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	211
	LTC 0355/20	CAMERA, 1/3" 570 TVL B/W, DSP, 12VDC/24VAC, 60Hz.	+	169
	LTC 0355/60	CAMERA, 1/3" 570 TVL B/W, DSP, 120VAC, 60Hz.	+	175
*	LTC 0355-28	CAMERA, 1/3" 570 TVL B/W, DSP, 12VDC/24VAC, 60Hz w/2.8-10mm VARIFOCAL LENS.	+	252
*	LTC 0355-28W	CAMERA, 1/3" 570 TVL B/W, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	272
	LTC 0356/20	CAMERA, 1/3" 570 TVL B/W, DSP, w/IR FILTER, 12VDC/24VAC, 60Hz.	+	209
	LTC 0385/20	CAMERA, 1/3" 570 TVL, B/W, DSP, 12VDC/24VAC, 60Hz.	+	333
*	LTC 0385/60	CAMERA, 1/3" 570 TVL, B/W, DSP, 110-240VAC, 60Hz.	+	333
	LTC 0435/20	CAMERA, 1/3" 330 TVL COLOR, DSP, 12VDC/24VAC, 60Hz.	+	169
	LTC 0435/60	CAMERA, 1/3" 330 TVL COLOR, DSP, 120VAC, 60Hz.	+	175
	LTC 0435-28	CAMERA, 1/3" 330 TVL COLOR, DSP, 12VDC/24VAC, 60Hz. w/2.8-10mm VF LENS.	+	252
	LTC 0435-28W	CAMERA, 1/3" 330 TVL COLOR, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	272
	LTC 0455/20	CAMERA, 1/3" 480 TVL COLOR, DSP, 12VDC/24VAC, 60Hz.	+	218
	LTC 0455/60	CAMERA, 1/3" 480 TVL COLOR, DSP, 120VAC 60Hz.	+	224
	LTC 0455-28	CAMERA, 1/3" 480 TVL COLOR, DSP, 12VDC/24VAC, 60Hz. w/2.8-10mm VARIFOCAL LENS.	+	299
	LTC 0455-28W	CAMERA, 1/3" 480 TVL COLOR, DSP, 12VDC/24VAC, 60Hz, w/2.8-10mm VF LENS & MOUNT.	+	320
	LTC 0485/20	CAMERA, 1/3" 480 TVL, COLOR, DSP, 12VDC/24VAC, 60Hz.	+	394
	LTC 0485/60	CAMERA, 1/3" 480 TVL, COLOR, DSP, 110-240VAC, 60Hz.	+	394
*	LTC 0495/20	CAMERA, DAY/NIGHT, 1/3" 480 TVL COLOR/BW, DSP, 12VDC/24VAC, 60Hz.	+	442
*	LTC 0495/60	CAMERA, DAY/NIGHT, 1/3" 480 TVL COLOR/BW, DSP, 120 VAC, 60Hz.	+	442
	LTC 0510/20	CAMERA, 1/2" 570 TVL, B/W, DSP, 12VDC/24VAC, 60Hz.	+	462
	LTC 0510/60	CAMERA, 1/2" 570 TVL, B/W, DSP, 110-240VAC, 60Hz.	+	462
	LTC 0610/20	CAMERA, 1/2" 480 TVL, COLOR, DSP, 12VDC/24VAC, 60Hz.	+	503
	LTC 0610/60	CAMERA, 1/2" 480 TVL, COLOR, DSP, 110-240VAC, 60Hz.	+	503
*	LTC 0620/20	CAMERA, DAY/NIGHT, 1/2" 480 TVL COLOR/BW, DSP, 12VDC/24VAC, 60Hz.	+	558
*	LTC 0620/60	CAMERA, DAY/NIGHT, 1/2" 480 TVL, COLOR/BW, DSP, 120 VAC, 60Hz.	+	558
	LTC 0725/25C	G3 CAM. MODULE, 18X B/W, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		1768
	LTC 0725/27C	G3 CAM. MODULE, 18X B/W, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		1768
	LTC 0728/25C	ENVIRODOME CAM. MODULE, 18X B/W, FOR OUTDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		1904
	LTC 0728/26C	ENVIRODOME CAM. MODULE, 18X B/W, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		1904
	LTC 0729/25C	G3 CAM. MODULE, 18X B/W, FOR INDOOR DROP CEILING MT., 24VAC, 60Hz.		1564
	LTC 0825/25C	G3 CAM. MODULE, 18X COLOR, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		1836
	LTC 0825/27C	G3 CAM. MODULE, 18X COLOR, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		1836
	LTC 0828/25C	ENVIRODOME CAM. MODULE, 18X COLOR, FOR OUTDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		1972
	LTC 0828/26C	ENVIRODOME CAM. MODULE, 18X COLOR, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		1972
	LTC 0829/25C	G3 CAM. MODULE, 18X COLOR, FOR INDOOR DROP CEILING MT., 24VAC, 60Hz.		1632
	LTC 0925/25C	G3 CAM. MODULE, 18X DAY/NIGHT, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.	@	1972
	LTC 0925/27C	G3 CAM. MODULE, 18X DAY/NIGHT, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.	@	1972
	LTC 0928/25C	ENVIRODOME CAM. MODULE, 18X DAY/NIGHT, FOR OUTDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		2108
	LTC 0928/26C	ENVIRODOME CAM. MODULE, 18X DAY/NIGHT, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		2108
	LTC 0929/25C	G3 CAM. MODULE, 18X DAY/NIGHT, FOR INDOOR DROP CEILING MT., 24VAC, 60Hz.		1768
	LTC 0935/25C	G3 CAM. MODULE, 25X DAY/NIGHT, FOR INDOOR PEND. MT., CLEAR BUBBLE, WHITE, 24VAC, 60Hz.		2108
	LTC 0935/27C	G3 CAM. MODULE, 25X DAY/NIGHT, FOR INDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		2108
	LTC 0938/25C	ENVIRODOME CAM. MODULE, 25X DAY/NIGHT, OUTDOOR PENDANT, WHITE, CLEAR BUBBLE, 24VAC, 60Hz.		2244
	LTC 0938/26C	ENVIRODOME CAM. MODULE, 25X DAY/NIGHT, FOR OUTDOOR PEND. MT., TINTED BUBBLE, WHITE, 24VAC, 60Hz.		2244
	LTC 0939/25C	G3 CAM. MODULE, 25X DAY/NIGHT, FOR INDOOR DROP CEILING MT., 24VAC, 60Hz.		1972
*	LTC 1261/21DN	PHORTRESS VARIDOME, DAY/NIGHT CAMERA w/REMOVABLE IR FILTER, 520 TVL, 12VDC/24VAC,60Hz,w/2.8-5.8mm V-F LENS	@	558
	LTC 1261/21F	PHORTRESS VARIDOME,480 TVL COLOR,12VDC/24VAC,60Hz,w/3-6mm V-F LENS, w/FIBER OPTIC XMTR.	@	734
	LTC 1261/21N	PHORTESS VARIDOME, 1/4", 480 TVL COLOR, 12VDC/24VAC, 60Hz, W/3-6mm V-F LENS, w/UTP XMTR.	@	578
	LTC 1271/20C	PHORTRESS, CORNER,1/4",LT.TINT,480 TVL COLOR, 12VDC/24VAC,60Hz,w/2-4mm AI LENS.		578
	LTC 1271/20CS	PHORTRESS, CORNER,1/4",LT.TINT,480 TVL COLOR,12VDC/24VAC,60Hz,w/2-4mm AI LENS,S.STEEL.		612

	PRODUCT	DESCRIPTION		UNIT COST
	LTC 1311/20	CAMERA, FLEXIDOME I, 1/4", 380TVL B/W, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	109
	LTC 1312/20	CAMERA, FLEXIDOME I, 1/4", 380 TVL B/W, 12VDC/24VAC, 60HZ, w/3mm FIXED IRIS LENS	+	109
	LTC 1313/20	CAMERA, FLEXIDOME I, 1/4", 380 TVL B/W, 12VDC/24VAC, 60HZ, w/6mm FIXED IRIS LENS	+	109
	LTC 1321/20	CAMERA, FLEXIDOME II, 1/4", 570TVL B/W, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	136
	LTC 1322/20	CAMERA, FLEXIDOME II, 1/4", 570 TVL B/W, 12VDC/24VAC, 60Hz, w/3mm FIXED IRIS LENS	+	136
	LTC 1323/20	CAMERA, FLEXIDOME II, 1/4", 570 TVL B/W, 12VDC/24VAC, 60Hz, w/6mm FIXED IRIS LENS	+	136
	LTC 1340/00	PHORTRESS PENDANT WALL MOUNT KIT, WHITE, FITS LTC 1261 SERIES.		61
	LTC 1343/00	PHORTRESS PENDANT PIPE MOUNT KIT, WHITE, FITS LTC 1261 SERIES.		34
	LTC 1345/00	MINIDOME FLUSH MOUNT KIT, WHITE, FITS LTC 1251/21.		27
*	LTC 1347/00	SURFACE MOUNT BOX FOR FLEXIDOME XT WITH SIDE ENTRY CONDUIT, WHITE.	+	34
*	LTC 1361/20	CAMERA, FLEXIDOME XT, 1/4", 570TVL B/W, 12VDC/24VAC, 60Hz, w/2.8-6mm F1.4 VARIFOCAL AI LENS	+	292
	LTC 1411/20	CAMERA, FLEXIDOME I, 1/4", 330TVL COLOR, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	163
	LTC 1412/20	CAMERA, FLEXIDOME I, 1/4", 330TVL COLOR, 12VDC/24VAC, 60Hz, w/3mm FIXED IRIS LENS	+	163
	LTC 1413/20	CAMERA, FLEXIDOME I, 1/4", 330TVL COLOR, 12VDC/24VAC, 60Hz, w/6mm FIXED IRIS LENS	+	163
*	LTC 1421/20	CAMERA, FLEXIDOME II, 1/4", 470TVL COLOR, 12VDC/24VAC, 60Hz, w/2.1mm FIXED IRIS LENS.	+	204
	LTC 1422/20	CAMERA, FLEXIDOME II, 1/4", 470 TVL COLOR, 12VDC/24VAC, 60Hz, w/3mm FIXED IRIS LENS	+	204
	LTC 1423/20	CAMERA, FLEXIDOME II, 1/4", 470 TVL COLOR, 12VDC/24VDC, 60Hz, w/6mm FIXED IRIS LENS	+	204
*	LTC 1461/20	CAMERA, FLEXIDOME XT, 1/4", 470TVL COLOR, 12VDC/24VAC, 60Hz, w/2.8-6mm F1.4 VARIFOCAL AI LENS	+	320
*	LTC 1463/20	CAMERA, FLEXIDOME XT, 1/4", 470 TVL COLOR 12VDC/24VAC, 60Hz., w/3-6mm F1.2 VARIFOCAL AI LENS.	+	333
*	LTC 1464/20	CAMERA, FLEXIDOME XT, 1/4", 470 TVL COLOR 12VDC/24VAC,60Hz, w/4-9mm F1.4 VARIFOCAL AI LENS	+	320
	LTC 2009/61	9-INCH MONOCHROME MONITOR, 900 TVL, 120VAC, 60Hz.	%	122
	LTC 2012/61	12-INCH MONOCHROME MONITOR, 900 TVL, 120VAC, 60Hz.	\	143
	LTC 2017/60	17-INCH MONOCHROME MONITOR, 700 TVL, 120VAC, 60Hz.	%	326
	LTC 2020/90	20-INCH MONOCHROME MONITOR, 900 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	%	347
	LTC 2210/60	SINGLE CHANNEL MOTION DETECTOR, INDOOR, 120VAC, 60Hz.		374
	LTC 2211/60	4 CHANNEL DIGITAL MOTION DETECTOR, INDOOR/OUTDOOR, 120VAC, 60Hz.		2380
	LTC 2212/60	8 CHANNEL DIGITAL MOTION DETECTOR, INDOOR/OUTDOOR, 120VAC, 60Hz.		3094
	LTC 2372/60	VIDQUAD, 4 CHANNEL "REAL TIME" B/W VIDEO PROCESSOR, 120VAC, 60Hz.	%	374
	LTC 2375/60	VIDQUAD, 4 CHANNEL "REAL TIME" COLOR VIDEO PROCESSOR, 120VAC, 60Hz.	%	673
	LTC 2376/60	VIDQUAD, 4 CHANNEL "REAL TIME" B/W VIDEO PROCESSOR, ALARMING, 120VAC, 60Hz.	%	537
	LTC 2377/60	VIDQUAD, 4 CHANNEL "REAL TIME" COLOR VIDEO PROCESSOR, ALARMING, 120VAC, 60Hz.	%	809
	LTC 2601/00	KEYBOARD FOR 6PLEX & SYSTEM4, WITH PUSH BUTTON P/T-Z CONTROL.		476
	LTC 2604/60	SYSTEM4 KEYBOARD PORT EXPANDER, 120VAC, 60Hz.		809
	LTC 2605/91	VIDEO MANAGER FOR USE WITH DIVAR DVR AND SYSTEM 4 MULTIPLEXERS. 120/230VAC, 50/60 HZ.		830
	LTC 2609/00	SYSTEM4 EXTENSION KIT, LINKS UP TO 6 SYSTEM4 MULTIPLEXERS.		68
	LTC 2610/00	FIRMWARE UPGRADE KIT, FOR LTC 2600 MULTIPLEXERS.		129
	LTC 2622/90	6PLEX MULTIPLEXER, 6 CHANNEL COLOR, DUPLEX, 120/230VAC, 50/60Hz.		1020
	LTC 2632/90	MONOCHROME MUX, 9 CHANNEL MONOCHROME, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		918
	LTC 2642/90	UNIVERSAL MUX, 9 CHANNEL COLOR, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		1564
	LTC 2650/00	GRAPHICAL USER INTERFACE (GUI) PACKAGE FOR SYSTEM4.		809
	LTC 2652/90	MONOCHROME MUX, 16 CHANNEL MONOCHROME, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		1081
	LTC 2662/90	UNIVERSALMUX, 16 CHANNEL COLOR, MULTIPLEXER, DUPLEX, 120/230VAC, 50/60 Hz.		1659
	LTC 2672/90	SYSTEM4 MULTIPLEXER, 9 CHANNEL COLOR, TRIPLEX, 120/230VAC, 50/60Hz.		1666
	LTC 2682/90	SYSTEM4 MULTIPLEXER, 16 CHANNEL COLOR, TRIPLEX, 120/230VAC, 50/60Hz.		1761
	LTC 2810/90	10-INCH STANDARD RES. COLOR MONITOR, 280 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	%	360
	LTC 2813/90	14-INCH STANDARD RES. COLOR MONITOR, 400 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	258
	LTC 2814/90	14-INCH STANDARD RES. COLOR MONITOR, 350 TVL, W/ AUDIO, S-VHS INPUT, 120/230VAC, 50/60Hz.	%	374
	LTC 2821/91	21-INCH HIGH RES. COLOR MONITOR, 550 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	%	415
	LTC 2910/90	9-INCH HIGH RES. COLOR MONITOR, 350 TVL, W/AUDIO, 120/230VAC, 50/60Hz	\	476
	LTC 2915/91	15-INCH HIGH RES. COLOR MONITOR, 700 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	374
	LTC 2917/91	17-INCH HIGH RES. COLOR MONITOR, 700 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	537
	LTC 2919/90	19-INCH HIGH RES. COLOR MONITOR, 700 TVL, W/ AUDIO, 120/230VAC, 50/60Hz.	\	680
	LTC 3043/40	C LENS, 1-INCH, 25mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	238
	LTC 3053/40	C LENS, 1-INCH, 50mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	313
	LTC 3123/40	C LENS, 2/3-INCH, 8mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	224
	LTC 3133/40	C LENS, 2/3-INCH, 16mm, AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	184
	LTC 3214/20	CS LENS, 1/2-INCH, 3.7mm, DIRECT DRIVE, f/1.6 TO f/300, 4 PIN.	\	116

	PRODUCT	DESCRIPTION		UNIT COST
	LTC 3234/20	CS LENS, 1/2-INCH, 6mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	88
	LTC 3244/20	CS LENS, 1/2-INCH, 12mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	82
	LTC 3261/30	CS LENS, 1/2-INCH, 4.5 TO 10mm, MANUAL IRIS, f/1.6 TO CLOSE.	@	88
	LTC 3264/30	CS LENS, 1/2-INCH, 4.5 TO 10mm, DIRECT DRIVE, f/1.6 TO f/360, 4 PIN.	@	122
	LTC 3271/40	CS LENS, 1/2-INCH, 7.5 TO 75mm, MANUAL IRIS, f/2.2 TO CLOSE.	@	197
*	LTC 3274/41	CS LENS, 1/2-INCH, 7.5 TO 75mm, DIRECT DRIVE, f/2.2 TO f/360, 4 PIN.	@	231
	LTC 3283/20	CS LENS, 1/2-INCH, 8 TO 48mm (6X), AUTO IRIS, f/1.4 TO f/360, 4 PIN.	\	374
	LTC 3283/40	CS LENS, 1/2-INCH, 7.5 TO 75mm (10X), AUTO IRIS, f/1.4 TO f/360, 4 PIN.	@	673
	LTC 3283/50	C LENS, 1/2-INCH, 7.5 TO 75mm (10X), AUTO IRIS, f/1.2 TO f/512, PRE-POSITION, 4 PIN.	@	836
	LTC 3293/20	C LENS, 1/2-INCH, 8 TO 120mm (15X), AUTO IRIS, f/1.6 TO f/1000, 4 PIN.		986
	LTC 3293/30	C LENS, 1/2-INCH, 8 TO 120mm (15X), AUTO IRIS, PP, MAN. IRIS OVERRIDE, 4 PIN.		1183
	LTC 3293/40	C LENS, 1/2-INCH, 12 TO 240mm (20X), AUTO IRIS, f/1.6 TO f/720, 4 PIN.	@	1802
	LTC 3293/50	C LENS, 1/2-INCH, 12 TO 240mm (20X), AUTO IRIS, f/1.6 TO f/720, PP, 4 PIN.		1965
	LTC 3314/21	CS LENS, 1/3-INCH, 2.8mm, DIRECT DRIVE, f/1.2 TO f/200, 4 PIN.	\	75
	LTC 3334/21	CS LENS, 1/3-INCH, 4mm, DIRECT DRIVE, f/1.2 TO f/200, 4 PIN.	\	68
	LTC 3344/21	CS LENS, 1/3-INCH, 8mm, DIRECT DRIVE, f/1.2 TO f/200, 4 PIN.	\	61
	LTC 3361/32	CS LENS, 1/3-INCH, 3 TO 8mm, MANUAL IRIS, F1.0 TO CLOSE.	\	68
	LTC 3361/40	CS LENS, 1/3-INCH, 2.8 TO 12mm, MANUAL IRIS, f/1.4 TO CLOSE.	\	75
	LTC 3361/50	CS LENS, 1/3-INCH, 2.8 TO 10mm, MANUAL IRIS, f/1.4 TO CLOSE	%	61
	LTC 3361/60	CS LENS, 1/3-INCH, 3.5 TO 8 mm, MANUAL IRIS, f/1.4 TO CLOSE	%	48
	LTC 3364/21	CS LENS, 1/3-INCH, 2.8 TO 6mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	109
	LTC 3364/31	CS LENS, 1/3-INCH, 3.5 TO 8mm, DIRECT DRIVE, f/1.4 TO f/300, 4 PIN.	\	88
	LTC 3364/40	CS LENS, 1/3-INCH, 2.8 TO 12mm, DIRECT DRIVE, f/1.4 TO f/360, 4 PIN.	\	109
	LTC 3364/50	CS LENS, 1/3-INCH, 2.8 TO 10mm, DIRECT DRIVE, f/1.4 TO 360, 4-PIN CONNECTOR.	%	75
	LTC 3364/60	CS LENS, 1/3-INCH, 3.5 TO 8mm, DIRECT DRIVE, f/1.4 TO 360, 4-PIN CONNECTOR.	%	61
	LTC 3371/20	CS LENS, 1/3-INCH, 5 TO 50mm, MANUAL IRIS, f/1.4 TO CLOSE.	@	129
	LTC 3371/50	CS LENS, 1/3-INCH, 5 TO 50mm, MANUAL IRIS, f/1.7 TO CLOSE	%	102
	LTC 3374/20	CS LENS, 1/3-INCH, 5 TO 50mm, DIRECT DRIVE, f/1.4 TO f/185, 4 PIN.	@	150
	LTC 3374/50	CS LENS, 1/3-INCH, 5 TO 50mm, DIRECT DRIVE, f/1.7 TO 360, 4-PIN CONNECTOR.	%	122
	LTC 3384/21	CS LENS, 1/3-INCH, 6 TO 60mm (10X), AUTO IRIS/DIRECT DRIVE, f1.4 TO f/360, 4-PIN.	@	354
*	LTC 3664/40	CS LENS, 1/3-INCH, 2.8 TO 11mm, DC IRIS, F1.4 TO 360 IR.	@	122
	LTC 4600/00	BLANK PANEL, FOR LTC 4637 FIBER OPTIC MODULE RACK.		20
	LTC 4628/00	850nm FOM, BI-DIRECTIONAL: TRANSMITS VIDEO, RECEIVES DATA, USE WITH LTC 4637 SERIES RACK.		707
	LTC 4628/60	850nm FOM, BI-DIRECTIONAL: TRANSMITS VIDEO, RECEIVES DATA, 120VAC, 60Hz.		707
	LTC 4629/00	850nm FOM, BI-DIRECTIONAL: RECEIVES VIDEO, TRANSMITS DATA, USE WITH LTC 4637 SERIES RACK.		707
	LTC 4629/60	850nm FOM, BI-DIRECTIONAL: RECEIVES VIDEO, TRANSMITS DATA, 120VAC, 60Hz.		707
*	LTC 4630/00	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE A, USE WITH LTC 4637 SERIES RACK.		714
*	LTC 4630/60	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE A, 120VAC, 50/60HZ.		714
*	LTC 4631/00	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE B, USE WITH LTC 4637 SERIES RACK.		714
*	LTC 4631/60	850/1310nm FOM, BILINX/UP-THE-COAX TRANSCEIVER, SIDE B, 120VAC, 50/60HZ.		714
	LTC 4637/60	RACK & POWER SUPPLY FOR FIBER OPTIC MODULES, 120VAC, 60Hz.		707
	LTC 4641/60	850nm FOM, TRANSMITTER, VIDEO SIGNALS, 120VAC, 60Hz.		224
	LTC 4642/00	850nm FOM, RECEIVER, VIDEO SIGNALS, USE WITH LTC 4637 SERIES RACK.		374
	LTC 4642/60	850nm FOM, RECEIVER, VIDEO SIGNALS, 120VAC, 60Hz.		374
	LTC 4651/00	850nm FOM, TRANSMITTER/RECEIVER, BIPHASE OR RS-232 DATA, USE WITH LTC 4637 SERIES RACK.		265
	LTC 4651/60	850nm FOM, TRANSMITTER/RECEIVER, BIPHASE OR RS-232 DATA, 120VAC, 60Hz.		265
	LTC 4671/00	850nm FOM, TRANSMITTER/RECEIVER, RS-485 DATA, USE WITH LTC 4637 SERIES RACK.		442
	LTC 4671/60	850nm FOM, TRANSMITTER/RECEIVER, RS-485 DATA, 120VAC, 60Hz.		442
	LTC 4681/00	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE A, 10/100 BASE-T ETHERNET, USE WITH LTC 4637 SERIES RACK.		1557
	LTC 4681/60	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE A, 10/100 BASE-T ETHERNET, 120VAC, 50/60HZ.		1557
	LTC 4682/00	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE B, 10/100 BASE-T ETHERNET, USE WITH LTC 4637 SERIES RACK.		1557
	LTC 4682/60	1310/1550nm FOM, TRANSMITTER/RECIEVER, SIDE B, 10/100 BASE-T ETHERNET, 120VAC, 50/60HZ.		1557
	LTC 4744/00	1310nm FOM, TRANSMITTER, 4 CHANNEL, VIDEO SIGNALS, USE WITH LTC 4637 SERIES RACK.		1414
	LTC 4744/60	1310nm FOM, TRANSMITTER, 4 CHANNEL, VIDEO SIGNALS, 120VAC, 50/60Hz.		1414
	LTC 4745/00	1310nm FOM, RECEIVER, 4 CHANNEL, VIDEO SIGNALS, USE WITH LTC 4637 SERIES RACK.		1414
	LTC 4745/60	1310nm FOM, RECEIVER, 4 CHANNEL, VIDEO SIGNALS, 120VAC, 50/60Hz.		1414
	LTC 5104/60	SWITCHER, 4 CAMERA INPUT, 1 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		211

PRODUCT	DESCRIPTION		UNIT COST
LTC 5108/60	SWITCHER, 8 CAMERA INPUT, 2 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		517
LTC 5121/60	SWITCHER, 2 CAMERA INPUT, 1 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		109
LTC 5133/60	CONTROLLER, CONTROLS 120VAC PAN/TILTS & 6/12V LENSES, HALF RACK, 120VAC, 60Hz.		374
LTC 5134/60	CONTROLLER, CONTROLS 24VAC PAN/TILTS & 6/12V LENSES, HALF RACK, 120VAC, 60Hz.		422
LTC 5136/61	CONTROLLER, W/ 16 OUTPUTS FOR AUTODOMES OR ALLEGIANT R/D UNITS, 120VAC, 50/60Hz.		673
LTC 5141/60	SWITCHER, 4 CAMERA INPUT, 1 MONITOR OUTPUT, HALF RACK, 120VAC, 60Hz.		122
LTC 5231/60	DISTRIBUTION AMPLIFIER, 1 INPUT, 4 OUT, HALF RACK, 120VAC, 60Hz.		204
LTC 5234/60	DISTRIBUTION AMPLIFIER, 4 INPUT, 12 OUT (3 PER INPUT), HALF RACK, 120VAC, 60Hz.		476
LTC 5404/60	POWER SUPPLY, 4 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 21VA EACH OUTPUT.		68
LTC 5408/60	POWER SUPPLY, 8 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 10.5VA EACH OUTPUT.		95
LTC 5414/60	POWER SUPPLY, 4 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 12VA ISOLATED EACH OUTPUT.		190
LTC 5416/60	POWER SUPPLY, 16 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 10.5VA EACH OUTPUT.		177
LTC 5418/60	POWER SUPPLY, 8 CAMERA, 120VAC, 60Hz INPUT, 24VAC, 12VA ISOLATED EACH OUTPUT.		272
LTC 7490/00	MOUNTING PLATE, MOUNTS G3 & LTC 9349 IN 2 FT. X 2 FT. DROP CEILING.		75
LTC 7490/00	MOUNTING PLATE, MOUNTS G3 & LTC 9349 IN 2 FT. X 2 FT. DROP CEILING.		75
LTC 7490/20C	G3 BACKBOX, INDOOR DROP CEILING, 24VAC, 50/60Hz.		340
LTC 7935/60-06	NITROGEN-PRESSURIZED CAMERA, 1/3" 570 TVL B/W, WITH 6mm A/I LENS, 120VAC, 60Hz.	+	1238
LTC 7935/60-12	NITROGEN-PRESSURIZED CAMERA, 1/3" 570 TVL B/W, WITH 12mm A/I LENS, 120VAC, 60Hz.	+	1238
LTC 7935/60-59	NITROGEN-PRESSURIZED CAMERA, 1/3" 570 TVL B/W, WITH 10X ZOOM PP LENS, 120VAC, 60Hz.	+	2115
LTC 7945/60-06	NITROGEN-PRESSURIZED CAMERA, 1/3" 460 TVL COLOR, WITH 6mm A/I LENS, 120VAC, 60Hz.	+	1510
LTC 7945/60-12	NITROGEN-PRESSURIZED CAMERA, 1/3" 460 TVL COLOR, WITH 12mm A/I LENS, 120VAC, 60Hz.	+	1510
LTC 7945/60-59	NITROGEN-PRESSURIZED CAMERA, 1/3" 460 TVL COLOR, WITH 10X ZOOM PP LENS ,120VAC, 60Hz.	+	2183
LTC 7950/60-06	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.037 LUX 570 TVL B/W, WITH 6mm A/I LENS, 120VAC, 60Hz.		1768
LTC 7950/60-10XP	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.037 LUX 570 TVL B/W, WITH 10X ZOOM PP LENS ,120VAC, 60Hz.	@	2734
LTC 7950/60-12	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.037 LUX 570 TVL B/W, WITH 12mm A/I LENS, 120VAC, 60Hz.		1768
LTC 7950/60-15XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.037 LUX 570TVL B/W, w/15X PP, MAN.IRIS OV'RD LENS,120VAC, 60Hz.	@	3353
LTC 7950/60-20XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.037 LUX 570TVL B/W, w/20X PP, MAN.IRIS OV'RD LENS,120VAC, 60Hz.	@	5161
LTC 7960/60-06	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.37 LUX 480 TVL COLOR, WITH 6mm A/I LENS, 120VAC, 60Hz.		1972
LTC 7960/60-10XP	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.37 LUX 480 TVL COLOR, WITH 10X ZOOM PP LENS ,120VAC, 60Hz.	@	2938
LTC 7960/60-12	NITROGEN-PRESSURIZED CAMERA, 1/2" 0.37 LUX 480 TVL COLOR, WITH 12mm A/I LENS, 120VAC, 60Hz.		1972
LTC 7960/60-15XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.37 LUX 480TVL COLOR, w/15X PP, MAN.IRIS OV'RD LENS, 120VAC, 60Hz.	@	3557
LTC 7960/60-20XPM	NITROGEN-PRESS'R'D CAMERA, 1/2" 0.37 LUX 480TVL COLOR, w/20X PP, MAN.IRIS OV'RD LENS, 120VAC, 60Hz.	@	5365
LTC 8016/90	16-CHANNEL ALLEGIANT BILINX DATA INTERFACE UNIT, 120VAC/230VAC, 50/60HZ.		748
LTC 8059/00	ALLEGIANT MASTER CONTROL SOFTWARE PACKAGE, WINDOWS 95/NT-BASED.		401
LTC 8100/60	ALLEGIANT 8 X 2 CCTV MATRIX SWITCHER, 120VAC, 60Hz.		850
LTC 8200/60	ALLEGIANT 16 X 5 CCTV MATRIX SWITCHER, 120VAC, 60Hz.		986
LTC 8300/60	ALLEGIANT 32 X 6 CCTV MATRIX SWITCHER, 120VAC, 60Hz.		1897
LTC 8501/60	ALLEGIANT CCTV SWITCHING BAY, CPU & POWER SUPPLY, 120VAC, 60Hz.		1734
LTC 8505/60	SPARE POWER SUPPLY FOR LTC 8501/60 BAY, 120VAC, 60Hz.		952
LTC 8506/00	CABLE, PC TO CONSOLE PORT, FOR ALLEGIANT SYSTEMS.		61
LTC 8511/00	SPARE CPU MODULE FOR LTC 8501 BAY.		1197
LTC 8521/00	VIDEO INPUT MODULE FOR LTC 8500, 8 VIDEO INPUTS PER CARD.		286
LTC 8532/00	VIDEO OUTPUT MODULE FOR LTC 8500, 2 VIDEO OUTPUTS PER CARD.		551
LTC 8540/00	ALARM INTERFACE, 64 ALARM INPUTS, 8 RELAY CLOSURES.		680
LTC 8555/00	COMPACT FULL FUNCTION KEYBOARD, VARIABLE SPEED JOYSTICK.		945
LTC 8555/02	COMPACT FULL FUNCTION KEYBOARD, VARIABLE SPEED JOYSTICK, RS232 PROTOCOL.		1088
LTC 8557/60	HOOK-UP KIT FOR REMOTE KEYBOARD UP TO 5000 FT, 120VAC, 60Hz.		109
LTC 8557/60	HOOK-UP KIT FOR REMOTE KEYBOARD UP TO 5000 FT, 120VAC, 60Hz.		109
LTC 8558/00	OPTIONAL KEYBOARD CABLE, 100 FT.		75
LTC 8558/00	OPTIONAL KEYBOARD CABLE, 100 FT.		75
LTC 8560/60	RECEIVER/DRIVER, 120VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, NO AUXILIARIES, 60Hz.		496
LTC 8561/60	RECEIVER/DRIVER, 120VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, WITH AUXILIARIES, 60Hz.		782
LTC 8562/60	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, NO AUXILIARIES, 60Hz.		496
LTC 8563/20	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 24VAC SUPPLY, NO AUXILIARIES, 50/60Hz.		496
LTC 8564/20	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 24VAC SUPPLY, WITH AUXILIARIES, 50/60Hz.		782
LTC 8566/60	RECEIVER/DRIVER, 24VAC PAN/TILT VOLTAGE, 120VAC SUPPLY, WITH AUXILIARIES, 60Hz.		782
LTC 8568/00	SIGNAL DISTRIBUTION UNIT, 32 SEPARATE BIPHASE OUTPUTS.		503

	PRODUCT	DESCRIPTION	UNIT COST
	LTC 8569/60	CODE MERGER, ALLOWS 2 BIPHASE DEVICES TO CONTROL 32 OUTPUTS, 120VAC, 60Hz.	1149
	LTC 8570/60	CODE MERGER, ALLOWS 4 BIPHASE DEVICES TO CONTROL 32 OUTPUTS, 120VAC, 60Hz.	1795
	LTC 8571/60	CODE MERGER, ALLOWS 2 BIPHASE DEVICES TO CONTROL 64 OUTPUTS, 120VAC, 60Hz.	1285
	LTC 8572/60	CODE MERGER, ALLOWS 4 BIPHASE DEVICES TO CONTROL 64 OUTPUTS, 120VAC, 60Hz.	1931
	LTC 8601/60	ALLEGIANT CCTV SWITCHING BAY, CPU & POWER SUPPLY, 120VAC, 60Hz.	2625
	LTC 8610/00	SPARE CPU MODULE FOR LTC 8601/60 BAY.	2625
	LTC 8621/00	VIDEO INPUT MODULE FOR LTC 8601, 16 VIDEO INPUTS PER CARD.	755
	LTC 8712/60	ALLEGIANT CONSOLE PORT EXPANDER, HALF RACK, 120VAC, 60Hz.	836
	LTC 8713/60	ALARM PORT EXPANDER FOR UP TO 4 LTC 8540/00 UNITS, HALF RACK, 120VAC, 60Hz.	836
	LTC 8714/60	KEYBOARD PORT EXPANDER FOR UP TO 8 ALLEGIANT KEYBOARDS, HALF RACK, 120VAC, 60Hz.	952
	LTC 8715/60	PORT EXPANDER FOR MULTIPLE LTC 8714/60 UNITS, HALF RACK, 120VAC, 60Hz.	836
	LTC 8768/00	SIGNAL DISTRIBUTION UNIT, 64 SEPARATE BIPHASE OUTPUTS.	721
	LTC 8770/60	SWITCHER/FOLLOWER UNIT, 24 RELAY CONTACT, HALF RACK, 120VAC, 60Hz.	673
	LTC 8780/60	RS-232 DATA CONVERTER UNIT, BIPHASE/RS-232/BIPHASE, HALF RACK, 120VAC, 60Hz.	680
	LTC 8781/60	TIME/DATE CONVERTER UNIT, PROVIDES OUTPUT IN GPS FORMAT, HALF RACK, 120VAC, 60Hz.	816
	LTC 8785/60	DATA CONVERTER UNIT, CONVERTS VAR. SPEED CODE TO FIXED SPEED CODE, 120VAC, 60Hz.	816
	LTC 8786/60	RS-232 TO BIPHASE DATA CONVERTER UNIT WITH 16 BIPHASE OUTPUTS, 120VAC, 50/60Hz.	238
	LTC 8801/60	ALLEGIANT CCTV SWITCHING BAY, CPU & POWER SUPPLY, 120VAC, 60Hz.	3876
	LTC 8802/60	MONITOR EXPANSION BAY & DATA RECEIVER MODULE, FOR LTC 8800, 120VAC, 60Hz.	4345
	LTC 8805/60	SPARE POWER SUPPLY FOR LTC 8601/60, LTC 8802/60 BAYS, 120VAC, 60Hz.	959
*	LTC 8807/00	32 CHANNEL VIDEO INTERCONNECT PANEL, FOR USE WITH UP TO 2 LTC 8809 VIDEO RIBBON CABLES.	136
	LTC 8808/00	32 CHANNEL VIDEO INTERCONNECT PANEL, FOR ALLEGIANT SYSTEMS, INCLUDES TWO LTC 8809/00 RIBBON CABLES.	272
	LTC 8809/00	16 CONDUCTOR RIBBON CABLE, FOR 8200, 8300, 8600, 8800, 8900 SYSTEMS, 6 FT.	129
	LTC 8809/01	16 CONDUCTOR RIBBON CABLE, FOR 8200, 8300, 8600, 8800, 8900 SYSTEMS, 3 FT.	122
*	LTC 8809/02	16 CONDUCTOR RIBBON CABLE, FOR 8200, 8300, 8600, 8800, 8900 SYSTEMS, 10.5 FT.	170
	LTC 8810/00	SPARE CPU MODULE FOR LTC 8801/00 BAY.	3876
	LTC 8816/00	SPARE DATA RECEIVER MODULE FOR LTC 8802/00.	3115
	LTC 8821/00	VIDEO INPUT MODULE FOR LTC 8800, 32 VIDEO INPUTS PER CARD.	1768
	LTC 8834/00	VIDEO OUTPUT MODULE FOR LTC 8600 & 8800, 4 VIDEO OUTPUTS PER CARD.	1156
	LTC 8834/00	VIDEO OUTPUT MODULE FOR LTC 8600 & 8800, 4 VIDEO OUTPUTS PER CARD.	1156
	LTC 8850/00	ALLEGIANT SERVER GRAPHICAL USER INTERFACE (GUI) SINGLE USER PACKAGE.	3393
	LTC 8851/00	ALLEGIANT GUI MULTIPLE USER PACKAGE, 5 STATIONS.	5433
	LTC 8852/00	ALLEGIANT GUI MULTIPLE USER PACKAGE, 10 STATIONS.	8154
	LTC 9009/00	RACK KIT, FOR UP TO TWO LTC 2009s, 10.5-INCH HIGH.	75
	LTC 9009/00	RACK KIT, FOR UP TO TWO LTC 2009s, 10.5-INCH HIGH.	75
	LTC 9009/01	BLANKING PANEL, FOR LTC 9009/00 RACK KIT.	14
	LTC 9009/01	BLANKING PANEL, FOR LTC 9009/00 RACK KIT.	14
	LTC 9012/00	RACK KIT, FOR ONE LTC 2012, 12.25-INCH HIGH.	129
	LTC 9012/00	RACK KIT, FOR ONE LTC 2012, 12.25-INCH HIGH.	129
	LTC 9017/00	RACK KIT, FOR ONE LTC 2017, 17.5-INCH HIGH.	129
	LTC 9017/00	RACK KIT, FOR ONE LTC 2017, 17.5-INCH HIGH.	129
	LTC 9022/60	VCR LOCK BOX, FOR BOSCH LTC MULTIPLEXER AND VCR, 120VAC, 60Hz.	238
	LTC 9023/60	VCR LOCK BOX, FOR ONE VCR, 120VAC, 60Hz.	190
	LTC 9061/00	RACK KIT, FOR ONE LTC 3924, LTC 3963, OR LTC 3991 RECORDER, 5.25-INCH HIGH.	129
	LTC 9061/00	RACK KIT, FOR ONE LTC 3924, LTC 3963, OR LTC 3991 RECORDER, 5.25-INCH HIGH.	129
	LTC 9069/00	MOUNTING PLATE, 2 FT x 2 FT, FOR LTC 9369.	41
	LTC 9070/00	MOUNTING PLATE, 2 FT x 2 FT, FOR LTC 9370/00.	41
	LTC 9080/00	TAMPER KIT, FOR LTC 9480 SERIES HOUSINGS, UP TO 5 HOUSINGS.	20
	LTC 9083/01S	SUNSHIELD, FOR LTC 9480 SERIES HOUSINGS.	27
	LTC 9088/01	SUNSHIELD, FOR LTC 9488 SERIES HOUSINGS.	48
	LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.	95
	LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.	95
	LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.	95
	LTC 9101/00	RACK KIT FOR UP TO TWO HALF RACK PRODUCTS, WITH BLANK, 1.75-INCH HIGH.	95
	LTC 9110/00	RACK KIT, FOR ONE LTC 2810, 12.25-INCH HIGH.	122
	LTC 9110/00	RACK KIT, FOR ONE LTC 2810, 12.25-INCH HIGH.	122
	LTC 9113/00	RACK KIT, FOR ONE LTC 2813, LTC 2914, OR LTC 2915, 14-INCH HIGH.	122

PRODUCT	DESCRIPTION		UNIT COST
LTC 9113/00	RACK KIT, FOR ONE LTC 2813, LTC 2914, OR LTC 2915, 14-INCH HIGH.		122
LTC 9114/00	RACK KIT, FOR ONE LTC 2814, 14-INCH HIGH.		122
LTC 9114/00	RACK KIT, FOR ONE LTC 2814, 14-INCH HIGH.		122
LTC 9117/00	RACK KIT, FOR ONE LTC 2917, 15.75-INCH HIGH.		129
LTC 9117/00	RACK KIT, FOR ONE LTC 2917, 15.75-INCH HIGH.		129
LTC 9119/00	RACK KIT, FOR ONE LTC 2919, 15.75-INCH HIGH.	!	54
LTC 9119/00	RACK KIT, FOR ONE LTC 2919, 15.75-INCH HIGH.	!	54
LTC 9210/00	COLUMN MOUNT, 8-INCH, 15 LB MAX LOAD.		41
LTC 9212/00	MOUNT, INDOOR/OUTDOOR, 12-INCH, FOR 938x SERIES, & 948x SERIES HOUSINGS.		34
LTC 9213/00	POLE MOUNT ADAPTER WITH STAINLESS STEEL STRAPS, FOR LTC 9210, LTC 9212 & LTC 9215.		48
LTC 9214/00	COLUMN MOUNT, 14-INCH, 200 LB OR CEILING MOUNT, 100 LB.		61
LTC 9215/00	MOUNT, FEED-THRU, 12-INCH, FOR 9380x SERIES, & 948X SERIES HOUSINGS.		41
LTC 9215/00S	MOUNT, FEED-THRU, 7-INCH, FOR 938x SERIES, & 948x SERIES HOUSINGS.		34
LTC 9216/00	MOUNT, INDOOR/OUTDOOR, 16-INCH, 100 LB MAX LOAD.		54
LTC 9219/01	MOUNT, CEILING-J, FEED-THRU, FOR 938x SERIES, & 948x SERIES HOUSINGS.		48
LTC 9222/00	MOUNT, INDOOR/OUTDOOR, 22-INCH, 200 LB MAX LOAD.		82
LTC 9223/00	COLUMN MOUNT, 24-INCH, 15 LB MAX LOAD.		48
LTC 9224/00	COLUMN MOUNT, 24-INCH, 200 LB OR CEILING MOUNT, 100 LB.		75
LTC 9225/00	POLE MOUNT ADAPTER WITH STAINLESS STEEL STRAPS, FOR LTC 9216 & LTC 9222.		68
LTC 9226/00	CORNER MOUNT BRACKET FOR LTC 9216 & LTC 9222.		82
LTC 9227/00	ADJUSTABLE HEAD MOUNT, FOR LTC 9216 & 92220, 100 LB MAX LOAD.		34
LTC 9228/00	WALL MOUNT SUPPORT FLANGE, FOR LTC 9216/00, LTC 9222/00.		68
LTC 9230/00	ROOF PARAPET MT. FOR ENVIRODOME & OUTDOOR FIXED DOME HOUSINGS, 42" ARM, 1.5" NPT.		265
LTC 9230/00	ROOF PARAPET MT. FOR ENVIRODOME & OUTDOOR FIXED DOME HOUSINGS, 42" ARM, 1.5" NPT.		265
LTC 9230/01	FLAT ROOF MOUNT ADAPTER, FOR ROOF PARAPET MOUNT LTC 9230/00.		48
LTC 9230/01	FLAT ROOF MOUNT ADAPTER, FOR ROOF PARAPET MOUNT LTC 9230/00.		48
LTC 9230/60	ROOF PARAPET MOUNT KIT, 42" ARM, 1.5" NPT, 120VAC, 60Hz.		333
LTC 9303/00	HOUSING, MAX SECURITY, CORNER MOUNTING.		184
LTC 9303/01	HOUSING, MAX SECURITY, CORNER MTG, WITH KEY LOCK.		211
LTC 9305/00	HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.37" VIEW WINDOW.		184
LTC 9305/01	HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.37" VIEW WINDOW, W/KEY LOCK.		211
LTC 9312/00	DOME HOUSING, INDOOR, 12-INCH, TINTED, DROP CEILING MOUNT.		122
LTC 9313/00	SLOPED TOP COVER FOR LTC 9303 SERIES HOUSING.		54
LTC 9316/00P	MOUNTING POLE, 16 FT LENGTH, FOR MOUNTING TC9320 & G3/ENVIRODOME PENDANTS.		925
LTC 9330/00QD	QUARTER-DOME HOUSING, INDOOR, 10-INCH RADIUS, TINTED, CORNER MOUNT.		102
LTC 9331/00HD	HALF-DOME HOUSING, INDOOR, 18-INCH, TINTED, CEILING/WALL CORNER MOUNT.		122
LTC 9348/00	DOME HOUSING, INDOOR, 8.5-INCH, TINTED, CEILING MOUNT, METAL BACKBOX.		129
LTC 9349/01	G3-STYLE DOME HOUSING, INDOOR, 6.3-INCH, IN-CEILING MOUNT, CHARCOAL TRIM RING		102
LTC 9349/20CH-38	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	517
LTC 9349/20CH-55	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	578
LTC 9349/20CS-38	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	449
LTC 9349/20CS-55	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	510
LTC 9349/20MH-38	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	476
LTC 9349/20MH-55	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	517
LTC 9349/20MS-38	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	408
LTC 9349/20MS-55	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, IN-CEILING MT., 24VAC, 60Hz.	+	449
LTC 9349MK	MOUNTING KIT FOR LTC 9349 SERIES UNITYDOMES.		24
LTC 9365/00	HOUSING, INDOOR, FOR CEILING SURFACE MOUNT.		82
LTC 9369/00	HOUSING, INDOOR, DROP CEILING MOUNT, TAMPER RESISTANT.		122
LTC 9370/00	HOUSING, INDOOR, DROP CEILING MOUNT, TAMPER RESISTANT, CAMERA/LENS TO 8-INCH.		95
LTC 9380/01	TAMPER KIT, FOR LTC 9385 SERIES HOUSINGS, UP TO 5 HOUSINGS.		20
LTC 9380/02	TAMPER KIT, FOR LTC 9384 SERIES HOUSINGS, FOR ONE HOUSING.		20
LTC 9384/00	SUNSHIELD, FOR LTC 9384 & 3-INCH PRESSURIZED HOUSINGS.		48
LTC 9384/20	HOUSING,OUTDOOR (NEMA 4), 3-INCH DIA. & CAMERA/LENS UP TO 10.5-INCH, 24VAC, 50/60Hz.		211
LTC 9384/20NT	HOUSING, OUTDOOR (NEMA 4),3-INCH DIA. & CAM/LENS UP TO 10.5-INCH NO TRANSFMR, 24VAC, 50/60Hz.		190
LTC 9384/60	HOUSING, OUTDOOR (NEMA 4), 3-INCH DIA. & CAMERA/LENS UP TO 10.5-INCH, 120VAC, 60Hz.		211
LTC 9385/00	SUNSHIELD, FOR LTC 9385 SERIES HOUSINGS.		54

PRODUCT	DESCRIPTION		UNIT COST
LTC 9385/20	HOUSING, OUTDOOR (NEMA 4), 4.5-INCH DIA. & UP TO 13.5-INCH, 24VAC, 50/60Hz.		224
LTC 9385/60	HOUSING, OUTDOOR (NEMA 4), 4.5-INCH DIA. & UP TO 13.5-INCH, 120VAC, 60Hz.		231
LTC 9405/01	COMPACT HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.37" VIEW WINDOW, W/KEY LOCK.		177
LTC 9405/05	COMPACT HOUSING, MAX SECURITY, WALL OR CEILING MOUNT, 0.50" VIEW WINDOW, W/KEY LOCK.		177
LTC 9412/00	DOME HOUSING, INDOOR, 12-INCH, TINTED, PENDANT MOUNT.		136
LTC 9418/20	PAN/TILT, MAX LOAD 22 LB, 24VAC, 60Hz.		673
LTC 9418/60	PAN/TILT, MAX LOAD 22 LB, 120VAC, 60Hz.		673
LTC 9420/20	PAN/TILT, MAX LOAD 22 LB WITH FEED-THRU WIRING, 24VAC, 60Hz.		945
LTC 9420/21	PAN/TILT, MAX LOAD 22 LB WITH FEED THRU-WIRING, PREPOSITION, 24VAC, 60Hz.		1244
LTC 9420/60	PAN/TILT, MAX LOAD 22 LB WITH FEED-THRU WIRING, 120VAC, 60Hz.		945
LTC 9420/61	PAN/TILT, MAX LOAD 22 LB WITH FEED-THRU WIRING, PREPOSITION, 120VAC, 60Hz.		1244
LTC 9440/20	PAN/TILT, MAX LOAD 40 LB, 24VAC, 60Hz.		850
LTC 9440/21	PAN/TILT, MAX LOAD 40 LB WITH PRE-POSITION, 24VAC, 60Hz.		1156
LTC 9440/60	PAN/TILT, MAX LOAD 40 LB, 120VAC, 60Hz.		850
LTC 9440/61	PAN/TILT, MAX LOAD 40 LB WITH PRE-POSITION, 120VAC, 60Hz.		1156
LTC 9441/20	PAN/TILT, MAX LOAD 40 LB WITH FEED-THRU WIRING, 24VAC, 60Hz.		1142
LTC 9441/21	PAN/TILT, MAX LOAD 40 LB WITH FEED-THRU WIRING, PRE-POSITION, 24VAC, 60Hz.		1455
LTC 9449/20CH-38P	FIXED DOME COLOR CAM., 480TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	639
LTC 9449/20CH-38W	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	700
LTC 9449/20CH-55P	FIXED DOME COLOR CAM. 480TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz	+	700
LTC 9449/20CH-55W	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	762
LTC 9449/20CS-38P	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	571
LTC 9449/20CS-38W	FIXED DOME COLOR CAM., 330 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	632
LTC 9449/20CS-55P	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	632
LTC 9449/20CS-55W	FIXED DOME COLOR CAM., 330 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	694
LTC 9449/20MH-38P	FIXED DOME B&W CAM., 570TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	598
LTC 9449/20MH-38W	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	660
LTC 9449/20MH-55P	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	660
LTC 9449/20MH-55W	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	721
LTC 9449/20MS-38P	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	530
LTC 9449/20MS-38W	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	592
LTC 9449/20MS-55P	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	592
LTC 9449/20MS-55W	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, INDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	653
LTC 9450/20CH-38P	FIXED DOME COLOR CAM., 480TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	728
LTC 9450/20CH-38W	FIXED DOME COLOR CAM., 480 TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	789
LTC 9450/20CH-55P	FIXED DOME COLOR CAM., 480TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT.,24VAC, 60Hz	+	789
LTC 9450/20CH-55W	FIXED DOME COLOR CAM., 480 TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	850
LTC 9450/20CS-38P	FIXED DOME COLOR CAM., 330TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	660
LTC 9450/20CS-38W	FIXED DOME COLOR CAM., 330TVL, 3-8mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	&	714
LTC 9450/20CS-55P	FIXED DOME COLOR CAM., 330TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	714
LTC 9450/20CS-55W	FIXED DOME COLOR CAM., 330TVL, 5-50mm AI LENS, OUTDR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	775
LTC 9450/20MH-38P	FIXED DOME B&W CAM., 570TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	680
LTC 9450/20MH-38W	FIXED DOME B&W CAM., 570 TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	741
LTC 9450/20MH-55P	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	+	741
LTC 9450/20MH-55W	FIXED DOME B&W CAM., 570 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	+	802
LTC 9450/20MS-38P	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	619
LTC 9450/20MS-38W	FIXED DOME B&W CAM., 380 TVL, 3-8mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	&	673
LTC 9450/20MS-55P	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT PIPE MT., 24VAC, 60Hz.	&	673
LTC 9450/20MS-55W	FIXED DOME B&W CAM., 380 TVL, 5-50mm AI LENS, OUTDOOR, 6.3-INCH, PENDANT WALL MT., 24VAC, 60Hz.	&	734
LTC 9480/00	HOUSING, INDOOR, FOR CAMERA/LENS TO 7-INCH.		54
LTC 9480/20	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 7-INCH, 3-IN DIA. 24VAC, 50/60Hz HEATER.		82
LTC 9488/00	HOUSING, INDOOR, FOR CAMERA/LENS TO 14-INCH.		122
LTC 9488/20	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 14-INCH, 24VAC, 50/60Hz HEATER.		150
LTC 9488/21	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 13-INCH, 24VAC, 50/60Hz HEATER/BLOWER.		170
LTC 9488/60	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 14-INCH, 120VAC, 60Hz HEATER.		150
LTC 9488/61	HOUSING, OUTDOOR (NEMA 4), FOR CAMERA/LENS TO 13-INCH, 120VAC, 60Hz HEATER/BLOWER.		170
LTC 9540/00	G3/ENVIRODOME PENDANT WALL MOUNT, WHITE.		102

PRODUCT	DESCRIPTION		UNIT COST
LTC 9541/01	ENVIRODOME PENDANT POLE (MAST) MOUNT, WHITE.		68
LTC 9542/01	ENVIRODOME PENDANT CORNER MOUNT, WHITE.		68
LTC 9543/00	G3/ENVIRODOME PENDANT PIPE MOUNT, WHITE.		41
LTC 9543/60	G3/ENVIRODOME PENDANT PIPE MOUNT KIT, WHITE, 120VAC, 60Hz.		109
MCB4	CAMERA MOUNT, SHORT, MOUNTS EXTRA CAMERAS IN LTC 9412/00 DOME HOUSINGS.		61
MM3000	MONITOR MOUNT, CEILING, FOR LTC 2009, 2012, 2910.		82
MM3000	MONITOR MOUNT, CEILING, FOR LTC 2009, 2012, 2910.		82
MON151PS	POWER SUPPLY, FOR REMOTE POWERING OF 1 MON151CL or MON171CL, 120/230VAC, 50/60Hz.	!	34
MON151RK	RACK KIT, FOR ONE MON151CL OR MON152CL, 12.25-INCH HIGH.	!	54
MON151RK	RACK KIT, FOR ONE MON151CL OR MON152CL, 12.25-INCH HIGH.	!	54
MON152CL	15-INCH HIGH RES. COLOR LCD MONITOR, 500 TVL,PIP,CVBS, VGA, & AUDIO, 120/230VAC, 50/60Hz.	!	945
MON171CL	17-INCH HIGH RES. COLOR LCD MONITOR, 500TVL, PIP, CVBS, VGA, & AUDIO, 120/230VAC, 50/60Hz	!	1353
MON171RK	RACK KIT, FOR ONE MON171CL, 15.75-IN. HIGH.	!	88
MON171RK	RACK KIT, FOR ONE MON171CL, 15.75-IN. HIGH.	!	88
MTDMEW	WALL MOUNT, FOR DME SERIES PENDANT MODELS.		48
NETCAM-2	NETWORK CAMERA, 2 CH. 1/4" 480TVL, COLOR, ETHERNET, TCP/IP, 12VDC/24/120VAC, 60Hz.	%	775
NETDVR-ND	NETWORK DVR NO DISK, 4-CH, NTSC/PAL, TCP/IP ETHERNET, 12VDC/100-240VAC, 50/60Hz.	%	1074
NETDVR-SP	NETWORK DVR 80G, 4-CH, NTSC/PAL, TCP/IP ETHERNET, 12VDC/100-240VAC, 50/60Hz.	%	1278
NETMAN	NETMANAGER, MANAGEMENT SOFTWARE FOR "NET" DEVICES.	%	299
NETSVR-1	NETWORK CAMERA SERVER, 1 CH. ETHERNET, TCP/IP, 12VDC/24VAC/120VAC, 60Hz.	%	626
NETSVR-6	NETWORK CAMERA SERVER, 6 CH. ETHERNET, TCP/IP, 12VDC/24VAC/120VAC, 60Hz.	%	816
NV-1662R	16 CH ACTIVE RECEIVER, UTP TRANS FOR 3000' W/ NV-213A OR NV-213A-M, TO 8000' W/CAT5 CABLE W/ NV-652T.		4073
NV-213A	1 CH PASSIVE TRANSCEIVER, UTP TRANS MAX 700 FT IN COMB.W/PASSIVE COMP.(NV-213A) OR MAX 3000 W/ACTIVE (FEMALE)CONNECTOR.		143
NV-213A-M	1 CH PASSIVE TRANSCEIVER, UTP TRANS MAX 700'COMBINATION W/PASS. COMP OR MAX OF 3000' W/ACTIVE(MALE)COMP CAMERA END ONLY.		143
NV-652R	1 CH ACTIVE RECEIVER, UTP TRANSMISSION FOR MAX 3000' W/NV-213A-M. UP TO 8000' W CAT 5 CABLE W/NV-652T.		286
NV-653T	1 CH ACTIVE TRANSCEIVER, UTP TRANS FOR MAX 8000' USING CAT 5 CABLE IN COMB. W/ACTIVE RECEIVER.		286
NV-862R	8 CH ACTIVE RECEIVER, UTP TRANS MAX 3000' W/NV-213AOR NV-213A-M, TO 8000' W/CAT5 CABLE W/ NV-652T.		2040
O/I-OUTLET	ELECTRICAL OUTLET FOR TC9346A HOUSING, 120VAC, 60Hz.		14
O/I-PCB	PC BOARD FOR TC9346A. REQUIRED WITH HEATER, BLOWER, OR DEFROSTER.		75
PK8100-5	ALLEGIANT LTC 8100/60 WITH LTC 8555/00 KEYBOARD, 120VAC, 60Hz.		1394
PK8200-5	ALLEGIANT LTC 8200/60 WITH LTC 8555/00 KEYBOARD, 120VAC, 60Hz.		1530
PK8300-5	ALLEGIANT LTC 8300/60 WITH LTC 8555/00 KEYBOARD, 120VAC, 60Hz.		2441
PRSC1	PRESSURE DOME KIT, 18X COLOR, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	3400
PRSC1F	PRESSURE DOME KIT, 18X COLOR, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	4080
PRSC6	PRESSURE DOME KIT, 18X COLOR, OUTDOOR, PIPE MT, WHITE, 24VAC, 60Hz.	@	3264
PRS-CORNER	PRESSURE DOME GOOSENECK WALL MOUNT WITH CORNER ADAPTER, WHITE.		170
PRSD1	PRESSURE DOME KIT, 18X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	3536
PRSD1F	PRESSURE DOME KIT, 18X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	4216
PRSD6	PRESSURE DOME KIT, 18X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 24VAC, 60Hz.	@	3400
PRS-HOUSING	PRESSURIZED DOME, HOUSING ONLY, 24VAC 50/60Hz, PIPE MOUNT.		1632
PRSM1	PRESSURE DOME KIT, 18X MONOCHROME, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	3264
PRSM1F	PRESSURE DOME KIT, 18X MONOCHROME, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	3944
PRSM6	PRESSURE DOME KIT, 18X MONOCHROME, OUTDOOR, PIPE MT, WHITE, 24VAC, 60Hz.	@	3128
PRS-MAST	PRESSURE DOME GOOSENECK WALL MOUNT WITH MAST (POLE) ADAPTER, WHITE.		170
PRST1	PRESSURE DOME KIT, 25X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz.	@	3672
PRST1F	PRESSURE DOME KIT, 25X DAY/NIGHT, OUTDOOR, PIPE MT, WHITE, 120VAC, 60Hz, W/FOM.	@	4352
PRST6	PRESSURE DOME KIT, 25X DAY/NIGHT, OUTDOOR , PIPE MT, WHITE, 24VAC, 60Hz.	@	3536
PRS-WALL	PRESSURE DOME GOOSENECK WALL MOUNT, WHITE.		102
PV-13C-C	PUBLIC VIEW SYSTEM, W/ 13-INCH COLOR MON., COLOR CAMERA, CABLES & CEILING MT. EQUIPMENT.	+	734
PV-13C-W	PUBLIC VIEW SYSTEM, W/ 13-INCH COLOR MON., COLOR CAMERA, CABLES & WALL MT. EQUIPMENT.	+	734
PV-20C-C	PUBLIC VIEW SYSTEM, W/ 20-INCH COLOR MON., COLOR CAMERA, CABLES & CEILING MT. EQUIPMENT.	+	870
PV-20C-W	PUBLIC VIEW SYSTEM, W/ 20-INCH COLOR MONITOR, COLOR CAMERA, CABLES & WALL MT. EQUIPMENT.	+	870
PV-27C-C	PUBLIC VIEW SYSTEM, W/ 27-INCH COLOR MON., COLOR CAMERA, CABLES & CEILING MT. EQUIPMENT.	+	1006
PV-27C-W	PUBLIC VIEW SYSTEM, W/ 27-INCH COLOR MON., COLOR CAMERA, CABLES & WALL MT. EQUIPMENT.	+	1006
RC283511/01	IR REMOTE CONTROL FOR COLOR OBSERVATION SYSTEMS.	\	45
RT2440SL	POWER SUPPLY, 120VAC, 60Hz INPUT, 24VAC, 60Hz, 40VA OUTPUT.	\	20
RT30A/61	VCR,30 HR.REAL TIME,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	408

PRODUCT	DESCRIPTION		UNIT COST
RT30A/61	VCR,30 HR.REAL TIME,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	408
RT960A/61	VCR,30 HR.REAL TIME,960 HR.TIME LAPSE,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	510
RT960A/61	VCR,30 HR.REAL TIME,960 HR.TIME LAPSE,TRIPLE DENSITY,MUSHROOM GRAY,120VAC,60Hz.	%	510
RTD12/3RT	POWER SUPPLY, 120VAC, 60Hz INPUT, 12VDC OUTPUT, REGULATED	\	14
RTD12/3RT	POWER SUPPLY, 120VAC, 60Hz INPUT, 12VDC OUTPUT, REGULATED	\	14
S1361	CONNECTOR CABLE, 6 FT., BNC TO RCA, TERMINATED.		7
S1363	ADAPTER, RCA JACK TO BNC CONNECTOR, 2 PCS.	!	7
S1365	CABLE, TERMINATED COAX, 3 FT.	\	20
S1374	ADAPTER - CONVERTS C MOUNT LENS TO CS MOUNT CAMERA.	@	14
S1377	ADAPTER - CONVERTS 8 PIN LENS CONNECTOR (D2) TO 6 PIN (D6).		14
S1378	ADAPTER - CONVERTS 4 PIN LENS CONNECTOR (D1) TO 6 PIN (D6).		14
S1381	ADAPTER - CONVERTS 6 PIN LENS CONNECTOR (D6) TO 4 PIN (EIA-J) CONNECTOR.		14
S1383	VCR CONTROL CABLE FOR SYSTEM4.		34
S1385	GUI CONTROL CABLE FOR SYSTEM4.		34
S1386	VEXT CONTROL CABLE FOR PHILIPS LTC MULTIPLEXERS & VCRS.		34
S1386	VEXT CONTROL CABLE FOR PHILIPS LTC MULTIPLEXERS & VCRS.		34
S1394	ADAPTER - CONVERTS 4 PIN LENS CONNECTOR (EIA-J) TO 6 PIN (D6).		14
S1460	1-METER SERVICE/MONITOR CABLE FOR FLEXIDOME XT SERIES.		14
S9500PC	CABLE, TERMINATED COAX AND POWER CABLE, 100 FT.		75
SFT-INTSRV	INTEGRATION SERVER SOFTWARE PACKAGE.		673
SS5729	SUNSHIELD, FOR TC9346A HOUSING.		75
TC120PS	POWER SUPPLY, 120VAC, 50/60Hz INPUT, 15VDC, 9VA OUTPUT.	\	34
TC1323	POWER SUPPLY, 120VAC, 60Hz INPUT, 24VAC, 60Hz, 10VA OUTPUT.	*	14
TC1334	POWER SUPPLY, 120VAC, 60Hz INPUT, 24VAC, 60Hz, 30VA OUTPUT.		16
TC1350	VHS VIDEO CASSETTES (T-120). PACKAGE OF TEN TAPES.	@	48
TC1355	VHS VIDEO CASSETTES (T-160). PACKAGE OF TEN TAPES.	@	61
TC1381	SVHS VIDEO CASSETTES (T-120). PACKAGE OF TEN TAPES.	@	163
TC1382	ISOLATION TRANSFORMER, 24VAC, 50/60Hz INPUT, 24VAC, 50/60Hz, 7VA OUTPUT.		20
TC1385	SVHS VIDEO CASSETTES (T-160). PACKAGE OF TEN TAPES.	@	184
TC2073	HOUSING, INDOOR, CORNER MOUNTED, CAMERA/LENS TO 9-INCH.		218
TC2075HL	HOUSING, INDOOR, CORNER MOUNTED, STAINLESS STEEL.		558
TC210AMK	RACK KIT, FOR UP TO TWO LTC 2910s, 10.5-INCH HIGH.		129
TC210AMK	RACK KIT, FOR UP TO TWO LTC 2910s, 10.5-INCH HIGH.		129
TC24PS	POWER SUPPLY, 24VAC, 50/60Hz INPUT, 15VDC, 9VA OUTPUT.	\	34
TC8235GIT	GROUND LOOP ISOLATION TRANSFORMER.		143
TC85140	BLANK PANEL, 1 EIA RACK UNIT: 1.75-INCH H x 19-INCH W, BLACK.		27
TC85141	BLANK PANEL, 2 EIA RACK UNITS: 3.50-INCH H x 19-INCH W, BLACK.		41
TC85142	BLANK PANEL, 3 EIA RACK UNITS: 5.25-INCH H x 19-INCH W, BLACK.		41
TC9200	MOUNT, INDOOR, 8-INCH, 20 LB MAX LOAD, ALUMINUM FINISH.	@	27
TC9201	MOUNT, INDOOR, 8-INCH, 20 LB MAX LOAD, BLACK FINISH.	@	27
TC9202	MOUNT, INDOOR, 9.6-INCH TO 16.3-INCH, 22 LB MAX LOAD, ALUMINUM/BLACK FINISH.	@	41
TC9203	MOUNT, INDOOR, RIGHT ANGLE, 22 LB MAX LOAD, ALUMINUM/BLACK FINISH.	@	48
TC9205	MOUNT, INDOOR, 5-INCH, 4 LB MAX LOAD, ALUMINUM FINISH.	@	20
TC9206U	MOUNT, INDOOR, UNIVERSAL WALL/CEILING GRID, 10 LB MAX LOAD, OFF-WHITE FINISH.		20
TC9207	MOUNT, INDOOR, 7-INCH, 8 LB MAX LOAD, ALUMINUM/OFF-WHITE FINISH.	@	27
TC9209MM-W	MONITOR MOUNT, WALL, FOR LTC 2009, 2012, 2910.		61
TC9209MM-W	MONITOR MOUNT, WALL, FOR LTC 2009, 2012, 2910.		61
TC9217MM-C	MONITOR MOUNT, CEILING, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		184
TC9217MM-C	MONITOR MOUNT, CEILING, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		184
TC9217MM-W	MONITOR MOUNT, WALL, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		184
TC9217MM-W	MONITOR MOUNT, WALL, FOR LTC 2017, 2810, 2813, 2914, 2915, 2917.		184
TC9218RM	PAN/TILT PARAPET MOUNT, 18-INCH ARM, 150 LB MAX LOAD.		326
TC9220EC2	EXTENSION POLE, 2 FT., FOR MONITOR CEILING MOUNTS.		27
TC9220EC2	EXTENSION POLE, 2 FT., FOR MONITOR CEILING MOUNTS.		27
TC9220EC4	EXTENSION POLE, 4 FT., FOR MONITOR CEILING MOUNTS.		48
TC9220EC4	EXTENSION POLE, 4 FT., FOR MONITOR CEILING MOUNTS.		48
TC9220MM-C	MONITOR MOUNT, CEILING, FOR LTC 2020, 2821, 2919.		190

	PRODUCT	DESCRIPTION		UNIT COST
	TC9220MM-C	MONITOR MOUNT, CEILING, FOR LTC 2020, 2821, 2919.		190
	TC9220MM-W	MONITOR MOUNT, WALL, FOR LTC 2020, 2821, 2919.		190
	TC9220MM-W	MONITOR MOUNT, WALL, FOR LTC 2020, 2821, 2919.		190
	TC9227MM-C	MONITOR MOUNT, CEILING, FOR PC0127P and 27ST220L.		197
	TC9227MM-C	MONITOR MOUNT, CEILING, FOR PC0127P and 27ST220L.		197
	TC9227MM-W	MONITOR MOUNT, WALL, FOR PC0127P and 27ST220L.		197
	TC9227MM-W	MONITOR MOUNT, WALL, FOR PC0127P and 27ST220L.		197
	TC9311PM3	POLE MOUNT ADAPTER WITH STAINLESS STEEL STRAPS.		75
	TC9311PM3T	INSTALLATION TOOL FOR TC9311PM3, LTC 9213 & LTC 9225 POLE MOUNT ADAPTERS.		218
	TC9320	LARGE DOME HOUSING, 20-INCH OUTDOOR, TINTED, FOR CAMERA/LENS UP TO 12-INCH.		462
	TC9320B115	BLOWER, FOR TC9320, 120VAC, 60Hz.	!	82
	TC9320B24	BLOWER, FOR TC9320, 24VAC, 50/60Hz.	!	82
	TC9320H115	HEATER, FOR TC9320, 120VAC, 60Hz.		68
	TC9320H24	HEATER, FOR TC9320, 24VAC, 50/60Hz.		68
	TC9320WM	WALL MOUNT, FOR TC9320 DOME HOUSING.		82
	TC9345MT7	DOME HOUSING, INDOOR , 7-INCH, TINTED, DROP CEILING MOUNT.		122
	TC9346A	HOUSING, OUTDOOR, FOR CAMERA/LENS TO 28-INCH L x 5.8-INCH H.		292
	TC9346A-1	HOUSING, OUTDOOR, FOR CAMERA/LENS TO 21.5-IN. L x 5.5-IN. H, 120VAC, 60Hz, HEATER/BLOWER.		462
	TC9346A-2	HOUSING, OUTDOOR, FOR CAMERA/LENS TO 21.5-IN. L x 5.5-IN. H, 24VAC, 50/60Hz HEATER/BLOWER.		476
	TC9376H	HOUSING, INDOOR, DROP CEILING MOUNT, 360 DEGREE ROTATION.		156
	TC96015B	28-INCH VERTICAL RACK, 19-INCH RACK WIDTH.		435
	TI57	LOW TEMPERATURE PACKAGE FOR TC9346A.		34
	UNPCH28	480 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	449
	UNPCH28E	480 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	544
	UNPCH55E	480 TVL COLOR CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	646
	UNPCS28	330 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	401
	UNPCS28E	330 TVL COLOR CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	510
	UNPCS55E	330 TVL COLOR CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	571
	UNPDN28	480/520 TVL DAY/NIGHT CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	%	632
	UNPDN28E	480/520 TVL DAY/NIGHT CAM. & 2.8-10mm LENS, IN HSG w/MT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	%	755
	UNPDN55E	480/520 TVL DAY/NIGHT CAM. & 5-50mm LENS, IN HSG w/MT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	%	843
	UNPMH28	570 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	388
	UNPMH28E	570 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	496
	UNPMH55E	570 TVL B/W CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	558
	UNPMS28	380 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT, INDOOR, 24VAC, 60Hz.	+	320
	UNPMS28E	380 TVL B/W CAM. & 2.8-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	428
	UNPMS55E	380 TVL B/W CAM. & 5-50mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	490
*	UNPXF2CH410	480 TVL COLOR CAM. & 4.5-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1013
*	UNPXF2CH75	480 TVL COLOR CAM. & 7.5-75mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1156
*	UNPXF2MH410	570 TVL B/W CAM. & 4.5-10mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	911
*	UNPXF2MH75	570 TVL B/W CAM. & 7.5-75mm LENS, IN HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	1054
*	UNPXFCH28	1/3" COLOR CAM., 480 TVL, 2.8-10mm LENS, in HOUSING, INDOOR, 24VAC, 60Hz.	+	571
*	UNPXFCH28E	1/3" COLOR CAM., 480 TVL, 2.8-10mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	700
*	UNPXFCH55E	1/3" COLOR CAM., 480 TVL, 5-50mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	748
*	UNPXFMH28	1/3" B/W CAM., 570 TVL, 2.8-10mm LENS, in HOUSING, INDOOR, 24VAC, 60Hz.	+	510
*	UNPXFMH28E	1/3" B/W CAM., 570 TVL, 2.8-10mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	639
*	UNPXFMH55E	1/3" B/W CAM., 570 TVL, 5-50mm LENS, in HOUSING w/MOUNT & SUNSHIELD, OUTDOOR, 24VAC, 60Hz.	+	687
	VC11625T	DC POWER ADAPTER, FOR COLOR OBSERVATION SYSTEMS.	_	73
	VC7B2725T	BLACK/WHITE CAMERA FOR USE WITH COLOR OBSERVATION SYSTEM, CS-MOUNT VF AI 3.5-8MM LENS.	+	286
	VC7C1305T	COLOR CAMERA w/ 3mm INTEGRATED LENS.	+	171
	VC7C2305T	COLOR CAMERA w/ 3-6mm VARIFOCAL INTEGRATED LENS.	+	233
	VC7C2755T	COLOR CAMERA W/ 5-50mm VARIFOCAL, DC-IRIS, CS-MOUNT LENS.	+	335
	VC7D1305T	COLOR MINIDOME CAMERA w/ 3mm INTEGRATED LENS.	+	171
	VC7H2725T	OUTDOOR CAMERA ASSEMBLY,INCLUDES VC7C2725T CAMERA AND VCM1353/00T HOUSING.	+	420
	VC86775T	B/W CCD CAMERA, w/ 4mm INTEGRATED LENS.	+	220
	VC86785T	B/W CCD CAMERA, w/ 8mm INTEGRATED LENS.	+	220
*	VC973650T	COVERT COLOR CAMERA IN PIR HOUSING.	+	204

	PRODUCT	DESCRIPTION		UNIT COST
*	VC973651T	COVERT COLOR CAMERA IN SMOKE.	+	204
	VCM1110/00T	DUMMY CAMERA FOR MONOCHROME OBSERVATION SYSTEMS.	+	30
	VCM1120/00T	DUMMY CAMERA FOR COLOR OBSERVATION SYSTEMS (VC7C1305T DESIGN).	+	37
	VCM1152/10T	PROTECTIVE COVER, INDOOR, FOR OBSERVATION SYSTEM CAMERAS.	+	31
	VCM1353/00T	HOUSING, OUTDOOR, FOR OBSERVATION SYSTEM CAMERAS, HEATER, POWERED BY MONITOR.	%	102
	VMD01-M60	SINGLE CHANNEL STAND ALONE MOTION DETECTOR, 60Hz.	_	578
	VMD-PS90	POWER SUPPLY FOR VMD01-M60, REQUIRED FOR EACH UNIT.	_	34
	VMD-RA00	RACK MOUNT FOR UP TO 8 VMD01-Mx0 UNITS, MOUNTING BRACKETS INCLUDED.	_	218
	VMD-RADC	DUMMY COVER FOR VMD-RA00. (SET OF 4)	_	54
	VMD-SM	SERIAL MOUSE FOR THE SET UP FOR THE VMD01-M60.	\	22
	VMD-WM	WALL MOUNT BRACKET FOR ONE VMD01-M60 UNIT.	_	24
	VP-CFGSFT	CONFIGURATION SOFTWARE FOR DOMES/CAMERAS USING BILINX INCLUDES VP-USB ADAPTOR.		340
	VP-CFGSFT	CONFIGURATION SOFTWARE FOR DOMES/CAMERAS USING BILINX INCLUDES VP-USB ADAPTOR.		340
*	VP-USB	BILINX TO USB ADAPTOR FOR USE WITH CONFIGURATION TOOL FOR DOMES/CAMERAS.		68
*	VP-USB	BILINX TO USB ADAPTOR FOR USE WITH CONFIGURATION TOOL FOR DOMES/CAMERAS.		68
	VS23605T	B&W OBSERVATION SYSTEM, 12-INCH MONITOR, 4 INPUT SWITCHER w/ ONE CAM, 120VAC, 60Hz.	+	265
	VS23645P	B&W OBSERVATION SYSTEM, 12-INCH MONITOR, 4 INPUT QUAD w/ FOUR CAMERAS, 120VAC, 60Hz.	+	775
	VS23645T	B&W OBSERVATION SYSTEM, 12-INCH MONITOR, 4 INPUT QUAD w/ ONE CAMERA, 120VAC, 60Hz.	+	442
	VS29039T	INTERFACE BOX, FOR INTERFACING AN OPTIONAL VCR OR TV RECEIVER.	+	57
	VS44605T	12-INCH MONOCHROME MONITOR FOR MONOCHROME OBSERVATION SYSTEMS.	+	139
	VS7390/11T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER w/ ONE CAMERA (VC7C1305T)& 3mm LENS, 120VAC, 60Hz.	+	490
	VS7390/21T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER w/ ONE CAMERA (VC7C2305T) & 3-6mm LENS, 120VAC, 60Hz.	+	551
	VS7390/31T	COLOR OBERSVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER W/ONE MINIDOME CAMERA& 2.8-10MM. DC IRIS,120VAC,60Hz.	+	637
	VS7390/41T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 4 INPUT SWITCHER w/ONE MINIDOME CAMERA (VC7D1305T), w/3mm LENS,120 VAC,60Hz.	+	490
	VS79015T	INTERCOM BOX FOR COLOR OBSERVATION SYSTEMS.	+	65
	VS79025T	ACTION/ALARM BOX FOR COLOR OBSERVATION SYSTEMS.	+	49
	VS79035T	INTERFACE BOX, FOR INTERFACING AN OPTIONAL VCR OR TV RECEIVER.	+	53
	VS79055T	ALARM/ACTION BOX INCLUDING PIR DETECTOR.	+	102
*	VS79155T	OUTDOOR VIDEO INTERCOM FOR COLOR OBSERVATION SYSTEMS.	+	286
	VS8394/11T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ ONE CAMERA (VC7C1305T)& 3mm LENS, 120VAC, 60Hz.	+	730
	VS8394/14T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MULTIPLEXER w/ FOUR CAMERAS(VC7C1305T)& 3mm LENS, 120VAC, 60Hz.	+	987
	VS8394/21T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ ONE CAMERA(VC7C2305T) & 3-6mm LENS, 120VAC, 60Hz.	+	792
	VS8394/31T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ ONE CAMERA (VC7C2725T)& 2.8-10mm , DC-IRIS, 120VAC, 60Hz.	+	877
*	VS8394/34T	COLOR MULTIPLEXER WITH 4 NTSC CAMERA (VC7C2725T).	+	1355
	VS8394/41T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/ONE MINIDOME CAMERA (VC7D1305T)& 3mm LENS, 120VAC, 60Hz.	+	730
	VS8394/44T	COLOR OBSERVATION SYS, 14-INCH MONITOR, 8 INPUT MUX. w/FOUR MINIDOME CAMERAS(VC7D1305T), w/3mm LENS, 120VAC, 60Hz.	+	987
*	VS8394/74D	COLOR MULITIPLEXER WITH 4 NTSC CAMERAS (VC7C1305T) AND EAZEO DVR.	!	1779
	VS8394/94T	COLOR OBSERVATION SYS, 14" MON., MUX. WITH 4 CAMERAS (VC7C1305T) and VCR (RT30A/61), 120VAC, 60Hz.	+	1367
	VS9490/90T	14-INCH COLOR ADD-ON MONITOR FOR COLOR OBSERVATION SYSTEMS.	+	367
	VSS2901/00	INTERCOM BOX FOR MONOCHROME OBSERVATION SYSTEMS.	+	37
	VSS2902/00	ALARM BOX FOR MONOCHROME OBSERVATION SYSTEMS.	~	37
	VSS2904/05	CABLE EXTENSION ADAPTER FOR MONOCHROME OBSERVATION SYSTEMS.	~	82
*	VSS2904/05	CABLE EXTENSION ADAPTER FOR MONOCHROME OBSERVATION SYSTEMS.	~	82
	VSS2905/00	ACTION BOX FOR MONOCHROME OBSERVATION SYSTEMS.	~	49
	VSS2906/00	EXTENSION CABLE, 150 FT., W/ RJ11 CONNECTORS.	!	22
	VSS2913/05	REVERSE INTERFACE BOX FOR MONOCHROME OBSERVATION SYSTEMS.	+	105
	VSS2930/00	EXTENSION CABLE, 900 FT., W/ 25 RJ11 CONNECTORS.	!	155
	VSS7911/00T	A/V CABLE	!	16
	VSS7912/00T	A/V EXTENTION CABLE 30FT.	!	24
	VSS7913/00T	VCR CABLE SET FOR B/W SYSTEM.	%	7
	WD57-1	DEFROSTER, FOR TC9346A, REQUIRES O/I-PCB, 120VAC, 60Hz.		34
	WD57-2	DEFROSTER, FOR TC9346A, REQUIRES O/I-PCB, 24VAC, 50/60Hz.		34
	WW5729-1	WINDOW WIPER FOR TC9346A, 120VAC, 60Hz, REQUIRES BLOWER.		347
	WW5729-2	WINDOW WIPER FOR TC9346A, 24VAC, 50/60Hz, REQUIRES BLOWER.		347

Alpha Numeric Index

Security Systems

Security you can rely on.

BOSCH

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
107E61	22, 34	DB16B20481	25, 35	DVAD0430	26, 36	ENVC2460C	16, 37
150S4FB	22, 34	DB16B2100R1	25, 35	DVAS0416	26, 36	ENVC2460CT	17, 37
27ST220L	22, 34	DB32B20121	25, 35	DVAS0430	26, 36	ENVC2460M	16, 37
ACCDC016M	26, 34	DB32B20301	25, 35	DVAS0816	26, 36	ENVC2460MT	17, 37
ACCDC030M	26, 34	DB32B20481	25, 35	DVAS0830	26, 36	ENVC2460P	16, 37
ACCPS	26, 34	DB32B2100R1	25, 35	DVAS1416	26, 36	ENVC2460PT	17, 37
ACCVHD06L	26, 34	DBEK021	25, 35	DVAS1430	26, 36	ENVC2460R	16, 37
ACCVHD12L	26, 34	DBEK031	25, 35	DVR16E1082	24, 36	ENVC2460RT	17, 37
ACCVHD50	26, 34	DBSE031	25, 35	DVR16E1162	24, 36	ENVC2460W	16, 37
ADM0101	30, 34	DBSR001	25, 35	DVR16E2162	24, 36	ENVC2460WT	17, 37
ADM02256	30, 34	DBUK011	25, 35	DVR16E2302	24, 36	ENVD120C	17, 37
ADM0232	30, 34	DME6PCH38	11, 35	DVR16F1082	24, 36	ENVD120CF	18, 37
ADM02MAX	30, 34	DME6PCH38W	11, 35	DVR16F1162	24, 36	ENVD120CFT	19, 37
ADM256UMAX	30, 34	DME6PCH55	11, 35	DVR16F2162	24, 36	ENVD120CT	18, 37
ADM32U256	30, 34	DME6PCH55W	11, 35	DVR16F2302	24, 36	ENVD120M	17, 37
ADM32UMAX	30, 34	DME6PCS38	11, 35	DVR1B1161	2, 36	ENVD120MF	18, 37
BK57-1	7, 34	DME6PCS38W	11, 35	DVR1C1161	24, 36	ENVD120MFT	19, 37
BK57-2	7, 34	DME6PCS55	11, 35	DVR6E1082	24, 36	ENVD120MT	18, 37
BUB-ENVPWCL	20, 34	DME6PCS55W	11, 35	DVR6E1162	24, 36	ENVD120P	17, 37
BUB-ENVPWCL-R	20, 34	DME6PMH38	11, 35	DVR6E2162	24, 36	ENVD120PF	18, 37
BUB-ENVPWTI	20, 34	DME6PMH38W	11, 35	DVR6E2302	24, 36	ENVD120PFT	19, 37
BUB-ENVPWTI-R	20, 34	DME6PMH55	11, 35	DVR6F1082	24, 36	ENVD120PT	18, 37
BUB-G3APWBRZ	20, 34	DME6PMH55W	11, 35	DVR6F1162	24, 36	ENVD120R	17, 37
BUB-G3APWCHR	20, 34	DME6PMS38	11, 35	DVR6F2162	24, 36	ENVD120RF	18, 37
BUB-G3APWCL	20, 34	DME6PMS38W	11, 35	DVR6F2302	24, 36	ENVD120RFT	19, 37
BUB-G3APWCL-R	20, 34	DME6PMS55	11, 35	DVR9E1082	24, 36	ENVD120RT	18, 37
BUB-G3APWGLD	20, 34	DME6PMS55W	11, 35	DVR9E1162	24, 36	ENVD120W	17, 37
BUB-G3APWTI	20, 34	DME6RCH38	11, 35	DVR9E2162	24, 36	ENVD120WF	18, 37
BUB-G3APWTI-R	20, 34	DME6RCH55	11, 35	DVR9E2302	24, 36	ENVD120WFT	19, 37
BUB-G3ASBRZ	19, 34	DME6RCS38	11, 35	DVR9F1082	24, 36	ENVD120WT	18, 37
BUB-G3ASCHR	19, 34	DME6RCS55	11, 35	DVR9F1162	24, 36	ENVD2460C	17, 37
BUB-G3ASCL	19, 34	DME6RMH38	11, 35	DVR9F2162	24, 36	ENVD2460CT	18, 37
BUB-G3ASCL-R	19, 34	DME6RMH55	11, 35	DVR9F2302	24, 36	ENVD2460M	17, 37
BUB-G3ASGLD	19, 34	DME6RMS38	11, 35	DVREAPO1	36	ENVD2460MT	18, 37
BUB-G3ASTI	19, 34	DME6RMS55	11, 35	DVRSEAP01	24, 36	ENVD2460P	17, 37
BUB-G3ASTI-R	19, 34	DMEBX	11, 35	DVRSEUG12	24, 36	ENVD2460PT	18, 37
BUB-G3BCL	15, 34	DMEBXR	11, 35	DVRXEDVD1	24, 36	ENVD2460R	17, 37
BUB-G3BTI	15, 34	DMEP	11, 35	ENVC120C	16, 36	ENVD2460RT	18, 37
CAM940	3, 34	DMEPW	11, 35	ENVC120CF	17, 36	ENVD2460W	17, 37
CAM940C	3, 34	DMER	11, 35	ENVC120CFT	17, 36	ENVD2460WT	18, 37
DB04A10121	25, 34	DR08112	24, 35	ENVC120CT	17, 36	ENVM120C	16, 37
DB04A1012D1	25, 34	DR08112A	24, 35	ENVC120M	16, 36	ENVM120CF	16, 37
DB04A1012DL1	25, 34	DR08125	24, 35	ENVC120MF	17, 36	ENVM120M	16, 37
DB04A1025D1	25, 34	DR08125A	24, 35	ENVC120MFT	17, 36	ENVM120MF	16, 37
DB04A10301	25, 34	DR08150	24, 35	ENVC120MT	17, 36	ENVM120P	16, 37
DB08B10121	25, 34	DR08150A	24, 35	ENVC120P	16, 36	ENVM120PF	16, 37
DB08B1012D1	25, 34	DR21611T	24, 35	ENVC120PF	17, 36	ENVM120R	16, 37
DB08B1025D1	25, 34	DR216125	24, 35	ENVC120PFT	17, 36	ENVM120RF	16, 37
DB08B10301	25, 34	DR216150	24, 35	ENVC120PT	17, 36	ENVM120W	16, 37
DB08B10481	25, 34	DR216175	24, 35	ENVC120R	16, 36	ENVM120WF	16, 37
DB16B10121	25, 34	DR21621T	25, 35	ENVC120RF	17, 36	ENVM2460C	16, 37
DB16B1025D1	25, 34	DR216225	25, 35	ENVC120RFT	17, 36	ENVM2460M	16, 37
DB16B10301	25, 34	DR216250	25, 35	ENVC120RT	17, 36	ENVM2460P	16, 37
DB16B10481	25, 34	DR216275	25, 35	ENVC120W	16, 36	ENVM2460R	16, 37
DB16B1100R1	25, 34	DVAD0216	26, 35	ENVC120WF	17, 36	ENVM2460W	16, 37
DB16B20121	25, 34	DVAD0230	26, 36	ENVC120WFT	17, 37	ENV-PA0	20, 38
DB16B20301	25, 35	DVAD0416	26, 36	ENVC120WT	17, 37	ENV-PA1	20, 38

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
ENV-PA1F	20, 38	G3ACS6TT	15, 39	LTC 0335-28	3, 40	LTC 1323/20	10, 41
ENV-PA1F-SP	20, 38	G3ADPW6CP	16, 39	LTC 0335-28W	3, 40	LTC 1340/00	10, 41
ENV-PA1FT	21, 38	G3ADPW6CPT	16, 39	LTC 0355/20	3, 40	LTC 1343/00	10, 41
ENV-PA1-SP	20, 38	G3ADPW6CW	16, 39	LTC 0355/60	3, 40	LTC 1345/00	41
ENV-PA1T	21, 38	G3ADPW6CWT	16, 39	LTC 0355-28	3, 40	LTC 1347/00	10, 41
ENV-PA-BOX	20, 38	G3ADPW6TP	16, 39	LTC 0355-28W	3, 40	LTC 1361/20	10, 41
ENV-PA-EX	20, 38	G3ADPW6TPT	16, 39	LTC 0356/20	3, 40	LTC 1411/20	10, 41
ENV-PSU0T	21, 38	G3ADPW6TW	16, 39	LTC 0385/20	3, 40	LTC 1412/20	10, 41
ENV-PSU1	20, 38	G3ADPW6TWT	16, 39	LTC 0385/60	3, 40	LTC 1413/20	10, 41
ENV-PSU1F	20, 38	G3ADS6C	15, 39	LTC 0435/20	3, 40	LTC 1421/20	10, 41
ENV-PSU1F-SP	20, 38	G3ADS6CT	15, 39	LTC 0435/60	3, 40	LTC 1422/20	10, 41
ENV-PSU1FT	21, 38	G3ADS6T	15, 39	LTC 0435-28	3, 40	LTC 1423/20	10, 41
ENV-PSU1-SP	20, 38	G3ADS6TT	15, 39	LTC 0435-28W	3, 40	LTC 1461/20	10, 41
ENV-PSU1T	21, 38	G3AMPW6CP	15, 39	LTC 0455/20	3, 40	LTC 1463/20	10, 41
ENVT120C	17, 38	G3AMPW6CW	15, 39	LTC 0455/60	3, 40	LTC 1464/20	10, 41
ENVT120CF	18, 38	G3AMPW6TP	15, 39	LTC 0455-28	3, 40	LTC 2009/61	22, 41
ENVT120CFT	19, 38	G3AMPW6TW	15, 39	LTC 0455-28W	3, 40	LTC 2012/61	22, 41
ENVT120CT	18, 38	G3AMS6C	15, 39	LTC 0485/20	3, 40	LTC 2017/60	22, 41
ENVT120M	17, 38	G3AMS6T	15, 39	LTC 0485/60	3, 40	LTC 2020/90	22, 41
ENVT120MF	18, 38	G3A-PSU1-16	20, 39	LTC 0495/20	3, 40	LTC 2210/60	32, 41
ENVT120MFT	19, 38	G3A-PSU1-4	20, 39	LTC 0495/60	3, 40	LTC 2211/60	32, 41
ENVT120MT	18, 38	G3A-PSU1-8	20, 39	LTC 0510/20	3, 40	LTC 2212/60	32, 41
ENVT120P	17, 38	G3ATPW6CP	16, 39	LTC 0510/60	3, 40	LTC 2372/60	27, 41
ENVT120PF	18, 38	G3ATPW6CPT	16, 39	LTC 0610/20	3, 40	LTC 2375/60	27, 41
ENVT120PFT	19, 38	G3ATPW6CW	16, 39	LTC 0610/60	3, 40	LTC 2376/60	27, 41
ENVT120PT	18, 38	G3ATPW6CWT	16, 39	LTC 0620/20	3, 40	LTC 2377/60	27, 41
ENVT120R	17, 38	G3ATPW6TP	16, 39	LTC 0620/60	3, 40	LTC 2601/00	28, 41
ENVT120RF	18, 38	G3ATPW6TPT	16, 39	LTC 0725/25C	20, 40	LTC 2604/60	28, 41
ENVT120RFT	19, 38	G3ATPW6TW	16, 39	LTC 0725/27C	20, 40	LTC 2605/91	28, 41
ENVT120RT	18, 38	G3ATPW6TWT	16, 39	LTC 0728/25C	20, 40	LTC 2609/00	28, 41
ENVT120W	17, 38	G3A-TRKR	21, 39	LTC 0728/26C	20, 40	LTC 2610/00	28, 41
ENVT120WF	18, 38	G3ATS6C	15, 39	LTC 0729/25C	19, 40	LTC 2622/90	28, 41
ENVT120WFT	19, 38	G3ATS6CT	15, 39	LTC 0825/25C	20, 40	LTC 2632/90	27, 41
ENVT120WT	18, 38	G3ATS6T	15, 39	LTC 0825/27C	20, 40	LTC 2642/90	27, 41
ENVT2460C	17, 38	G3ATS6TT	15, 39	LTC 0828/25C	20, 40	LTC 2650/00	28, 41
ENVT2460CT	18, 38	G3B61C	15, 39	LTC 0828/26C	20, 40	LTC 2652/90	27, 41
ENVT2460M	17, 38	G3B-DUMMY	15, 39	LTC 0829/25C	19, 40	LTC 2662/90	27, 41
ENVT2460MT	18, 38	G3BPC60P	15, 39	LTC 0925/25C	20, 40	LTC 2672/90	28, 41
ENVT2460P	17, 38	G3BPC60W	15, 39	LTC 0925/27C	20, 40	LTC 2682/90	28, 41
ENVT2460PT	18, 38	G3BPW	15, 39	LTC 0928/25C	20, 40	LTC 2810/90	22, 41
ENVT2460R	17, 38	G3BPW60P	15, 39	LTC 0928/26C	20, 40	LTC 2813/90	22, 41
ENVT2460RT	18, 38	G3BPW60W	15, 39	LTC 0929/25C	19, 40	LTC 2814/90	22, 41
ENVT2460W	17, 38	G3BS	15, 39	LTC 0935/25C	20, 40	LTC 2821/91	22, 41
ENVT2460WT	18, 38	G3BS60	15, 39	LTC 0935/27C	20, 40	LTC 2910/90	22, 41
FM1	7, 38	HK57-1	7, 39	LTC 0938/25C	20, 40	LTC 2915/91	22, 41
FM2	7, 38	HK57-2	7, 39	LTC 0938/26C	20, 40	LTC 2917/91	22, 41
G3ACPW6CP	15, 38	HSG9483/00	5, 39	LTC 0939/25C	19, 40	LTC 2919/90	22, 41
G3ACPW6CPT	15, 38	HSG9483/20	6, 39	LTC 1261/21DN	10, 40	LTC 3043/40	4, 41
G3ACPW6CW	15, 38	HSG9483/21	6, 39	LTC 1261/21F	10, 40	LTC 3053/40	4, 41
G3ACPW6CWT	15, 39	HSG9483/61	6, 40	LTC 1261/21N	10, 41	LTC 3123/40	4, 42
G3ACPW6TP	15, 39	KBD-DIGITAL	28, 40	LTC 1271/20C	10, 41	LTC 3133/40	4, 42
G3ACPW6TPT	15, 39	KBD-RACK	28, 30, 33, 40	LTC 1271/20CS	10, 41	LTC 3214/20	4, 42
G3ACPW6TW	15, 39	KBD-SFTCFG	28, 30, 40	LTC 1311/20	10, 41	LTC 3234/20	4, 42
G3ACPW6TWT	15, 39	KBD-UNIVERSAL	30, 40	LTC 1312/20	10, 41	LTC 3244/20	4, 42
G3ACS6C	15, 39	LDH 6372/00	8, 40	LTC 1313/20	10, 41	LTC 3261/30	4, 42
G3ACS6CT	15, 39	LTC 0335/20	3, 40	LTC 1321/20	10, 41	LTC 3264/30	4, 42
G3ACS6T	15, 39	LTC 0335/60	3, 40	LTC 1322/20	10, 41	LTC 3271/40	4, 42

ALPHA NUMERIC INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
LTC 3274/41	4, 42	LTC 5141/60	27, 43	LTC 8713/60	31, 44	LTC 9230/00	8, 20, 45
LTC 3283/20	4, 42	LTC 5231/60	32, 43	LTC 8714/60	31, 44	LTC 9230/01	8, 20, 45
LTC 3283/40	4, 42	LTC 5234/60	32, 43	LTC 8715/60	31, 44	LTC 9230/60	20, 45
LTC 3283/50	4, 42	LTC 5404/60	9, 43	LTC 8768/00	30, 44	LTC 9303/00	5, 45
LTC 3293/20	4, 42	LTC 5408/60	9, 43	LTC 8770/60	31, 44	LTC 9303/01	5, 45
LTC 3293/30	4, 42	LTC 5414/60	9, 43	LTC 8780/60	31, 44	LTC 9305/00	5, 45
LTC 3293/40	4, 42	LTC 5416/60	9, 43	LTC 8781/60	31, 44	LTC 9305/01	5, 45
LTC 3293/50	4, 42	LTC 5418/60	9, 43	LTC 8785/60	31, 44	LTC 9312/00	5, 45
LTC 3314/21	4, 42	LTC 7490/00	7, 19, 43	LTC 8786/60	31, 44	LTC 9313/00	5, 45
LTC 3334/21	4, 42	LTC 7490/20C	19, 43	LTC 8801/60	29, 44	LTC 9316/00P	7, 45
LTC 3344/21	4, 42	LTC 7935/60-06	14, 43	LTC 8802/60	29, 44	LTC 9330/00QD	5, 45
LTC 3361/32	4, 42	LTC 7935/60-12	14, 43	LTC 8805/60	31, 44	LTC 9331/00HD	5, 45
LTC 3361/40	4, 42	LTC 7935/60-59	14, 43	LTC 8807/00	30, 44	LTC 9348/00	5, 45
LTC 3361/50	4, 42	LTC 7945/60-06	14, 43	LTC 8808/00	30, 44	LTC 9349/01	5, 45
LTC 3361/60	4, 42	LTC 7945/60-12	14, 43	LTC 8809/00	30, 44	LTC 9349/20CH-38	12, 45
LTC 3364/21	4, 42	LTC 7945/60-59	14, 43	LTC 8809/01	30, 44	LTC 9349/20CH-55	12, 45
LTC 3364/31	4, 42	LTC 7950/60-06	14, 43	LTC 8809/02	30, 44	LTC 9349/20CS-38	12, 45
LTC 3364/40	4, 42	LTC 7950/60-10XP	14, 43	LTC 8810/00	31, 44	LTC 9349/20CS-55	12, 45
LTC 3364/50	4, 42	LTC 7950/60-12	14, 43	LTC 8816/00	31, 44	LTC 9349/20MH-38	12, 45
LTC 3364/60	4, 42	LTC 7950/60-15XPM	14, 43	LTC 8821/00	29, 44	LTC 9349/20MH-55	12, 45
LTC 3371/20	4, 42	LTC 7950/60-20XPM	14, 43	LTC 8834/00	29, 44	LTC 9349/20MS-38	12, 45
LTC 3371/50	4, 42	LTC 7960/60-06	14, 43	LTC 8850/00	30, 44	LTC 9349/20MS-55	12, 45
LTC 3374/20	4, 42	LTC 7960/60-10XP	14, 43	LTC 8851/00	30, 44	LTC 9349MK	12, 45
LTC 3374/50	4, 42	LTC 7960/60-12	14, 43	LTC 8852/00	30, 44	LTC 9365/00	5, 45
LTC 3384/21	4, 42	LTC 7960/60-15XPM	14, 43	LTC 9009/00	22, 33, 44	LTC 9369/00	5, 45
LTC 3664/40	4, 42	LTC 7960/60-20XPM	14, 43	LTC 9009/01	22, 33, 44	LTC 9370/00	5, 45
LTC 4600/00	32, 42	LTC 8016/90	31, 43	LTC 9012/00	22, 33, 44	LTC 9380/01	7, 45
LTC 4628/00	32, 42	LTC 8059/00	30, 43	LTC 9017/00	22, 33, 44	LTC 9380/02	7, 45
LTC 4628/60	32, 42	LTC 8100/60	28, 43	LTC 9022/60	26, 44	LTC 9384/00	7, 45
LTC 4629/00	32, 42	LTC 8200/60	28, 43	LTC 9023/60	26, 44	LTC 9384/20	6, 45
LTC 4629/60	32, 42	LTC 8300/60	28, 43	LTC 9061/00	26, 33, 44	LTC 9384/20NT	6, 45
LTC 4630/00	32, 42	LTC 8501/60	29, 43	LTC 9069/00	5, 44	LTC 9384/60	6, 45
LTC 4630/60	32, 42	LTC 8505/60	31, 43	LTC 9070/00	5, 44	LTC 9385/00	7, 45
LTC 4631/00	32, 42	LTC 8506/00	30, 43	LTC 9080/00	7, 44	LTC 9385/20	6, 45
LTC 4631/60	32, 42	LTC 8511/00	31, 43	LTC 9083/01S	7, 44	LTC 9385/60	6, 45
LTC 4637/60	32, 42	LTC 8521/00	29, 43	LTC 9088/01	7, 44	LTC 9405/01	5, 45
LTC 4641/60	32, 42	LTC 8532/00	29, 43	LTC 9101/00	27, 32, 33, 44	LTC 9405/05	5, 45
LTC 4642/00	32, 42	LTC 8540/00	30, 43	LTC 9110/00	22, 33, 44	LTC 9412/00	5, 45
LTC 4642/60	32, 42	LTC 8555/00	30, 43	LTC 9113/00	22, 33, 44	LTC 9418/20	9, 45
LTC 4651/00	32, 42	LTC 8555/02	30, 43	LTC 9114/00	22, 33, 44	LTC 9418/60	9, 45
LTC 4651/60	32, 42	LTC 8557/60	28, 30, 43	LTC 9117/00	22, 33, 44	LTC 9420/20	9, 45
LTC 4671/00	32, 42	LTC 8558/00	28, 30, 43	LTC 9119/00	22, 33, 44	LTC 9420/21	9, 45
LTC 4671/60	32, 42	LTC 8560/60	30, 43	LTC 9210/00	8, 44	LTC 9420/60	9, 45
LTC 4681/00	32, 42	LTC 8561/60	30, 43	LTC 9212/00	8, 44	LTC 9420/61	9, 45
LTC 4681/60	32, 42	LTC 8562/60	30, 43	LTC 9213/00	8, 44	LTC 9440/20	9, 45
LTC 4682/00	32, 42	LTC 8563/20	30, 43	LTC 9214/00	8, 44	LTC 9440/21	9, 45
LTC 4682/60	32, 42	LTC 8564/20	30, 43	LTC 9215/00	8, 44	LTC 9440/60	9, 45
LTC 4744/00	32, 42	LTC 8566/60	30, 43	LTC 9215/00S	8, 44	LTC 9440/61	9, 45
LTC 4744/60	32, 42	LTC 8568/00	30, 43	LTC 9216/00	8, 44	LTC 9441/20	9, 45
LTC 4745/00	32, 43	LTC 8569/60	31, 44	LTC 9219/01	8, 45	LTC 9441/21	9, 46
LTC 4745/60	32, 43	LTC 8570/60	31, 44	LTC 9222/00	8, 45	LTC 9449/20CH-38P	12, 46
LTC 5104/60	27, 43	LTC 8571/60	31, 44	LTC 9223/00	8, 45	LTC 9449/20CH-	12, 46
LTC 5108/60	27, 43	LTC 8572/60	31, 44	LTC 9224/00	8, 45	LTC 9449/20CH-55P	12, 46
LTC 5121/60	27, 43	LTC 8601/60	29, 44	LTC 9225/00	8, 45	LTC 9449/20CH-	12, 46
LTC 5133/60	27, 43	LTC 8610/00	31, 44	LTC 9226/00	8, 45	LTC 9449/20CS-38P	12, 46
LTC 5134/60	27, 43	LTC 8621/00	29, 44	LTC 9227/00	8, 45	LTC 9449/20CS-38W	12, 46
LTC 5136/61	27, 43	LTC 8712/60	31, 44	LTC 9228/00	8, 45	LTC 9449/20CS-55P	12, 46

ALPHA NUMERIC INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
LTC 9449/20CS-55W	12, 46	O/I-OUTLET	7, 47	TC210AMK	22, 33, 48	UNPXFCH28	13, 49
LTC 9449/20MH-38P	12, 46	O/I-PCB	7, 47	TC24PS	9, 48	UNPXFCH28E	13, 49
LTC 9449/20MH-	12, 46	PK8100-5	28, 47	TC8235GIT	33, 48	UNPXFCH55E	13, 49
LTC 9449/20MH-55P	12, 46	PK8200-5	28, 47	TC85140	33, 48	UNPXFMH28	13, 49
LTC 9449/20MH-	12, 46	PK8300-5	28, 47	TC85141	33, 48	UNPXFMH28E	13, 49
LTC 9449/20MS-38P	12, 46	PRSC1	19, 47	TC85142	33, 48	UNPXFMH55E	13, 49
LTC 9449/20MS-	12, 46	PRSC1F	19, 47	TC9200	8, 48	VC11625T	2, 49
LTC 9449/20MS-55P	12, 46	PRSC6	19, 47	TC9201	8, 48	VC7B2725T	1, 49
LTC 9449/20MS-	12, 46	PRS-CORNER	19, 47	TC9202	8, 48	VC7C1305T	1, 49
LTC 9450/20CH-38P	12, 46	PRSD1	19, 47	TC9203	8, 48	VC7C2305T	1, 49
LTC 9450/20CH-	12, 46	PRSD1F	19, 47	TC9205	8, 48	VC7C2755T	1, 49
LTC 9450/20CH-55P	12, 46	PRSD6	19, 47	TC9206U	8, 48	VC7D1305T	1, 49
LTC 9450/20CH-	12, 46	PRS-HOUSING	19, 47	TC9207	8, 48	VC7H2725T	1, 49
LTC 9450/20CS-38P	12, 46	PRSM1	19, 47	TC9209MM-W	8, 22, 48	VC86775T	1, 49
LTC 9450/20CS-38W	12, 46	PRSM1F	19, 47	TC9217MM-C	8, 22, 48	VC86785T	1, 49
LTC 9450/20CS-55P	12, 46	PRSM6	19, 47	TC9217MM-W	8, 22, 48	VC9714/00T	49
LTC 9450/20CS-55W	12, 46	PRS-MAST	19, 47	TC9218RM	8, 48	VC973650T	1, 49
LTC 9450/20MH-38P	12, 46	PRST1	19, 47	TC9220EC2	8, 22, 48	VC973651T	1, 49
LTC 9450/20MH-	12, 46	PRST1F	19, 47	TC9220EC4	8, 22, 48	VCM1110/00T	1, 49
LTC 9450/20MH-55P	12, 46	PRST6	19, 47	TC9220MM-C	8, 22, 48	VCM1120/00T	2, 49
LTC 9450/20MH-	12, 46	PRS-WALL	19, 47	TC9220MM-W	8, 22, 48	VCM1152/10T	2, 49
LTC 9450/20MS-38P	12, 46	PV-13C-C	22, 47	TC9227MM-C	8, 22, 48	VCM1353/00T	2, 49
LTC 9450/20MS-	12, 46	PV-13C-W	22, 47	TC9227MM-W	8, 22, 48	VMD01-M60	32, 49
LTC 9450/20MS-55P	12, 46	PV-20C-C	22, 47	TC9311PM3	7, 48	VMD-PS90	32, 49
LTC 9450/20MS-	12, 46	PV-20C-W	22, 47	TC9311PM3T	7, 48	VMD-RA00	32, 49
LTC 9480/00	5, 46	PV-27C-C	22, 47	TC9320	6, 48	VMD-RADC	32, 49
LTC 9480/20	6, 46	PV-27C-W	22, 47	TC9320B115	7, 48	VMD-SM	32, 49
LTC 9488/00	5, 46	RC283511/01	2, 47	TC9320B24	7, 48	VMD-WM	32, 49
LTC 9488/20	6, 46	RT2440SL	9, 47	TC9320H115	7, 48	VP-CFGSFT	3, 21, 49
LTC 9488/21	6, 46	RT30A/61	2, 26, 47	TC9320H24	7, 48	VP-USB	3, 21, 49
LTC 9488/60	6, 46	RT960A/61	2, 26, 47	TC9320WM	7, 48	VS23605T	1, 49
LTC 9488/61	6, 46	RTD12/3RT	9, 10, 47	TC9345MT7	5, 48	VS23645P	1, 49
LTC 9540/00	20, 46	S1361	2, 47	TC9346A	6, 48	VS23645T	1, 49
LTC 9541/01	20, 46	S1363	2, 47	TC9346A-1	6, 48	VS29039T	1, 49
LTC 9542/01	20, 46	S1365	32, 47	TC9346A-2	6, 48	VS44605T	1, 49
LTC 9543/00	20, 46	S1374	5, 47	TC9376H	5, 48	VS7390/11T	1, 49
LTC 9543/60	20, 46	S1377	5, 47	TC96015B	33, 48	VS7390/21T	1, 49
MCB4	7, 46	S1378	5, 47	TI57	7, 48	VS7390/31T	1, 49
MM3000	8, 22, 46	S1381	5, 47	UNPCH28	13, 48	VS7390/41T	1, 49
MON151PS	22, 46	S1383	28, 47	UNPCH28E	13, 48	VS79015T	2, 49
MON151RK	22, 33, 46	S1385	28, 47	UNPCH55E	13, 48	VS79025T	2, 49
MON152CL	22, 46	S1386	27, 28, 47	UNPCS28	13, 48	VS79035T	2, 49
MON171CL	22, 46	S1394	5, 47	UNPCS28E	13, 48	VS79055T	2, 49
MON171RK	22, 33, 46	S1460	10, 47	UNPCS55E	13, 48	VS79155T	2, 49
MTDMEW	11, 46	S9500PC	32, 47	UNPDN28	13, 48	VS8394/11T	1, 49
NETCAM-2	23, 46	SFT-INTSRV	30, 47	UNPDN28E	13, 48	VS8394/14T	1, 49
NETDVR-ND	23, 46	SS5729	7, 47	UNPDN55E	13, 48	VS8394/21T	1, 50
NETDVR-SP	23, 46	TC120PS	9, 47	UNPMH28	13, 48	VS8394/31T	1, 50
NETMAN	23, 46	TC1323	9, 48	UNPMH28E	13, 49	VS8394/34T	1, 50
NETSVR-1	23, 47	TC1334	9, 48	UNPMH55E	13, 49	VS8394/41T	1, 50
NETSVR-6	23, 47	TC1350	26, 48	UNPMS28	13, 49	VS8394/44T	1, 50
NV-1662R	31, 47	TC1355	26, 48	UNPMS28E	13, 49	VS8394/74D	1, 50
NV-213A	31, 47	TC1381	26, 48	UNPMS55E	13, 49	VS8394/94T	1, 50
NV-213A-M	31, 47	TC1382	9, 48	UNPXF2CH410	13, 49	VS9490/90T	1, 50
NV-652R	31, 47	TC1385	26, 48	UNPXF2CH75	13, 49	VSS2901/00	1, 50
NV-653T	31, 47	TC2073	5, 48	UNPXF2MH410	13, 49	VSS2902/00	1, 50
NV-862R	31, 47	TC2075HL	5, 48	UNPXF2MH75	13, 49	VSS2904/05	1, 50

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
VSS2905/00	1, 50						
VSS2906/00	2, 50						
VSS2913/05	1, 50						
VSS2930/00	2, 50						
VSS7911/00T	2, 50						
VSS7912/00T	2, 50						
VSS7913/00T	1, 50						
WD57-1	7, 50						
WD57-2	7, 50						
WW5729-1	7, 50						
WW5729-2	7, 50						

General Notes (Warranty)

Prices are in USA dollars, FOB shipping point. All prices are subject to change without notice.

Minimum Order: The minimum order for all products is $250.00 in billing value per order.

Warranty Period: Bosch Security Systems products are backed by one of the most comprehensive warranties in the industry. Bosch warrants that its products, from the time of shipment by Bosch, conform with Bosch Security Systems published specifications and are free from defects in material and workmanship for the following period:

Three year warranty on all standard products,

with the following exceptions:

Monitor CRTs, NetCam hard Drives, TC model Pan/Tilts, and Video Cassette Recorder (VCR) Heads are warranted for one year.

Software License Warranty: Software is provided "as is" without warranty, except that the diskette or other media on which the Software is furnished has 90 day warranty to be free from defects in materials sand workmanship under normal use. Please refer to Software License Agreement accompanying product for additional terms and conditions covering use of Software.

Additional provisions governing warranty are located in section 5 of Bosch Security Systems' Terms and Conditions of Sale.

TERMS AND CONDITIONS OF SALE

Any sale by Bosch Security Systems, Inc. ("Bosch") of Product (the "Product") indicated on the reverse side hereof or attachment is expressly made conditional on the assent of the customer (hereinafter "Buyer") to these Terms and Conditions of Sale. The Buyer's acceptance of delivery of any part of Products/services sold shall constitute such assent and a waiver of all terms and conditions in its purchase order or similar document which are different from or additional to those set forth herein. Bosch's failure to object to provisions contained in any communication from Buyer shall not be deemed a waiver of the Terms. Bosch must agree to any changes in the Terms in a writing signed by an officer.

1. **PRICES AND TERMS OF PAYMENT**

1.1 Unless otherwise specified by Bosch in writing, prices shall be those set forth in the applicable Price Schedule and terms of payment as specified by Bosch. Bosch reserves the right to change or withdraw prices for the Products or services it offers for sale without prior notice. Partial shipments or performance made within this period will not obligate Bosch to make further shipments or performance at these prices after the expiration of the 30-day period.

1.2 Prices are in United States dollars payable to the remit to address specified on the invoice, unless otherwise specified by Bosch.

1.3 Unless otherwise specified by Bosch in writing, all taxes and other charges imposed by federal, state, local, or foreign governments on the manufacture, sale, shipment, import, export, or use of the Products or services shall be added to the price and billed to and paid by Buyer. Buyer shall defend, indemnify, and hold harmless Bosch from and against all liabilities for such taxes or charges and attorneys' fees or costs incurred by Bosch in connection therewith.

2. **ACCEPTANCE, MINIMUM ORDER RELEASE** - Any quotation or proposal is subject to change or cancellation by Bosch at any time without notice, and, in any event, expires 30 days from its date, unless otherwise indicated therein or extended in writing by Bosch. Bosch's quotation or proposal does not constitute an offer by Bosch, and any order or orders placed thereon are not binding on Bosch until Bosch's acceptance in writing has been sent to Buyer. The banking, negotiation, endorsement, or other use of Buyer's down payment, if any, shall not constitute acceptance by Bosch.

3. **DELIVERY** - Bosch shall have the right to make deliveries or perform services in installments. Partial shipments or performance will be billed as made, and payments therefor are subject to the terms of payment referenced herein. All delivery indications or completion dates are estimated and are dependent in part upon prompt receipt of all necessary information to service an order. Bosch reserves the right to allocate, in its sole discretion, inventories, production, and services when such allocation becomes necessary. In no event will Bosch be liable for any premium transportation, reprocurement, or other costs or losses incurred by Buyer as a result of Bosch's failure to deliver products in accordance with indicated delivery/performance schedules. Delivery shall be Ex Works (defined in INCOTERMS 2000) Bosch's plant. Title to goods and risk of loss pass to Buyer upon delivery of Product to the carrier. No loss shall relieve Buyer of its obligations. In the event Bosch pays transportation and insurance beyond the point of shipment to the destination specified by Buyer, all such costs will be billed as a separate item on the invoice. All shipments normally will be made via the most economical method and routing consistent with service requirements as selected by Bosch.

4. **PATENTS AND PATENT WARRANTY**

'Proprietary Rights" mean all our worldwide patent rights, patent applications, rights to apply for patents, copyrights, copyright registrations, trade secrets, service marks, trademarks, service mark and trademark registrations, related goodwill and confidential and proprietary information. Buyer has no Proprietary Rights in the goods or any other materials received from Bosch.

4.1 Bosch has the right to defend, or at its option to settle, any third party claim, suit or proceeding brought against Buyer alleging an infringement of a U.S. patent by a Bosch Product sold to Buyer. Bosch shall pay, subject to the limitations hereinafter set forth, any final judgment entered against Buyer on such issue in any suit or proceeding defended by Bosch. The foregoing obligations are subject to Buyer's prompt, written notification of any such claim, suit, or proceeding, and its provision of full information and assistance to settle and/or to defend any such claim, suit or proceeding. If the Product, or any part thereof, becomes, or in the opinion of Bosch may become, the subject of any claim, suit, or proceeding for infringement of, or in the event of an adjudication that such Product or part infringes, any U.S. patent, Bosch may, at its option and its expense: (1) procure for Buyer the right to use, lease, or sell, as appropriate, such Product or part, or (2) replace such Product or part, or (3) modify such Product or part, or (4) remove such Product or part and refund the aggregate payments and transportation costs paid therefor by Buyer less a reasonable sum for use, damage, and obsolescence. Bosch shall have no liability for, and Buyer shall indemnify, defend and hold harmless Bosch to the extent of, any infringement arising from the following: (i) the combination of such Product or part with any other Product or part whether or not furnished to Buyer by Bosch, or (ii) the modification of such Product or part, at the request of Buyer, whether or not such modification was made by Bosch, or the compliance by Bosch with any Buyer designs, specifications, or instructions or (iii) the use of such Product or part in practicing any process, or (iv) the furnishing to Buyer of any information, data, service, or application assistance. Bosch shall not be liable for any costs or expense incurred without Bosch's written authorization and in no event shall Bosch's total liability to Buyer under, or as a result of compliance with, the provisions of this paragraph exceed the aggregate sum paid to Bosch by Buyer for the allegedly infringing Product or part, exclusive of any refund under option (4) above. The foregoing states the entire warranty by Bosch, and the exclusive remedy of Buyer, with respect to any alleged patent infringement by such Product or part. In the event that Buyer is an authorized distributor of Bosch, and as a condition of sale, such warranty, subject to the terms and conditions hereof, shall be extended to the direct purchasers from such distributor of the Products covered hereby.

4.2 No sale or lease hereunder shall convey any license by implication, estoppel, or otherwise, under any proprietary or patent rights of Bosch, to practice any process with such Product or part, or for the combination of such Product or part with any other Product or part. Bosch's sale of goods does not carry with it any license to use such goods in combination with other goods not purchased from Bosch or our licensees if the combination is the subject of any intellectual property not owned or controlled by Bosch.

4.3 Neither Buyer, any representative of Buyer's, nor any other person shall have the right to examine or audit Bosch's costs, books or records of any kind or on any matter, or be entitled to, or have control over, any engineering or production prints, drawings or technical data which we, in our sole discretion, may consider in whole or in part proprietary to ourselves. Any drawings and other information delivered to Buyer or Buyer's representative shall be used solely for purposes of inspection, installation or maintenance. The information shall not be used or disclosed by Buyer or Buyer's representative for any other purpose whatsoever.

4.4 All software purchased by Buyer is in accordance with the terms and conditions of Bosch's Software License Agreement.

5. **OTHER WARRANTIES, LIMITATION OF LIABILITY**

5.1 Bosch warrants that its products, at the time of shipment by Bosch, are free from defect in material or workmanship under normal use and service for the respective warranty periods specified in the applicable Price Schedule or as otherwise published.

5.2 To assure conformance with operating limitations, Buyer should refer to the applicable data sheet.

5.3 The warranty is void (i) if the Product is not operated in conformance with installation, environmental, mechanical or electrical requirements, or within thermal stress limits, or (ii) to the extent that any malfunction is the result of misuse, abuse, vandalism, neglect, improper installation or application, alteration, accident, or negligence in use, storage, transportation, or handling, or if the original identification markings on the Product have been removed, defaced or altered, lightning, electricity, water, fire, environmental or other hazard, or act of God, or other impact outside of normal operating guidelines.

5.4 The foregoing warranty is subject to Buyer's (i) promptly written claim and (ii) timely provision to Bosch of an opportunity to inspect and test the Product claimed to be defective. Such inspection may be on Buyer's premises and/or Bosch may request the return of the Product at Buyer's expense. However, Bosch shall not be responsible for packing, inspection, or labor costs in connection with the return of Product. No Product shall be accepted for warranty service that is not accompanied by a Return Authorization issued by Bosch.

5.5 The liability of Bosch hereunder or otherwise is solely and exclusively limited to replacement (new or refurbished Product), repair, or credit of the amortized purchase price, as Bosch may elect, for any Product which is returned by Buyer during the applicable warranty period, or services for which timely notice of defect has been given by Buyer, and which are found by Bosch to be subject to adjustment under this warranty.

5.6 Bosch's warranty shall not be enlarged, diminished, or affected by, and no obligation or liability shall arise or grow out of Bosch's rendering of technical advice, facilities, or services in connection with Buyer's order or the products furnished hereunder.

5.7 BOSCH MAKES NO OTHER OR FURTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR WARRANTY OF MERCHANTABILITY.

5.8 IN NO EVENT SHALL BOSCH BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, LOSS OF ANTICIPATED PROFIT, OR OTHER ECONOMIC LOSS OR FOR ANY DAMAGES ARISING IN TORT WHETHER BY REASON OF STRICT LIABILITY, NEGLIGENCE, OR OTHERWISE REGARDLES OF WHETHER IT HAS BEEN APPRISED OF THE POSSIBILITY OF SUCH.

5.9 Bosch does not represent or warrant that goods/services (i) may not be compromised or circumvented, (ii) will operate as designed, (iii) will prevent or reduce personal injury, property damage or economic loss, or (iv) will provide adequate warning or notice as designed or may be intended by Buyer or any end user.

6. **INSPECTION OF PRODUCTS** - Products shall be inspected by Buyer upon delivery and services, upon performance. Notice of rejection or claim for shortages, damaged Product, or other nonconformity must be submitted by Buyer to Bosch in writing within 90 days of shipment or performance and must specify the particular respects in which the delivery, Products, or services, as applicable, are nonconforming. Buyer shall have no right to exercise any remedial rights until notice of nonconformity has been given to Bosch and Bosch afforded a reasonable opportunity to cure such nonconformity, if appropriate.

7. **RETURNS, EXHCHANGES AND REPAIRS** – Any requests for the return of Products because of "ordered in error" or "cancellation" (after shipment has been made), must be made within 30 days of shipment, or Product is otherwise deemed accepted. If approval is given by Bosch to return Product, a restocking charge may be deducted from the amount of credit issued by Bosch. All returns must be unused, in original factory condition, packaged in original factory packaging and returned to Bosch, freight prepaid by Buyer. ALL RETURNS MUST BE ACCOMPANIED BY A RETURN AUTHORIZATION NUMBER ISSUED BY BOSCH OR WILL BE RETURNED TO BUYER. Exchanges and repairs – contact your Bosch representative/facility for instructions for exchanges, and in-warranty/out-of-warranty repairs.

8. **CANCELLATION, HOLD, OR STOP-WORK NOTICES** - Buyer may send Bosch a cancellation, hold, stop-work, or similar notice at any time applicable to any unshipped portion of any order not involving a special or custom Product, and such notice will be accepted by Bosch subject to the following conditions:

8.1 Any hold, stop-work, or similar notice shall be treated as a cancellation notice if and when, in the opinion of Bosch, circumstances warrant such treatment.

8.2 Buyer shall pay a cancellation charge specified by Bosch which shall include adjustment of the billing price to Bosch's established price applicable to the quantity actually delivered, and may include, among other things, all costs, both direct and indirect, incurred and committed with a reasonable allowance for prorated expenses.

8.3 Bosch will be under no further obligation with respect to filling the order to which such notice applies.

9. **FORCE MAJEURE** – Bosch's shall not be liable for any failure in performance to the extent caused by an Act of God, outbreak of hostilities (whether or not war is declared), insurrection, riot, civil disturbance, Government Act or regulation, fire, flood, explosion, production delays, accident, theft, climatic conditions, inability to obtain power, shortage of material, transportation, strike, lockout, or trade dispute (whether Bosch's or another party's employees), third party supplier's actions, federal, state or municipal orders and directions, or other cause beyond Bosch's reasonable control. The period of the contract shall be correspondingly extended by the period of such delay, if deliveries/services are suspended for six months or more, Bosch may at its option, by written notice to Buyer, without liability or penalty and without relieving Buyer of its obligation to pay for any products/services which have been delivered, cancel the contract with respect to any undelivered Products/services.

10. **SECURITY INTEREST** - Bosch retains a security interest in those Products for which amounts remain unpaid, as of the date of delivery. Buyer shall not otherwise sell, offer for sale or otherwise encumber, nor grant any higher priority interest in these Product(s) while any portion thereof remains unpaid. Buyer appoints Bosch as its attorney in fact to prepare, sign and file or record any financing statement, applications for registration and similar papers and to take any other action deemed necessary or desirable in order to perfect Bosch's security interest**.** Once the Product is fully paid, Buyer may request Bosch to withdraw any financing statements previously filed hereunder**.**

11. **BUYER'S SOLVENCY** - Buyer's order shall constitute a representation that Buyer is solvent. If Bosch at any time reasonably believes that Buyer is insolvent or that Buyer's credit is impaired, Buyer shall be in material breach hereof and Bosch may, without liability to Buyer, withhold performance hereunder, change the payment terms including, without limitation, declaring all amounts to be immediately due and payable, and/or repossess products previously delivered.

12. **BOSCH'S DAMAGES** - If Buyer wrongfully rejects or revokes acceptance of Products/services covered hereby, or fails to make any payment when due, or repudiates this order, Bosch shall have all the rights and remedies provided by law and, without limitation of the foregoing, may recover as damages, where permitted by applicable law, the price including a late payment or interest charge from due date at one and one-half percent (1-1/2%) per month on the unpaid balance, but not to exceed the maximum rate of interest permitted by law, and any costs of collection, including reasonable attorneys' fees. As to all partially manufactured Products, Bosch may, at its option complete their manufacture, and hold Buyer responsible for their price. Upon recovery of the price, the Products shall become the property of Buyer.

13. **GENERAL**

13.1 No addition to, deletion from, or modification of any of the provisions of these Terms and Conditions of Sale shall be binding upon Bosch, unless made in writing and signed by a duly authorized officer or employee of Bosch. Oral statements, warranties, or representations made by any agent or employee or representative of Bosch are not authorized by Bosch and shall be of no force or effect. These Terms and Conditions of Sale are the final, complete, and exclusive statement of the terms of the agreement between Bosch and Buyer. ANY DIFFERENT OR ADDITIONAL TERMS PROPOSED BY BUYER ARE OBJECTED TO AND HEREBY REJECTED.

13.2 A waiver by Bosch of any default by Buyer or of any of these Terms and Conditions of Sale shall not be deemed to be a continuing waiver or a waiver of any other default or of any other of these Terms and Conditions of Sale, but shall apply solely to the instance in which the waiver is directed.

13.3 This agreement may not be assigned by Buyer without Bosch's written consent.

13.4 These Terms and Conditions of Sale shall be construed in accordance with the laws of the State of New York, USA, including, where otherwise applicable, the United Nations Convention on Contracts for the International Sale of Goods. In the event of any inconsistency between the terms hereof and the provisions of such Convention, the terms hereof shall prevail. Any claims arising hereunder by either party shall be brought in an appropriate court of general jurisdiction in the State of New York, USA, and Buyer irrevocably accepts the jurisdiction of such courts and consents to service of process by registered or certified mail at its address as it appears on the reverse side hereof or any attachment hereto.

14. **PAYMENT TERMS FOR INTERNATIONAL ORDERS**

14.1 Payment for the Products/services specified by Buyer's order shall be made in U.S. Dollars, through the medium of an irrevocable Letter of Credit in favor of Bosch, confirmed by a bank located in the United States acceptable to Bosch. Unless otherwise agreed, such Letter of Credit shall be valid for a period of time sufficient to enable Bosch to receive payment in full plus thirty days, shall be for the total price of the Product/services, including any applicable transportation and insurance costs, and in a form acceptable to Bosch, and shall authorize partial payments against partial deliveries. The Letter of Credit shall provide for payment(s) to Bosch at sight upon presentation to the confirming bank of Bosch's sight draft(s) on the confirming bank for one hundred percent of the invoice value of each delivery, accompanied by commercial invoice(s) or by shipping documents.

14.2 The Letter of Credit shall permit shipment and shall permit presentation of nonnegotiable copies of bills of lading provided they are accompanied by Bosch's declaration that the originals have been mailed directly to the opening bank. All bank charges in connection with said Letter of Credit including those of the confirming bank, shall be for the account of Buyer.

14.3 Other payment terms may be negotiated between Bosch and Buyer, in which case such special payment terms shall be specified in writing and become a part of the sale agreement.

15. **UNITED STATES EXPORT LAWS**

15.1 Bosch's obligations are subject to the export administration and control laws and regulations of the United States. Buyer shall comply fully with such laws and regulations in the export, resale or disposition of Products.

15.2 Quotations or proposals made, and any orders accepted by Bosch from a Buyer outside the United States are with the understanding that the ultimate destination of the Products is the country indicated therein. Diversion of the Products to any other destination contrary to United States law is prohibited. Accordingly, if the foregoing understanding is incorrect, or if Buyer intends to divert the products to any other destination, Buyer shall immediately inform Bosch of the correct ultimate destination.

Printed in U.S.A./Sep 03 Supersedes Oct 02 SP-10531

BOSCH SECURITY SYSTEMS REP LISTING
TO CONTACT YOUR LOCAL REP CALL 1-866-CCTVREP

State	Company Name	Primary Contact	Phone	Fax	Email
AK	MAR Corporation	Charles Soden	206-575-1798	206-575-1797	marcorporation@qwest.net
AL	Vihon Associates	Lyle Vihon	931-455-5767	931-454-9130	vihontn@vihon.com
AR	I.D.M.C., Inc.	Bob Kough	817-695-9014	817-695-9015	idmc@idmcinc.com
AZ	Carlberg & Associates	Alan Archuleta	877-712-1973	877-712-1974	alana@carlbergs.com
CA	Carlberg & Associates	Kelly Carlberg	877-712-1973	877-712-1794	kellyc@carlbergs.com
CO	Carlberg & Associates	Gary Schefler	877-712-1973	877-712-1974	garys@carlbergs.com
CT	Repworks, Inc.	Ted Curtin	800-777-REPS	413-533-1090	ted@repworks.com
DC	Chesapeake Marketing	Steve Pennington	410-612-9640	410-612-9644	steve@chesapeakemarketing.com
DE	Midlantic Marketing, Inc.	Tom Fontana	610-361-0500	610-361-0520	sales@midlantic.net
GA	Vihon Associates	Greg Vihon	770-667-7879	770-667-5354	vihonga@vihon.com
FL	Coaxial Systems	Bill Alexander	561-967-4554	561-967-6761	info@coaxialsystems.com
HI	Carlberg & Associates	Bud Eula	877-712-1973	877-712-1974	bude@carlbergs.com
IA (central east)	Rancilio Associates	Scott Vogel	314-845-0202	314-845-0330	scottvogle@aol.com
IA (extreme west)	Rancilio Associates	Ken Rancilio	913-491-4433	913-491-4511	kcrep1@aol.com
ID	MAR Corporation	Charles Soden	206-575-1798	206-575-1797	marcorporation@qwest.net
IL (S)	Rancilio Associates	Rick Rancilio	314-845-0202	314-845-0330	info@ranciliostl.com
IL (N)	Denning Electronics, Inc.	Ken Wippich	630-920-1488	630-850-7588	kwippich@denningelectronics.com
IN	New/Era Sales, Inc.	Greg Thomas	317-844-4530	317-844-4534	general@newera
KY	New/Era Sales, Inc.	Greg Thomas	317-844-4530	317-844-4534	general@newera
KY (N)	Weller Sales	Ralph Wright	614-885-7819	614-885-2038	info@wellersales.com
KS	Rancilio Associates	Ken Rancilio	913-491-4433	913-491-4511	kcrep1@aol.com
LA	Vihon Associates	Lyle Vihon	504-361-0643	931-454-9130	vihontn@vihon.com
MA	Repworks, Inc.	Ted Curtin	800-777-REPS	413-533-1090	ted@repworks.com
MD	Chesapeake Marketing	Steve Pennington	410-612-9640	410-612-9644	steve@chesapeakemarketing.c
ME	RepWorks, Inc.	Ted Curtain	800-777-REPS	413-533-1090	ted@repworks.com
MI	Burcaw Company	Lynn Toussaint	248-616-9800	248-616-9803	sales@burcaw.com
MN	HMR Corporation	Brad Hemphill	952-888-2122	952-884-4768	hmr.assoc@hmr-inc.com
MO	Rancilio Associates	Dan Rancilio	314-845-0202	314-845-0330	drancilio@aol.com
MO (extreme west)	Rancilio Associates	Ken Rancilio	913-491-4433	913-491-4511	kcrep1@aol.com
MS	Vihon Associates	Lyle Vihon	931-455-5767	931-454-9130	vihontn@vihon.com
MT(W)	MAR Corporation	Charles Soden	206-575-1798	206-575-1797	marcorporation@qwest.net
MT(E)	Carlberg & Associates	Gary Schefler	877-712-1973	877-712-1974	garys@carlbergs.com
NC	Vihon Associates	Ken Mills	770-667-7879	770-667-5354	vihonga@vihon.com
ND	HMR Corporation	Brad Hemphill	952-888-2122	952-884-4768	hmr.assoc@hmr-inc.com
NE	Rancilio Associates	Ken Rancilio	913-491-4433	913-491-4511	info@ranciliokc.com
NH	Repworks, Inc.	Ted Curtin	800-777-REPS	413-533-1090	ted@repworks.com
NJ (N)	Palmieri Associates	Jim Reilly/Joe Palmeri	973-882-1266	973-882-1221	j.palmieri3@verizon.net
NJ (S)	Midlantic Marketing, Inc.	Tom Fontana	610-361-0500	610-361-0520	sales@midlantic.net
NM	Carlberg & Associates	Alan Archuleta	877-712-1973	877-712-1974	alan@carlbergs.com
NY (upper)	J. Nill Associates	Jeff Nill	716-633-0048	716-633-0461	info@jnill.com
NY (metro)	Palmieri Associates	Joe Palmeri	973-882-1266	973-882-1221	j.palmieri3@verizon.net
NY (metro)	Palmieri Associates	Jim Reilly	973-882-1266	973-882-1221	jim.reilly4@verizon.net
NV (N)	Carlberg & Associates	Kelly Carlberg	877-712-1973	877-712-1974	kellyc@carlbergs.com
OH	Weller Sales	Ralph Wright	614-885-7819	614-885-2038	info@wellersales.com
OK	I.D.M.C., Inc.	Bob Kough	817-695-9014	817-695-9015	idmc@idmcinc.com
OR	MAR Corporation	Charles Soden	206-575-1798	206-575-1797	marcorporation@qwest.net
PA (E)	Midlantic Marketing, Inc.	Tom Fontana	610-361-0500	610-361-0520	sales@midlantic.net
PA (W)	Weller Sales	Ralph Wright	614-885-7819	614-885-2038	info@wellersales.com
PR	Coaxial Systems	Bill Alexander	561-967-4554	561-967-6761	info@coaxialsystems.com
RI	RepWorks, Inc.	Ted Curtin	800-777-REPS	413-533-1090	ted@repworks.com
SC	Vihon Associates	Greg Vihon	770-667-7879	770-667-5354	vihonga@vihon.com
SD	HMR Corporation	Brad Hemphill	952-888-2122	952-884-4768	hmr.assoc@hmr-inc.com
TN	Vihon Associates	Lyle Vihon	931-455-5767	931-454-9130	vihontn@vihon.cm
TX	I.D.M.C., Inc.	Bob Kough	817-695-9014	817-695-9015	idmc@idmcinc.com
TX (El Paso)	Carlberg & Associates	Mike Murphy	877-712-1973	877-712-1974	mikem@carlbergs.com
UT	Carlberg & Associates	Gary Schefler	877-712-1973	877-712-1974	garys@carlbergs.com
VA	Chesapeake Marketing	Steve Pennington	410-612-9640	410-612-9644	steve@chesapeakemarketing.com
VT	RepWorks, Inc.	Ted Curtin	800-777-REPS	413-533-0845	ted@repworks.com
WA	MAR Corporation	Charles Soden	206-575-1798	206-575-1797	marcorporation@qwest.net
WI (E)	Denning Electronics, Inc.	Ken Wippich	630-920-1488	630-850-7588	kwippich@denningelectronics.com
WI (W)	HMR Corporation	Brad Hemphill	952-888-2122	952-884-4768	hmr.assoc@hmr-inc.com
WV	Weller Sales	Ralph Wright	614-885-7819	614-885-2038	info@wellersales.com
WY	Carlberg & Associates	Gary Schefler	877-712-1973	877-712-1974	garys@carlbergs.com

Revised 10/01/04

Bosch Security Systems, Inc.
850 Greenfield Road,
Lancaster, PA 17601 U.S.A.
Phone: 1-866-CCTV REP
Fax: 717-735-6560
cctv@us.bosch.com
www.boschsecurity.us

All rights reserved
Printed in U.S.A.
October 2004

Tradition of quality and innovation

For over 100 years, the Bosch name has stood for quality and reliability. Bosch Security Systems proudly offers a wide range of fire, intrusion, CCTV, management and communication systems and components to help you find the solution for any application. We are the global supplier of choice for innovative technology backed by the highest level of service and support. When you need solutions you can rely on, choose Bosch.

Security you can rely on.